
Bindery

Combination folders

ZC76791 Heidelberg-Stahl KD78/6KL (2000)

Pallet feeder, Pump, Counter, Glue unit, 16 page folder, Parallel fold unit with 6 buckle plates, First cross fold, Second cross fold to the left, Stream delivery, model: SA 78.K S1, Horizontal stack delivery with pressing and marking device, model: SMP M 46D, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 78 x 116 cm., Minimum sheet size, width x length (cm): 14 x 18 cm, Maximum pile height: 120 cm, Maximum mechanical speed: 50.000 cycles/hour, Full specifications on request

VZ29244 Heidelberg-Stahl KH66/4KL (2004)

Pallet feeder model: PFH 66, Pump, Counter, 16 page folder, Parallel fold unit with 4 buckle plates, Gate fold plate, First cross fold, Second cross fold to the left, Anti noise hood, Vertical stacking delivery with pressing: VSA 66, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 66 x 104 cm, Minimum sheet size, width x length (cm): 14 x 18 cm, Minimum sheet size with twin suction wheel, width x length (cm): 20 x 18 cm, Maximum pile height: 120 cm, Maximum mechanical speed: 50.000 cycles/hour, Full specifications on request

TE29726 MBO K52/2KL (1979)

Flat pile feeder, Pump, Counter, 16 page folder, Parallel fold unit with 2 buckle plates, Anti noise hood(s), First cross fold, Second cross fold to the left, Stream delivery

TA58171 MBO K52/2KL (1977)

Flat pile feeder, Pump, Counter, 8 page folder, Parallel fold unit with 2 buckle plates, Anti noise hood(s), First cross fold, Second cross fold to the left, Stream delivery

HX79196 MBO K800.2/4S KTZ (2007)

Touch screen monitor(s), Automatic setting, Pallet feeder, Pump, 16 page folder, Parallel fold unit with 4 buckle plates, Slitter shaft cassette, First cross fold, Second cross fold to the left and right, Anti noise hood, Excluding delivery, Maximum sheet size, width x length (cm): 78 x 120 cm, Minimum sheet size, width x length (cm): 17 x 25 cm, Maximum mechanical speed: 210 m/min, Minimum mechanical speed: 10 m/min, Full specifications on request

TG29843 MBO K800.2/4S KTZ (2008)

Touch screen monitor(s), Automatic setting, Pallet feeder, Pump, 16 page folder, Parallel fold unit with 4 buckle plates, Perforation shaft after buckle folding group, First cross fold, Second cross fold to the left and right, Anti noise hood, Excluding delivery, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 78 x 120 cm, Minimum sheet size, width x length (cm): 17 x 25 cm, Maximum mechanical speed: 210 m/min, Minimum mechanical speed: 10 m/min, Full specifications on request

YA24932 Stahl KC78/4KZR (1988)

Pallet feeder, Pump, Tremat, Counter, 32 page folder, Parallel fold unit with 4 buckle plates, Anti noise hood(s), First cross fold, Second cross fold to the left and right, Third cross fold left or right (moveable), Excluding delivery, Maximum sheet size, width x length (cm): 78 x 116 cm., Minimum sheet size, width x length (cm): 15 x 20 cm, Maximum mechanical speed: 180 mtr/min., Full specifications on request

All buckle folders

TU33681 Heidelberg-Stahl TD112/44 (2006)

Pallet feeder, Excluding pump(s), Counter, 8 page folder, Front mounted perforation shaft, First buckle folding section with 4 buckle plates, Second buckle folding section with 4 buckle plates, Double stream device for second folding section, Anti noise hood(s), Horizontal stack delivery with pressing, model: SBP 86, Age: 2006, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 112 x 162 cm, Minimum sheet size with twin suction wheel, width x length (cm): 32 x 18 cm, Maximum pile height: 120 cm, Maximum mechanical speed: 45.000 cycles/hour, Full specifications on request

UY75449 Heidelberg-Stahl TH56/44 (2010)

Stock List Bindery

Touch screen monitor(s), Automatic setting, Flat pile feeder, Pump, 16 page folder, First buckle folding section with 4 buckle plates, Width: 56 cm., Anti noise hood(s), Second buckle folding section with 4 buckle plates, Width: 56 cm., Anti noise hood(s), Stream delivery, model: SAK 56, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 56 x 90 cm, Minimum sheet size, width x length (cm): 14 x 18 cm, Paper weight (g/m²): 40-250, Maximum pile height: 80 cm, Maximum mechanical speed: 230, Full specifications on request

FH41739 Heidelberg-Stahl TH82/442 (2005)

Round pile feeder, Pump, Counter, 16 page folder, First buckle folding section with 4 buckle plates, Second buckle folding section with 4 buckle plates, Third buckle folding section with 2 buckle plates, Anti noise hood(s), Horizontal stack delivery with pressing, model: SBP 66, Age: 2005, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 82 x 128 cm, Minimum sheet size, width x length (cm): 14 x 18 cm, Minimum sheet size with twin suction wheel, width x length (cm): 20 x 18 cm, Maximum pile height: 8 cm, Maximum mechanical speed: 50.000 cycles/hour, Full specifications on request

CB16141 Stahl TD78/46 (1995)

Round pile feeder, Pump, Counter, 8 page folder, First buckle folding section with 4 buckle plates, Second buckle folding section with 6 buckle plates, Excluding noise hoods, Horizontal stack delivery with pressing, model: SBP 46.D, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 78 x 128 cm, Maximum pile height: 8 cm, Maximum mechanical speed: 45.000 cycles/hour, Full specifications on request

YW88621 Stahl TD94/442 (1998)

Pallet feeder model: PD-94-T, Pump, Tremat, Counter, 16 page folder, First buckle folding section with 4 buckle plates, Anti noise hood(s), Second buckle folding section with 4 buckle plates, Anti noise hood(s), Third buckle folding section with 2 buckle plates, Anti noise hood(s), Excluding delivery, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 94 x 132 cm, Minimum sheet size, width x length (cm): 32 x 18 cm, Maximum pile height: 120 cm, Maximum mechanical speed: 50.000 cycles/hour, Full specifications on request

UU83688 Stahl TD94/442 (1998)

Pallet feeder model: PD-94-T, Pump, Tremat, Counter, 16 page folder, First buckle folding section with 4 buckle plates, Anti noise hood(s), Second buckle folding section with 4 buckle plates, Anti noise hood(s), Third buckle folding section with 2 buckle plates, Anti noise hood(s), Vertical stacking delivery with pressing: Palamides Alpha 700-S, Age: 2005, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 94 x 132 cm, Minimum sheet size, width x length (cm): 32 x 18 cm, Maximum pile height: 120 cm, Maximum mechanical speed: 50.000 cycles/hour, Full specifications on request, Make - Model: Palamides Alpha 700-S, Maximum signature size: 700 x 235 mm, Minimum signature size: 145 x 95 mm, Maximum pile height: 120 mm

BT85265 Stahl TF78/442 (1988)

Round pile feeder, Excluding pump(s), Glue unit: Heidelberg, 16 page folder, First buckle folding section with 4 buckle plates, model: 78 cm., Excluding noise hoods, Second buckle folding section with 4 buckle plates, model: 66 cm., Excluding noise hoods, Third buckle folding section with 4 buckle plates, model: 56 cm., Excluding noise hoods, Excluding delivery

EV12815 Stahl TFU112/442-FF (1989)

Pallet feeder, Pump, Counter, 16 page folder, First buckle folding section with 4 buckle plates, Anti noise hood(s), Second buckle folding section with 4 buckle plates, Anti noise hood(s), Third buckle folding section with 2 buckle plates, Anti noise hood(s), Horizontal stack delivery with pressing, model: SBP 86, Age: 1989, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 112 x 140 cm, Minimum sheet size, width x length (cm): 30 x 40 cm, Maximum mechanical speed: 150 ntr/min., Full specifications on request

Buckle units

QK46527 Stahl 2.TFU66/4 (1986)

Second buckle folding section with 4 buckle plates

Knife folding units

WC53873 Heidelberg-Stahl VF66 (2009)

Mobile knife folding unit, Specifications are subject to manufacturers changes in similar models, Maximum size: 66 x 56 cm, Minimum size: 15 x 10 cm, Infeed height: 50 - 95 cm, Maximum mechanical speed: 180 m/min

XX15194 Stahl VFZ 43 (1986)

Stock List Bindery

Mobile knife folding unit, Knife position: Top, Specifications are subject to manufacturers changes in similar models, Maximum size: 43 x 31 cm, Minimum size: 15 x 10 cm, Infeed height: 55 - 77 cm, Maximum mechanical speed: 50 - 150 mtr/min, Full specifications on request, Weight: 111 x 67 cm, Electrical data: 0.45 KW, Weight: 210 kg

QV75251 Stahl VFZ 52.D (1995)

Mobile knife folding unit, Knife position: Top, Specifications are subject to manufacturers changes in similar models, Maximum size: 52 x 36 cm, Minimum size: 12 x 10 cm., Maximum mechanical speed: 50 - 150 mtr/min, Full specifications on request

Delivery systems

TY69793 Desta BA 510 (2000)

Horizontal stack delivery with pressing, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 250 x 350 mm, Minimum sheet size: 120 x 170 mm, Maximum pile height: 700 mm, Maximum mechanical speed: 15.000 copies/hour, Infeed height: 480 x 950 mm

XE83599 Heidelberg-Stahl SA-78-K S1 (2000)

Stream delivery, Maximum infeed width: 78 cm.

HH85762 Heidelberg-Stahl SAK 78 (2004)

Stream delivery, Maximum infeed width: 780 mm

WX76288 Heidelberg-Stahl SAK 94 (2007)

Stream delivery, Maximum infeed width: 94 cm., Minimum sheet size: 10 x 10 cm, Machine dimensions: 124 x 116 cm., Electrical data: 220 V. 50-60 Cycles, Weight: 145 kg.

SZ98563 Heidelberg-Stahl SAK 94 (2005)

Stream delivery, Maximum infeed width: 94 cm., Minimum sheet size: 10 x 10 cm, Machine dimensions: 124 x 116 cm., Electrical data: 220 V. 50-60 Cycles, Weight: 145 kg.

ZF59493 Heidelberg-Stahl SAK 94 (2005)

Stream delivery, Maximum infeed width: 94 cm., Minimum sheet size: 10 x 10 cm, Machine dimensions: 124 x 116 cm., Electrical data: 220 V. 50-60 Cycles, Weight: 145 kg.

WY66371 Heidelberg-Stahl SB.3-46/MP (2001)

Horizontal stack delivery with pressing and marking device, model, Maximum infeed width: 46 cm.

VA38861 MBO A 76 (1989)

Stream delivery, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 76 cm, Maximum mechanical speed: 1 - 10 mtr/min, Infeed height: 40 - 95 cm, Full specifications on request, Machine dimensions: 114 x 114 cm

FQ77963 MBO A 76

Stream delivery, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 76 cm, Maximum mechanical speed: 1 - 10 mtr/min, Infeed height: 40 - 95 cm, Full specifications on request, Machine dimensions: 114 x 114 cm

HF32719 MBO ASP 66 ME (1995)

Stream delivery, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 660 mm, Maximum mechanical speed: 50 - 140 mtr/min, Full specifications on request

YX68375 MBO P 76 (1986)

Mobile pressing station, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 76 cm, Maximum mechanical speed: 50 - 100 mtr/min, Infeed height: 48 - 100 cm, Full specifications on request, Machine dimensions: 87 x 145 cm

CG92446 Palamides Alpha 500 (2004)

Stock List Bindery

Vertical stacking delivery with pressing, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 510 mm, Maximum infeed length: 330 mm, Maximum pile height: 3 - 160 mm, Maximum mechanical speed: 205 mtr/m, Full specifications on request, Machine dimensions: 2870 x 2465 mm

UA23572 Palamides Alpha 700-S (2005)

Vertical stacking delivery with pressing, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 76 x 33 cm, Minimum sheet size: 8 x 9.5 cm, Maximum pile height: 0.3 -16 cm, Maximum mechanical speed: 205 mtr/m

GC26481 Stahl ASB 1.33

Vertical stacker - bundler

WR29189 Stahl MKA 78 (1990)

Stream delivery, Maximum infeed width: 780 mm

AT43855 Stahl SAK 66.D (1995)

Stream delivery, Maximum infeed width: 660 mm

WC28225 Stahl SAK 78 S.1 (1996)

Stream delivery, Maximum infeed width: 78 cm., Minimum sheet size: 10 x 10 cm, Machine dimensions: 108 x 116 cm., Electrical data: 220 V. 50-60 Cycles, Weight: 130 kg.

SG12931 Stahl SAK 78.3 (1991)

Stream delivery, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 780 mm

SC19236 Stahl SAK 78.3 (1993)

Stream delivery, Maximum infeed width: 780 mm

RU29398 Stahl SAL 112.2 (1993)

Stream delivery, Maximum infeed width: 112 cm., Minimum sheet size: 10 x 10 cm, Machine dimensions: 142 x 189 cm., Electrical data: 220 V. 50-60 Cycles, Weight: 230 kg.

XX33378 Stahl SBP46 (1987)

Horizontal stack delivery with pressing, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 46 cm., Maximum sheet size: 46 x 30 cm., Minimum sheet size: 12 x 10 cm., Maximum mechanical speed: 15 - 75 mtr/min., Full specifications on request, Machine dimensions: 104 x 219 cm., Weight: 620 kg.

BK58461 Stahl SBP46.2 (1991)

Horizontal stack delivery with pressing, Maximum infeed width: 46 cm., Maximum sheet size: 46 x 30 cm., Minimum sheet size: 12 x 10 cm., Maximum mechanical speed: 15 - 75 mtr/min., Machine dimensions: 104 x 219 cm., Weight: 620 kg.

WA25894 Stahl SBP66.2 (1991)

Horizontal stack delivery with pressing, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 66 cm., Maximum sheet size: 66 x 30 cm., Minimum sheet size: 12 x 10 cm., Maximum mechanical speed: 15 - 75 mtr/min., Full specifications on request, Machine dimensions: 124 x 219 cm., Weight: 630 kg.

Pressing systems

ZB85649 OMG Quintana (2005)

Bundle press (signatures), Mobile pressing station

YH29874 Roba Pressing device

Bundle press (signatures)

ZC41711 Roba Pressing device

Bundle press (signatures)

Stock List Bindery

AK57519 **Roba Pressing device**

Bundle press (signatures)

Gate fold plates

AU25551 **Heidelberg Gatefold plate KH & TH 78 (2005)**

Suitable for: KH 78 & TH 78, Width: 78 cm.

BY83389 **Heidelberg-Stahl Gate fold**

Suitable for: Heidelberg KD78, Width: 78 cm.

EV24926 **MBO Gate fold**

Suitable for: MBO T79

AG72432 **MBO Gate fold (2000)**

Suitable for: MBO K530

Sewers

YG33344 **Müller Martini Ventura 3215 (2006)**

Monitor with touch screen, Feeder with magazin, 4+4 opening possibilities, Block stacker, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 510 x 320 mm, Minimum sheet size: 120 x 80 mm, Stitching length: 16.5 mm, Maximum mechanical speed: 12.000 cycles/h., Full specifications on request, Electrical data: 6, Weight: 3.000 kg, Weight including stacker: 3.300 kg

Book stacker

XU11936 **Aster (Meccanotecnica) Minigyr (1990)**

Standard equipped, Specifications are subject to manufacturers changes in similar models, Maximum book block size: 420 x 320 x 70 mm, Minimum book block size: 150 x 80 x 3 mm, Maximum pile height: 200 mm, Maximum mechanical speed: 3000 cycles/hour, Full specifications on request

Gatherers

RR13284 **Kolbus ZU Disk 820 (1993)**

Number of gathering stations: 30, Pump(s), Stacking delivery with delivery conveyor, Delivery, make: Ralissa, Delivery, age: 2000, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 310 x 510 mm, Minimum sheet size: 100 x 125 mm, Maximum block thickness: 80 mm., Maximum mechanical speed: 10.000 copies/hour, Full specifications on request, Maximum book block size: 320 x 510 mm., Minimum book block size: 100 x 170 mm, Maximum mechanical speed: 6000 copies/hour

GH15528 **Müller Martini 1571 (1996)**

Hand feeding station for one person, Number of gathering stations: 16, Excluding pump(s), ASAC Automatic Self Adjusting Caliper, Pile delivery with delivery conveyor: 3640, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 450 x 320 mm, Minimum sheet size: 120 x 100 mm, Maximum signature size (with Asir): 420 x 260 mm, Minimum signature size (with Asir): 200 x 100 mm, Maximum block thickness: 60 mm, Maximum mechanical speed: 5.000 copies/hour, Full specifications on request

KA52673 **Müller Martini 210 S (1984)**

Hand feeding station for one person, Number of gathering stations: 24, Pump(s), Optical signature control system, make: Opticamera (2005), Delivery, make: Meccanotecnica, Delivery, model: Ralissa, Delivery, age: 2008, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 305 x 450 mm, Minimum sheet size: 110 x 140 mm, Maximum block thickness: 60 mm, Maximum mechanical speed: 12.000 copies/hour, Full specifications on request, Maximum book block size: 510 x 260 mm, Minimum book block size: 170 x 100 mm, Maximum pile height: 280 mm, Maximum mechanical speed: 6.000 cycles/hour, Full specifications on request

Stock List Bindery

Gathering units

UQ99682 Wohlenberg ZTM 370 (1988)

Hand feeding station, Number of gathering stations: 24, Set up element, Excluding pump(s), For extension of an existing gatherer

Delivery systems

HZ37648 Meccanotecnica Ralissa (2008)

Criss cross delivery, Stacking delivery: Ralissa, Specifications are subject to manufacturers changes in similar models, Maximum book block size: 420 x 320 mm, Maximum pile height: 110 mm, Maximum mechanical speed: 3.400 - 6.000 copies/hour, Full specifications on request, Machine dimensions: 3.500 x 970 x 1440 mm, Weight: 1300 kg, Electrical data: 3 KW, Power supply: 200 NI/min - 6 bar

Saddle stitchers

RB96945 Müller Martini Bravo (2001)

Total number of chain stations: 6, Double universal base, total: 3, Horizontal signature feeder, model: 370, Number of horizontal signature feeders: 5, Cover feeder, model: 1528, Pump(s), Stitching unit: 380, Oblique sheet control, Stitching head(s), model: HK 75, Number of stitching heads: 2, Trimmer, model: 361, Compensating stacker: Pratico, Age: 1997, Delivery to the left, Specifications are subject to manufacturers changes in similar models, Maximum mechanical speed: 11.000 copies/hour, Maximum uncutted size: 480 x 320 mm, Minimum uncutted size: 153 x 108 mm, Maximum cutted size: 475 x 300 mm, Minimum cutted size: 148 x 105 mm, Full specifications on request

BG75196 Müller Martini Presto (1997)

Total number of chain stations: 5, Horizontal signature feeder, model: 1551, Number of horizontal signature feeders: 4, Cover feeder, model: 1528, Pump(s), Stitching unit: 1550 (Presto), Stitching head(s), model: HK 75, Number of stitching heads: 2, Trimmer, model: 1522, 2 sets of knives, Belt delivery, Specifications are subject to manufacturers changes in similar models, Maximum mechanical speed: 9.000 copies/hour, Maximum uncutted size: 365 x 305 mm, Minimum uncutted size: 105 x 115 mm, Maximum cutted size: 360 x 300 mm, Minimum cutted size: 140 x 76 mm, Maximum cut off (head and tail): 50 mm, Maximum cut off (front): 35 mm, Maximum product thickness: 10 mm, Full specifications on request

XX86514 Müller Martini Prima Amrys (1999)

Total number of chain stations: 11, Single universal base, total: 1, Double universal base, total: 5, Horizontal signature feeder, model: 370, Number of horizontal signature feeders: 8, AMRYS automatic make ready system on signature feeders, Card gluer with Robatech hotmelt system: 315, Cover feeder, model: 1529, Pump(s), Stitching unit: 390 (Prima), Oblique sheet control, Stitching head(s), model: HK 75, Number of stitching heads: 2, Trimmer, model: 360, AMRYS automatic make ready system on trimmer, 2 sets of knives, Center cutting device, Sets of knives for center cutting device: 1, Compensating stacker: Rapido (7525), Delivery to the left, Airtable delivery, Specifications are subject to manufacturers changes in similar models, Maximum mechanical speed: 13.000 copies/hour, Maximum uncutted size: 480 x 320 mm, Minimum uncutted size: 90 x 105 mm, Maximum cutted size: 475 x 300 mm, Minimum cutted size: 105 x 75 mm, Maximum product thickness: 13 mm, Full specifications on request

AT58564 Müller Martini Prima S (2002)

Total number of chain stations: 6, Double universal base, total: 3, Horizontal signature feeder, model: 370, Number of horizontal signature feeders: 5, ASIR Automatic Signature Image Recognition, Card gluer with Robatech hotmelt system: 315, Semco thickness control, Cover feeder, model: 1528, Excluding pump(s), Stitching unit: 390, Oblique sheet control, Stitching head(s), model: HK 75, Number of stitching heads: 2, Trimmer, model: 361, 2 sets of knives, Compensating stacker: Rapido, Specifications are subject to manufacturers changes in similar models, Maximum mechanical speed: 14.000 copies/hour, Maximum uncutted size: 480 x 320 mm, Minimum uncutted size: 153 x 108 mm, Maximum cutted size: 475 x 300 mm, Minimum cutted size: 148 x 105 mm, Maximum cut off (head and tail): 50 mm, Maximum cut off (front): 50 mm, Maximum product thickness: 10 mm, Full specifications on request

Universal bases

GT24134 Müller Martini 3681 (2005)

Double universal base, total: 2, Suitable for: Müller Martini 3681, Including chain track, Excluding chain

CA45876 Müller Martini Double universal base

Stock List Bindery

Universal bases, Excluding chain track, Excluding chain

YA34889 **Müller Martini Double universal base**

Suitable for: MM Prima. MM Bravo, Universal bases, Including chain track, Excluding chain

SW46326 **Müller Martini Double universal base**

Suitable for: MM Prima. MM Bravo, Universal bases, Including chain track, Excluding chain

TG73298 **Müller Martini Double universal base (1995)**

Suitable for: MM Prima. MM Bravo, Universal bases, Including chain track, Excluding chain

KB88825 **Müller Martini Double universal base**

Universal bases, Excluding chain track, Excluding chain

RA29858 **Müller Martini Double universal base (1998)**

Suitable for: MM Prima. MM Bravo, Universal bases, Including chain track, Excluding chain

EW12982 **Müller Martini Universal base**

Single universal base, Including chain track, Excluding chain

CZ68257 **Müller Martini Universal base**

Single universal base, Suitable for: Muller MArtini Bravo. Prima. 300, Excluding chain track, Excluding chain

Signature feeders

AW21634 **Müller Martini 306 (1983)**

Horizontal signature feeder, model: 306, Excluding universal base, No of suckers: 2, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum signature size with lap: 480 x 320 mm, Maximum signature size without lap: 400 x 290 mm, Maximum mechanical speed: 12.000 copies/hour

KB41691 **Müller Martini 370.0400 (1998)**

Universal bases, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 480 x 105 mm, Minimum sheet size: 105 x 115 mm, Maximum mechanical speed: 13.000 copies/hour, Full specifications on request, Weight: 170 kg

BV14194 **Müller Martini 370.0400 (1997)**

Including shuttle feeder, Excluding universal base, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 480 x 105 mm, Minimum sheet size: 105 x 115 mm, Maximum mechanical speed: 13.000 copies/hour, Full specifications on request, Weight: 170 kg

ZX37659 **Müller Martini 370.0400 (2000)**

Horizontal signature feeder, model: 370.0400, Number of horizontal signature feeders: 2, Universal bases, Excluding chain, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 480 x 105 mm, Minimum sheet size: 105 x 115 mm, Maximum mechanical speed: 13.000 copies/hour, Full specifications on request, Weight: 170 kg

YQ38772 **Müller Martini 370.0400 (1997)**

Including shuttle feeder, Excluding universal base, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 480 x 105 mm, Minimum sheet size: 105 x 115 mm, Maximum mechanical speed: 13.000 copies/hour, Full specifications on request, Weight: 170 kg

FE66522 **Müller Martini Mini-infeed**

Mini-Feed number: 5, Mini-infeed, suitable for: Müller Martini 370

Card gluers

TX98396 **Müller Martini 315.0402 - 21" (1997)**

Stock List Bindery

Robatech hotmelt system, Excluding universal base, Excluding chain track, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum card size: 210 x 210 xx, Minimum card size: 80 x 60 mm, Maximum mechanical speed: 18.000 copies/hour, Full specifications on request, Weight: 200 kg., Power supply: 1Nm3/h - 5-6 bar

TS48393 **Müller Martini 315.0402 - 21" (1992)**

Robatech hotmelt system: Roba 30, Excluding universal base, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum card size: 210 x 210 xx, Minimum card size: 80 x 60 mm, Maximum mechanical speed: 14.000 copies/hour, Full specifications on request, Weight: 200 kg., Power supply: 1Nm3/h - 5-6 bar

UF88348 **Müller Martini 315.0402 - 21" (2003)**

Nordson hotmelt system, Excluding universal bases, Excluding chain track, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum card size: 210 x 210 xx, Minimum card size: 80 x 60 mm, Maximum mechanical speed: 18.000 copies/hour, Full specifications on request, Weight: 200 kg., Power supply: 1Nm3/h - 5-6 bar

WC28486 **Müller Martini 315.0402 - 21" (1998)**

Robatech hotmelt system, Excluding universal base, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum card size: 210 x 210 xx, Minimum card size: 80 x 60 mm, Maximum mechanical speed: 14.000 copies/hour, Full specifications on request, Weight: 200 kg., Power supply: 1Nm3/h - 5-6 bar

BK19836 **Müller Martini 315.0402 - 21" (1996)**

Robatech hotmelt system, Excluding universal base, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum card size: 210 x 210 xx, Minimum card size: 80 x 60 mm, Maximum mechanical speed: 14.000 copies/hour, Full specifications on request, Weight: 200 kg., Power supply: 1Nm3/h - 5-6 bar

GQ52267 **Müller Martini 315.0402 - 21" (1993)**

Robatech hotmelt system, Excluding universal base, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum card size: 210 x 210 xx, Minimum card size: 80 x 60 mm, Maximum mechanical speed: 14.000 copies/hour, Full specifications on request, Weight: 200 kg., Power supply: 1Nm3/h - 5-6 bar

YS92393 **Müller Martini 423.0421 21" (2006)**

Robatech hotmelt system, Excluding universal bases, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum card size: 210 x 250 mm, Minimum card size: 80 x 55 mm, Maximum mechanical speed: 13.000 copies/hour, Full specifications on request, Weight: 400 kg

Hoists

FW25762 **Müller Martini 277 (1999)**

Bundle clamp(s): 1, Hoist for bundle clamp(s): Demag

EK23291 **Müller Martini Hoist**

Gantry system: MM 370 & MM 306

Center cutting device

SB35247 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

VS23418 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

RT46782 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

QS52679 **Müller Martini Center Cut**

Stock List Bindery

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

HZ17166 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

HB89945 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

FC99526 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

VX71468 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

FZ36416 **Müller Martini Trio Cut**

Suitable for: Müller Martini 449, Trio Cut

Delivery systems

YR89233 **Desta PK25/E**

Compensating stacker

QZ58935 **Harris RS 10 (1983)**

Delivery to the left, Specifications are subject to manufacturers changes in similar models, Maximum product size: 320 x 470 x 19 mm, Minimum product size: 102 x 140 x 1 mm, Maximum pile height: 248 - 267 mm, Maximum mechanical speed: 13.000 copies/hour, Full specifications on request

UW44211 **Müller Martini 225**

Belt delivery

TU87754 **Müller Martini CS 14 (1991)**

Delivery to the left, Specifications are subject to manufacturers changes in similar models, Maximum product size: 480 x 340 x 40 mm, Minimum product size: 148 x 105 mm, Maximum mechanical speed: 14.000 copies/hour, Full specifications on request

RX62579 **Müller Martini Pratico (1997)**

Delivery to the left, Roller table delivery, Specifications are subject to manufacturers changes in similar models, Maximum product size: 480 x 320 mm, Minimum product size: 148 x 105 mm, Maximum pile height: 250 mm, Maximum mechanical speed: 15.000 copies/hour, Full specifications on request, Weight: 900 kg, Power supply: 2.5 KW, Power supply: 18Nm3/h

Case makers

XB18888 **Hoerauf BDM Compact 45 (2010)**

Corner cutter, Colour monitor, Board magazin for manual loading, Centre strip infeed, Glue unit, Viscosity control, Cloth feeder, Pressing station, Stacking delivery, Pump(s), Specifications are subject to manufacturers changes in similar models, Maximum open case size : 390 x 660 mm, Maximum open case size : 100 x 170 mm, Joint width: 6 - 90 mm, Width between boards: 16 - 120 mm., Centre strip roll thickness: 0.3 - 0.6 mm, Maximum mechanical speed: 45 cycles/minute, Full specifications on request, Machine dimensions: 6790 x 5211 mm, Weight: 5800 kg, Power supply: 19 KW, Power supply: 1200 NL/minute at 6 bar

XF39332 **Kolbus DA 232 (2006)**

Corner cutter, Copilot system with touch screen monitor, Motorized format adjustments, Board prestacking conveyor, Board cutter: PS, Centre strip infeed, Chopper for the centre strip waste, Glue unit, Viscosity control, Pressing station, Stacking delivery, Device for inside lining with hotmelt, Specifications are subject to manufacturers changes in similar models, Maximum open case size : 660 x 380 mm, Maximum open case size : 210 x 130 mm, Cloth width: 234 - 690 mm, Cloth height: 154 - 410 mm, Board thickness: 1 - 4 mm., Board width: 95 - 320 mm, Board height: 130 - 380 mm, Board center strip thickness: 0.3 - 0.5 mm., Board center strip width: 6 - 90 mm, Maximum mechanical speed: 85 cycles/min, Full specifications on request, Machine dimensions: 6320 x 4710 mm, Weight: 6510 kg, Power supply: 33 Nm3/h - 6 bar

Stock List Bindery

YF99774 Kolbus DA 240 - Chronos (1999)

Digital display, Motorized format adjustments, Board prestacking conveyor, Board cutter: PS, Centre strip infeed, Chopper for the centre strip waste, Third transporter for stiff spine board, Glue unit, Viscosity control, Cloth feeder, Pressing station, Stacking delivery, Specifications are subject to manufacturers changes in similar models, Maximum open case size : 660 x 405 mm., Maximum open case size : 155 x 110 mm., Joint width: 4 - 15 mm, Width between boards: 16 - 120 mm., Turning in width: 8 - 15 mm, Cloth width: 175 - 700 mm., Cloth height: 130 x 435 mm., Board thickness: 1 - 4 mm, Board width: 68 - 315 mm, Board height: 110 x 405 mm., Board center strip thickness: 1 - 4 mm, Board center strip width: 6 - 90 mm., Centre strip roll thickness: 1 - 4 mm, Centre strip roll thickness: 6 - 90 mm, Maximum mechanical speed: 50 cycles/min, Full specifications on request, Machine dimensions: 4.295 x 3.600 x 1.700 mm., Machine dimensions: 4.850 x 3.600 x 1.700 mm., Weight: 5.950 kg., Power supply: 230/400 volt. 3 phases. 50 cycles, Power supply: 5Nm3/h

XK89391 Kolbus DA 260 (2008)

Board magazin for manual loading, Excluding centre strip infeed, Glue unit, Viscosity control, Cloth feeder, Pressing station, Stacking delivery, Specifications are subject to manufacturers changes in similar models, Maximum open case size : 670 x 390 mm, Maximum open case size : 205 x 140 mm, Joint width: 4 - 15 mm, Width between boards: 14 - 120 mm, Turning in width: 8 - 15 mm, Cloth width: 223 - 708 mm, Cloth height: 130 - 428 mm, Board thickness: 1 - 4 mm, Board width: 95 - 328 mm, Board height: 140 - 390 mm, Board center strip thickness: 1 - 4 mm, Board center strip width: 6 - 90 mm, Centre strip roll thickness: 0.3 - 0.6 mm, Centre strip roll thickness: 6 - 90 mm, Maximum mechanical speed: 40 cycles/min, Full specifications on request, Machine dimensions: 5000 x 3000 x 2200 mm, Weight: 5100 kg, Power supply: 3 phase. 400 volt. 50 cycles

HG75966 Kolbus DA 260 (2010)

Board magazin for manual loading, Centre strip infeed, Chopper for the centre strip waste, Glue unit, Viscosity control, Glue unit with pre-heated glue tube, Cloth feeder, Pressing station, Stacking delivery, Specifications are subject to manufacturers changes in similar models, Maximum open case size : 670 x 390 mm, Maximum open case size : 205 x 140 mm, Joint width: 4 - 15 mm, Width between boards: 14 - 120 mm, Turning in width: 8 - 15 mm, Cloth width: 223 - 708 mm, Cloth height: 130 - 428 mm, Board thickness: 1 - 4 mm, Board width: 95 - 328 mm, Board height: 140 - 390 mm, Board center strip thickness: 1 - 4 mm, Board center strip width: 6 - 90 mm, Centre strip roll thickness: 0.3 - 0.6 mm, Centre strip roll thickness: 6 - 90 mm, Maximum mechanical speed: 40 cycles/min, Full specifications on request, Machine dimensions: 5000 x 3000 x 2200 mm, Weight: 5100 kg, Power supply: 3 phase. 400 volt. 50 cycles

EF88656 Kolbus DA 270 (2002)

Programmable automatic setting, motorized adjustments, Board prestacking conveyor, Centre strip infeed, Chopper for the centre strip waste, Viscosity control, Glue unit with pre-heated glue tube, Cloth feeder, Pressing station, Stacking delivery, Device for producing padded cases, Automatic case counter, Specifications are subject to manufacturers changes in similar models, Maximum open case size : 670 x 390 mm, Maximum open case size : 140 x 100 mm, Joint width: 4 - 15 mm, Width between boards: 14 - 120 mm, Turning in width: 8 - 15 mm, Cloth width: 223 - 708 mm, Cloth height: 130 - 428 mm, Board thickness: 1 - 4 mm., Board width: 95 - 328 mm, Board height: 140 - 390 mm, Board center strip thickness: 1 - 4 mm., Board center strip width: 6 - 90 mm, Centre strip roll thickness: 0.3 - 0.6 mm, Centre strip roll thickness: 6 - 90 mm, Maximum mechanical speed: 65 cycles/min, Full specifications on request, Machine dimensions: 6200 x 3000 x 2200 mm, Weight: 5850 kg, Power supply: 400 V. 50Hz. 3 phases, Power supply: 28 Nm3/h - 6 bar

UU67869 Kolbus DA 270 (2006)

Programmable automatic setting, motorized adjustments, Board prestacking conveyor, Board cutter: PS, Centre strip infeed, Chopper for the centre strip waste, Viscosity control, Glue unit with pre-heated glue tube, Cloth feeder, Pressing station, Stacking delivery, Specifications are subject to manufacturers changes in similar models, Maximum open case size : 670 x 390 mm, Maximum open case size : 205 x 140 mm, Joint width: 4 - 15 mm, Width between boards: 14 - 120 mm, Turning in width: 8 - 15 mm, Cloth width: 223 - 708 mm, Cloth height: 130 - 428 mm, Board thickness: 1 - 4 mm., Board width: 95 - 328 mm, Board height: 140 - 390 mm, Board center strip thickness: 1 - 4 mm., Board center strip width: 6 - 90 mm, Centre strip roll thickness: 0.3 - 0.6 mm, Centre strip roll thickness: 6 - 90 mm, Maximum mechanical speed: 65 cycles/min, Full specifications on request, Machine dimensions: 6200 x 3000 x 2200 mm, Weight: 5850 kg, Power supply: 400 V. 50Hz. 3 phases, Power supply: 28 Nm3/h - 6 bar

RT47765 Kolbus DA 270 (2002)

Programmable automatic setting, motorized adjustments, Board prestacking conveyor, Centre strip infeed, Chopper for the centre strip waste, Third transporter for stiff spine board, Viscosity control, Glue unit with pre-heated glue tube, Cloth feeder, Pressing station, Stacking delivery, Specifications are subject to manufacturers changes in similar models, Maximum open case size : 670 x 390 mm, Maximum open case size : 205 x 140 mm, Joint width: 4 - 15 mm, Width between boards: 14 - 120 mm, Turning in width: 8 - 15 mm, Cloth width: 223 - 708 mm, Cloth height: 130 - 428 mm, Board thickness: 1 - 4 mm., Board width: 95 - 328 mm, Board height: 140 - 390 mm, Board center strip thickness: 1 - 4 mm., Board center strip width: 6 - 90 mm, Centre strip roll thickness: 0.3 - 0.6 mm, Centre strip roll thickness: 6 - 90 mm, Maximum mechanical speed: 65 cycles/min, Full specifications on request, Machine dimensions: 6200 x 3000 x 2200 mm, Weight: 5850 kg, Power supply: 400 V. 50Hz. 3 phases, Power supply: 28 Nm3/h - 6 bar

Board cutting machines

XA25332 Kolbus PK (1961)

Stock List Bindery

Hand feeding station for one person, Rotary board cutting unit, Number of cutting knives: 7, Table delivery, Specifications are subject to manufacturers changes in similar models, Maximum card board width: 1.300 mm, Maximum cutted size: 1.250 mm, Maximum thickness: 0.8 - 4 mm, Smallest width of cut strips: 405 mm, Maximum mechanical speed: 45 mtr/min, Full specifications on request, Machine dimensions: 2.400 x 1.900 mm, Weight: 1.050 kg

HH31777 **Kolbus PK-D (1979)**

Hand feeding station for one person, Rotary board cutting unit, Magazin for second cut (strips), Waste removal conveyor, Palletizer, Specifications are subject to manufacturers changes in similar models, Maximum card board width: 1300 mm, Maximum width of cut: 1250 mm, Maximum thickness: 4 mm., Smallest width of cut strips: 50 mm, Smallest size of cut boards: 165 x 50 mm, Maximum mechanical speed: 25 - 45 mtr/min, Full specifications on request, Machine dimensions: 5660 x 1650 mm, Weight: 1.900 kg, Power supply: 6.1 KW

Embossing machines

XG18854 **Kolbus PE 48 (1989)**

Automatic , Feeder for cases, Case bending station, Foil unwind, Tray delivery, Pump(s), Specifications are subject to manufacturers changes in similar models, Maximum open case size : 660 x 405 mm., Maximum open case size : 170 x 100 mm, Embossing area: 420 x 355 mm, Pressure: 35 T, Maximum mechanical speed: 20- 48 cases/min, Full specifications on request, Machine dimensions: 3900 x 1720 x 1700 mm, Weight: 2995 kg, Power supply: 9.4 KW

AH56841 **Kolbus PE 70 (1985)**

Automatic , Feeder for cases, Case bending station, Foil unwind, Tray delivery, Specifications are subject to manufacturers changes in similar models, Maximum open case size : 660 x 405 mm., Maximum open case size : 170 x 100 mm, Embossing area: 420 x 355 mm, Pressure: 35 T, Maximum mechanical speed: 30 - 70 cases/min, Full specifications on request, Machine dimensions: 3900 x 1720 x 1700 mm, Weight: 2995 kg, Power supply: 14.3 KW

Book mark inserting machines

WZ44128 **Sigloch LEH (1985)**

Bookmark insert, Maximum size: 350 x 240 x 60 mm, Minimum size: 120 x 70 x 3 mm, Bookmark width: 3 to 8 mm, Maximum mechanical speed: 50 cycles/min.

UH19735 **Sigloch LEH 1 (1989)**

Manual feeding, Bookmark insert, Maximum size: 350 x 240 x 60 mm, Minimum size: 100 x 70 x 3 mm, Bookmark width: 3 - 8 mm, Maximum mechanical speed: 50 cycles/min, Machine dimensions: 2100 x 1110 x 1685 mm, Weight: 475 kg, Power supply: 1 KW, Power supply: 80-120 NL/min - 5 bar

Endsheet tipping machines

ZX73652 **Hunkeler VEA 520 (1990)**

Stand alone machine, Manual feeding, Cold glue glue system, Suitable for inserting, Belt delivery (cold glue products), Photocel protection, Pump(s), Specifications are subject to manufacturers changes in similar models, Outside gluing maximum size: 520 x 310 mm, Outside gluing minimum size: 100 x 70 mm, Inside gluing maximum size: 320 x 260 mm, Maximum mechanical speed: 8.400 cycles/hour, Full specifications on request

VZ15673 **Hunkeler VEA 520 - 3000 (1996)**

Stand alone machine, Manual feeding, Cold glue glue system, Suitable for inserting, Stream delivery, Photocel protection, Pump(s), Specifications are subject to manufacturers changes in similar models, Outside gluing maximum size: 520 x 310 mm, Outside gluing minimum size: 100 x 70 mm, Inside gluing maximum size: 320 x 260 mm, Maximum mechanical speed: 6.600 cycles/hour, Full specifications on request

GH99261 **Hunkeler VEA 520 KS 3000 (2000)**

Stand alone machine, Manual feeding, Cold glue glue system, Hotmelt glue system: Robatech Concept 4, Premelter, Suitable for inserting, Stream delivery, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum signature size: 520 x 310 mm, Minimum sheet size: 100 x 70 mm, Outside gluing maximum size: 520 x 310 mm, Outside gluing minimum size: 100 x 70 mm, Inside gluing maximum size: 320 x 260 mm, Maximum mechanical speed: 8.400 cycles/hour, Full specifications on request

Stock List Bindery

Nipping and pressing machines

VC62245 Probook NP3500

Double nipping machine

TE33367 Probook NP3500

Double nipping machine

TG55179 Probook NP3500

Double nipping machine

HV94673 Sigloch NH (1998)

Nipping machine, Specifications are subject to manufacturers changes in similar models, Maximum product size: 510 x 320 mm, Minimum product size: 100 x 90 mm, Maximum block thickness: 80 mm, Maximum mechanical speed: 40 cycles/min, Full specifications on request, Machine dimensions: 1.221 x 1.131 x 1.281 mm, Weight: 400 kg, Power supply: 0.25 KW, Power supply: 27NL/h - 6 bar

KK95629 Sigloch NH (1998)

Nipping machine, Specifications are subject to manufacturers changes in similar models, Maximum product size: 510 x 320 mm, Minimum product size: 100 x 90 mm, Maximum block thickness: 80 mm, Maximum mechanical speed: 40 cycles/min, Full specifications on request, Machine dimensions: 1.221 x 1.131 x 1.281 mm, Weight: 400 kg, Power supply: 0.25 KW, Power supply: 27NL/h - 6 bar

QS58576 Sigloch NH-1 (1999)

Nipping machine, Specifications are subject to manufacturers changes in similar models, Maximum product size: 510 x 320 mm, Minimum product size: 100 x 90 mm, Maximum block thickness: 80 mm, Maximum mechanical speed: 40 cycles/min, Full specifications on request, Machine dimensions: 1.221 x 1.131 x 1.281 mm, Weight: 400 kg, Power supply: 0.25 KW, Power supply: 27NL/h - 6 bar

WG14478 Sigloch NH-1 (1999)

Nipping machine, Specifications are subject to manufacturers changes in similar models, Maximum product size: 510 x 320 mm, Minimum product size: 100 x 90 mm, Maximum block thickness: 80 mm, Maximum mechanical speed: 40 cycles/min, Full specifications on request, Machine dimensions: 1.221 x 1.131 x 1.281 mm, Weight: 400 kg, Power supply: 0.25 KW, Power supply: 27NL/h - 6 bar

Glue units

VY26417 Sigloch PUR glue unit (2013)

Suitable for: Sigloch SB 3000 - SB 6000, PUR glue unit, Excluding premelter

Compact flowlines

YB47578 Müller Martini Diamant 60 + EP 680 (2004)

Commander, Automatic setting, Control table, Pre-heater, Book block infeed, Rounding and backing station, Gluing unit, Book mark suction device, Gluing unit, Head and tail banding station, Casing-in station, Case prestacking conveyor, Case bending station, Glue circulation pump, Model: EP 680 R, Age: 2004, Automatic setting, Straight infeed, Delivery to the right, Model: BLS D 650 D, Age: 2004, Turning device, Straight delivery, Roller table delivery, Specifications are subject to manufacturers changes in similar models, Maximum book block size: 380 x 270 x 80 mm, Minimum book block size: 100 x 100 x 4 mm, Maximum open case size : 660 x 390 mm, Maximum open case size : 190 x 105 mm, Maximum mechanical speed: 3.600 cycles/hour, Full specifications on request, Maximum book size: 400 x 308 x 90 mm, Minimum book size: 100 x 70 x 5 mm, Maximum mechanical speed: 3.720 cycles hour, Full specifications on request, Maximum book size: 390 x 285 x 90 mm, Minimum book size: 115 x 100 x 5 mm, Maximum pile height: 340 mm, Maximum mechanical speed: 1.800 - 3.900 cycles/hour, Full specifications on request

Casing-in machines

KB76724 Kolbus EMP 511 (2010)

Stock List Bindery

Copilot system with touch screen monitor, Automatic size setting, Case prestacking conveyor, Case bending station, Case forming station, Hotmelt nozzle glue system for spine gluing, 2 pressing stations, Delivery to the left, Further complete with standard accessories, Specifications are subject to manufacturers changes in similar models, Maximum book block size: 280 x 375 x 80 mm or 305 x 375 x 30 mm, Minimum book block size: 100 x 100 x 2 mm, Maximum open case size : 660 x 385 mm, Minimum open case size : 210 x 105 mm, Maximum mechanical speed: 30 cycles/min, Full specifications on request, Machine dimensions: 7740 x 3400 x 2800 mm, Weight: 11.400 kg, Power supply: 3 phase. 400 volt. 50 cycles

Dust jacketing machines

FE49275 Kolbus SU 640 (1994)

Automatic book block feeder, Automatic jacket feeder, Scoring station, Case separation station, Case closing device, Specifications are subject to manufacturers changes in similar models, Maximum book size: 370 x 270 x 60 mm, Minimum book size: 125 x 105 x 10 mm, Max jacket size: 820 x 370 mm, Maximum mechanical speed: 40 cycles/min, Full specifications on request, Machine dimensions: 5.500 x 2.150 x 1.750 mm, Weight: 4420 kg, Power supply: 4.75 KW

TX24195 Müller Martini Jackplus (1999)

For offline production, Automatic book block feeder, Automatic jacket feeder, Specifications are subject to manufacturers changes in similar models, Max book size with rounded spine: 300 x 390 x 80 mm, Min book size with rounded spine: 95 x 125 x 10 mm, Max jacket size: 900 x 390 mm, Min jacket size: 270 x 125 mm, Maximum mechanical speed: 3.900 cycles/minute, Full specifications on request, Machine dimensions: 6520 x 1250 x 1730 mm, Weight: 2300 kg, Power supply: 3 KW, Power supply: 100 NI/min - 6 bar

Book stackers

FH18829 Kolbus DS 391 (1999)

Book stacker, Turning device, Straight delivery, Specifications are subject to manufacturers changes in similar models, Maximum book size: 305 x 382 x 80 mm, Minimum book size: 100 x 100 x 4 mm, Maximum pile height: 325 mm, Maximum mechanical speed: 65 cycles/min, Full specifications on request, Machine dimensions: 4.610 x 1.820 or 3.630 x 1.820 mm , Weight: 1680 kg, Power supply: 6 Nm3/h - 6 bar

WG23471 Sigloch BS 60 (1997)

Book stacker, Turning device, Straight delivery, Roller table delivery, Specifications are subject to manufacturers changes in similar models, Maximum book size: 300 x 380 x 70 mm, Minimum book size: 100 x 120 mm, Maximum pile height: 300 mm, Maximum mechanical speed: 55 cycles/min, Full specifications on request, Weight: 290 kg, Power supply: 0.85 KW, Power supply: 60 NL/min - 5 bar

FT77986 Sigloch BSD 60 (1997)

Book stacker, Turning device, Specifications are subject to manufacturers changes in similar models, Maximum book size: 300 x 380 mm., Minimum book size: 100 x 120 mm, Maximum pile height: 300 mm, Maximum mechanical speed: 55 cycles/h, Full specifications on request, Weight: 375 kg, Power supply: 1.15 KW, Power supply: 70 NL/min - 5 bar

QK42138 Solema HCS 3 (2000)

Book stacker, Turning device, Straight delivery, Delivery to the right, Delivery to the left, Specifications are subject to manufacturers changes in similar models, Maximum book size: 390 x 350 mm, Minimum book size: 120 x 100 mm, Maximum pile height: 320 mm, Maximum mechanical speed: 60 cycles/min., Full specifications on request, Weight: 1100 kg, Power supply: 4 KW, Power supply: 20 m3/h - 6 bar

XU23598 Technograf Techno 100 (2004)

Book stacker, Turning device, Straight delivery, Specifications are subject to manufacturers changes in similar models, Maximum book size: 380 x 300 x 80 mm, Minimum book size: 150 x 100 x 3 mm, Maximum pile height: 10 - 270 mm, Maximum mechanical speed: 100 copies/hour

Miscellaneous

TC65699 Kolbus DK 670 (2007)

-: Horizontal turning device for single books, Specifications are subject to manufacturers changes in similar models, Maximum size: 305 x 375 x 80 mm, Minimum size: 70 x 100 x 2 mm, Maximum mechanical speed: 20 - 60 product/min, Full specifications on request

HY87299 Nagel Citoborma 480 AB

Stock List Bindery

Specifications are subject to manufacturers changes in similar models, Maximum size: 4

EH69179 **Unknown Unknown**

-: Corner cutter

Perfect binders

XY93874 **Kolbus KM 470 (2002)**

Soft cover perfect bound books with hotmelt glue, Handfeeding station for one person, Gathering machine, model: ZU 804, Number of gathering stations: 24, Pump, make: Rietschle Air-center, Setup element, Intermediate element, Transfer into the binder, Model: KM 470, Number of clamps: 21, Main milling station, Roughening station, Excluding dust extraction system, machine was connected to a centralised dust extraction system, Base for spine gluing station, Base for side gluing station, Exchangable hotmelt spine gluing unit, Exchangeable hotmelt side gluing unit (disk type), Premelter for hotmelt spine gluing system, model: LH 370, Pile cover feeder, First nipping and pressing station, Second nipping and pressing station, Lay down device, Conveyor system included, Model: HD 142.P, Age: 2003, Copilot system with monitor, Infeed from the left, Integrated pre-stacker, Exchangeable cutting tables (standard set), Knife changing device, 2 sets of knives, Model: Kolbus XRS 130 (Rima RS 3310S), Age: 2002, Compensating book stacker, Delivery to the left, Roller table delivery, Specifications are subject to manufacturers changes in similar models, Maximum book block size: 310 x 390 x 60 mm., Minimum book block size: 100 x 125 x 3 mm., Maximum mechanical speed: 6.000 cycles/hour, Full specifications on request, Maximum mechanical speed: 3.900 cycles/minute, Maximum untrimmed size (automatic infeed): 310 x 430 x 80 mm, Maximum trimmed size (automatic infeed): 305 x 420 x 80 mm, Minimum trimmed size (automatic infeed): 100 x 100 x 2 mm, Maximum pile height: 80 mm, Full specifications on request

XQ14295 **Kolbus KM 472.A (2003)**

Soft cover perfect bound books with hotmelt glue, Book blocks for hard cover books with lining using coldglue, Handfeeding station for one person, Gathering machine, model: ZU 804, Number of gathering stations: 20, Optical signature control system, Pump(s), Reject gate, for incomplete products: AS 800, Intermediate element, Model: Ratiobinder KM 472.A, Number of clamps: 27, Co-pilot, Monitor(s), Main milling station, First spine preparation station, Second spine preparation unit, Excluding dust extraction system, machine was connected to a centralised dust extraction system, Base for spine gluing station, Base for side gluing station, Exchangable hotmelt spine gluing unit, Exchangable cold glue spine gluing unit, Exchangeable hotmelt side gluing unit (disk type), Exchangable cold glue side gluing unit, Premelter for hotmelt spine gluing system, Gauzing station, Stream cover feeder, First nipping and pressing station, HF High Frequency dryer, make: Himmel, Second nipping and pressing station, Lay down device, Conveyor system included, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 320 x 460 mm, Minimum sheet size: 100 x 125 mm, Maximum signature thickness: 4 mm., Maximum mechanical speed: 8.000 copies/hour, Full specifications on request, Maximum book block size: 310 x 390 x 60 mm., Minimum book block size: 100 x 125 x 3 mm., Maximum mechanical speed: 8.000 cycles/hour, Full specifications on request

QQ94888 **Kolbus KM 490 (1994)**

Book blocks for hard cover books with lining using coldglue, Gathering machine, model: ZU 816.A, Number of gathering stations: 40, Stream/log feeders, model: Optional available, Excluding pump(s), Setup element, End sheet gluer with cold glue, Transfer into the binder, Model: KM 490, Number of clamps: 32, Main milling station, First spine preparation station, Second spine preparation unit, Excluding dust extraction system, machine was connected to a centralised dust extraction system, Base for spine gluing station, Base for side gluing station, Intermediate drying station (infrared), Base for second spine gluing station, Exchangable first cold glue spine gluing unit, Exchangable second cold glue spine gluing unit, Exchangable cold glue side gluing unit, Gauzing station, Excluding cover feeder, First nipping and pressing station, HF High Frequency dryer, make: Himmel HGE 27-20 10 KW (2x), Second nipping and pressing station, Lay down device, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 310 x 510 cm, Minimum sheet size: 100 x 125 mm, Maximum signature thickness: 4.5 mm, Full specifications on request, Maximum book block size: 510 x 290 x 65 mm - 510 x 305 x 20 mm, Minimum book block size: 125 x 100 x 3 mm, Maximum mechanical speed: 7.000 copies/hour (10.000), Full specifications on request

EC24775 **Wohlenberg Champion 8000 (1998)**

Book blocks for hard cover books with lining using coldglue, Handfeeding station for one person, Gathering machine, model: 7011, Number of gathering stations: 20, Optical signature control system, make: Opticontrol, Automatic sheet thickness control: ACC, Pump(s), Setup element, Criss cross delivery, Book block feeder, End sheet gluer with cold glue, model : HHS, Intermediate element, Transfer into the binder, Model: Champion 8000, Number of clamps: 28, Main milling station, Separate spine preparation units: 4, Excluding dust extraction system, machine was connected to a centralised dust extraction system, Base for spine gluing station, Base for side gluing station, Exchangable cold glue spine gluing unit, Exchangable cold glue side gluing unit, Gauzing station, Rotary cover feeder, First nipping and pressing station, HF High Frequency dryer, make: Strayfield 12KW, Second nipping and pressing station, Lay down device, Conveyor system included, Specifications are subject to manufacturers changes in similar models, Maximum book block size: 340 x 320 x 92 - 485 x 290 x 92 mm, Minimum book block size: 140 x 105 x 16 mm, Maximum open cover size: 645 x 490 mm, Minimum open cover size: 208 x 140 mm, Maximum mechanical speed: 1.000 - 8.000 copies/hour, Full specifications on request

SV65185 **Wohlenberg City 4000 (2000)**

Stock List Bindery

Soft cover perfect bound books with hotmelt glue, Handfeeding station for one person, Gathering machine, model: Sprinter 4000, Number of gathering stations: 20, Optical signature control system, make: Optigraf, Pump(s), Setup element, Intermediate element, Transfer into the binder, Model: City 4000, Number of clamps: 15, Main milling station, Roughening station, Including dust extraction system, Base for spine gluing station, Base for side gluing station, Exchangeable hotmelt spine gluing unit, Exchangeable hotmelt side gluing unit (disk type), Fume exhaust fan, Rotary cover feeder, Nipping and Pressing station, Lay down device, Conveyor system included, Model: Wohlenberg Trimtec 45 I, Age: 1996, Infeed from the right, Integrated pre-stacker, Exchangeable cutting tables (standard set), Knife changing device, 2 sets of knives, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 370 x 320 x 4 mm, Minimum sheet size: 105 x 75 mm, Full specifications on request, Maximum book block size: 370 x 320 x 50 mm, Minimum book block size: 140 x 105 x 2 mm, Maximum open cover size: 640 x 375 mm, Minimum open cover size: 208 x 140 mm, Maximum mechanical speed: 1.000 - 4.000 cycles/hour, Full specifications on request, Maximum mechanical speed: 12 - 45 cycles/min, Maximum untrimmed size (automatic infeed): 410 x 310 mm, Maximum trimmed size (automatic infeed): 380 x 300 mm, Minimum trimmed size (automatic infeed): 145 x 100 mm, Maximum pile height: 100 mm., Minimum pile height: 10 mm, Full specifications on request

ZB44864 **Wohlenberg City E-6000 (2011)**

Soft cover perfect bound books with hotmelt glue, Handfeeding station for one person, Gathering machine, model: Sprinter E, Number of gathering stations: 24, Venturi system, Air blower(s), no.: 1, Setup element, Reject gate, for incomplete products, Criss cross delivery, Intermediate elements, no., Model: City E-6000, Number of clamps: 15, Colour monitor(s) with touch screen, Semi automatic setting, Main milling station, Roughening station, Excluding dust extraction system, machine was connected to a centralised dust extraction system, Base for spine gluing station, Base for second spine gluing station, Exchangeable hotmelt spine gluing unit, Exchangeable hotmelt side gluing unit (disk type), Pile cover feeder, Nipping and Pressing station, Lay down device, Conveyor system included, Escape delivery included, Model: Wohlenberg Trimtec 60 I, Age: 2011, Colour monitor with touch screen, Infeed from the right, Integrated pre-stacker, Exchangeable cutting tables (standard set), Belt delivery, Knife changing device, 2 sets of knives, Specifications are subject to manufacturers changes in similar models, Maximum book block size: 370 x 320 x 50 mm, Minimum book block size: 140 x 105 x 2 mm, Maximum open cover size: 375 x 645 mm, Minimum open cover size: 140 x 212 mm, Maximum mechanical speed: 1.000 - 6.000 cycles/hour, Full specifications on request, Maximum mechanical speed: 500 - 3.600 cycles/hour, Maximum untrimmed size (automatic infeed): 320 x 420 mm., Maximum trimmed size (automatic infeed): 300 x 400 mm, Minimum trimmed size (automatic infeed): 87 x 147 mm, Maximum pile height: 70 mm, Minimum pile height: 5 mm, Full specifications on request

UW14378 **Wohlenberg Golf 370 (1991)**

Soft cover perfect bound books with hotmelt glue, Book blocks for hard cover books with lining using coldglue, Handfeeding station for one person, Gathering machine, model: 370, Number of gathering stations: 16, Pump(s), Setup element, Criss cross delivery, Book block feeder, Intermediate element, Transfer into the binder, Model: 370, Number of clamps: 15, Main milling station, Roughening station, Including dust extraction system, Base for spine gluing station, Base for side gluing station, Exchangeable hotmelt spine gluing unit, Exchangeable cold glue spine gluing unit, Exchangeable hotmelt side gluing unit (disk type), Exchangeable cold glue side gluing unit, Gauzing station, Drum cover feeder, Nipping and Pressing station, Vertical stacking delivery, Lay down device, Conveyor system included, Specifications are subject to manufacturers changes in similar models, Maximum book block size: 370 x 320 x 50 mm, Minimum book block size: 140 x 105 x 2 mm, Maximum open cover size: 380 x 640 mm, Minimum open cover size: 140 x 212 mm, Maximum mechanical speed: 5.500 cycles/hour

Palletisers

QG37667 **Kolbus PL 770 (2007)**

Monitor with touch screen, Automatic size setting, Infeed conveyor, Pallet dispenser, Slip sheet feeder, Pallet delivery station, Maximum stack size: 400 x 300 x 300 mm, Minimum stack size: 150 x 100 x 7 mm, Maximum pallet height: 1.600 mm, Maximum mechanical speed: 30 stacks/min., Machine dimensions: 6.650 x 3.090 x 2965 mm., Weight: 2.800 kg, Power supply: 3 phase. 400 volt. 50 cycles

SR49425 **Müller Martini Cohiba (2003)**

Monitor with touch screen, Infeed conveyor, model: 6214, Turning station, Stacking robot, Pallet dispenser, Slip sheet feeder, Pallet transport system, Pallet delivery station, Full specifications on request

CR26338 **Müller Martini Fontana (2007)**

Monitor with touch screen, Infeed conveyor, model: 6215 FJ55, Electrostatic blocker, make: WST EV 1000, Turning station, model: SD 81, Stacking robot, Pallet dispenser, Slip sheet feeder, Pallet delivery station, Full specifications on request

CX29291 **WST Doctor (2003)**

Monitor, Stacking robot, Pallet delivery station, Full specifications on request

Cover scoring and folding

VT29487 **Wohlenberg KRF (2010)**

Stock List Bindery

Suitable for connection to: City E. Master E. Champion, Motorised adjustment for cover guides, Motorised adjustment for scoring tools, Rotary horizontal stack feeder, Scoring station, Folding station, Delivery for operation as an offline machine, Interface perfect binder City E, Maximum cover size: 370 x 1002 mm, Minimum cover size: 140 x 295 mm, Maximum mechanical speed: 6.000 cycles/hour

Stream feeders

SU51289 **Gramatec SA 400 (2008)**

Number of stream/log feeders: 12

RV68342 **Kolbus STA 840 (2008)**

Number of stream/log feeders: 1, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 320 x 510 mm, Minimum sheet size: 105 x 160 mm, Full specifications on request, Machine dimensions: 2.400/3.400 x 670 x 1430 mm

TH37342 **Kolbus STA 840 (2007)**

Number of stream/log feeders: 1, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 320 x 510 mm, Minimum sheet size: 105 x 160 mm, Full specifications on request, Machine dimensions: 3.400 x 670 x 1430 mm

Glue units

SU29434 **Hauf Mini-Star (2003)**

PUR spine glue unit, roller system, PUR melting unit, model: Hauf Kompact Star, Suitable for: Müller Martini Starbinder (3016)

WW47446 **Müller Martini PUR glue unit (2008)**

PUR side glue unit with glue nozzles, Fume exhaust fan, PUR melting unit, model: MOD 30 VPN, Suitable for: Müller Martini Acoro

QE87789 **Müller Martini PUR glue unit (2007)**

PUR spine glue unit, roller system, PUR melting unit, model: Nordson

GK31491 **Nordson Durablue (2005)**

Hotmelt premelter

Miscellaneous

FB65811 **Kolbus TS.LW (2014)**

-: Turning device, -: Infeed conveyor TS.L

VG63317 **Müller Martini Double universal base (2005)**

-: 2 double universal bases, -: for MM 3681

RB28323 **Solema . (2003)**

Spiral conveyor tower

KT37763 **Solema . (2000)**

Lay down device

QA55389 **Solema Drying station 25**

Spiral conveyor tower, Spiral conveyor tower length: 25 mtr

Three knife trimmers

QE62774 **Kolbus HD 153.P (2007)**

Stock List Bindery

Co-pilot with touch screen monitor, Automatic size setting, Cut counter, Product counter, Automatic infeed, Infeed from the right, Integrated pre-stacker, Exchangeable cutting tables (standard set), Belt delivery, Knife changing device, 2 sets of knives, Automatic lubrication, Specifications are subject to manufacturers changes in similar models, Maximum mechanical speed: 6.600 cycles/hour, Maximum untrimmed size (automatic infeed): 310 x 430 x 80 mm, Maximum trimmed size (automatic infeed): 300 x 420 x 80 mm, Minimum trimmed size (automatic infeed): 100 x 120 x 5 mm, Maximum pile height: 80 mm., Maximum cut off (head and tail): 50 mm, Maximum cut off (front): 40 mm, Pressure: 20 KN, Full specifications on request, Machine dimensions: 3400 x 4250 x 1970 mm, Weight: 7.050 kg, Power supply: 50 Nm³/h - 6 bar

Front cutting machines

BR73729 SCS Easy Fly (2006)

Touch screen monitor(s), Belt infeed, Cutting unit, Througfeed, Belt delivery, Specifications are subject to manufacturers changes in similar models, Maximum trimmed size: 570 x 350 mm, Minimum trimmed size: 120 x 100 mm, Book thickness (max-min): 60 - 3 mm, Cut off (max - min): 45 - 3 mm, Maximum mechanical speed: 4.000 cycles/hour, Full specifications on request, Machine dimensions: 4400 x 1200 x 1600 mm, Weight: 2.600 kg, Power supply: 100l/min - 6 bar

Book stackers

YC69351 Kolbus KL 301 (2016)

Compensating book stacker, Delivery to the left and right, Roller table delivery, Belt delivery, Specifications are subject to manufacturers changes in similar models, Maximum book size: 320 x 420 x 80 mm, Minimum book size: 100 x 125 x 2 mm, Maximum pile height: 330 mm, Maximum mechanical speed: 10.000 copies/hour, Full specifications on request

HR91329 Kolbus XRS 130 (Rima) (2000)

Compensating book stacker, Delivery to the left and right, Roller table delivery, Specifications are subject to manufacturers changes in similar models, Maximum book size: 321 x 470 x 80 mm, Minimum book size: 100 x 125 x 2 mm, Maximum mechanical speed: 15.000 copies/hour, Full specifications on request, Machine dimensions: 2311 x 700 x 1730 mm, Weight: 660 kg, Power supply: 400 V. 50Hz. 3 phases, Power supply: 10 Nm³/h - 6 bar

XF73531 Müller Martini CB 15 (3630) (1987)

Compensating book stacker, Specifications are subject to manufacturers changes in similar models, Maximum book size: 450 x 340 x 70 mm, Minimum book size: 140 x 100 x 3 mm, Maximum pile height: 220 mm / 350 mm, Maximum mechanical speed: 4.000 - 15.000 copies/hour, Full specifications on request, Machine dimensions: 1.523 x 1.523 (3.046) x 1.900 mm, Weight: 1.000 kg, Power supply: 3 KW, Power supply: 17 Nm³/h - 6 bar

ZG81399 Müller Martini CB 16 (3631) (1993)

Compensating book stacker, Specifications are subject to manufacturers changes in similar models, Maximum book size: 450 x 340 x 70 mm, Minimum book size: 140 x 100 x 3 mm, Maximum pile height: 240 mm, Maximum mechanical speed: 18.000 copies/hour, Full specifications on request, Weight: 1.000 kg, Power supply: 2.4 KW, Power supply: 50 Nm³/hour - 6 bar

EF35374 Technograf Techno SA (1987)

Compensating book stacker

Book splitters

KQ47316 Kolbus TR 160 (1999)

Right hand infeed, Automatic hopper feeder for inline production, 1 saw blade, Excluding delivery, Specifications are subject to manufacturers changes in similar models, Maximum book size: 305 x 510 mm, Minimum book size: 100 x 250 mm, Block thickness: 5 - 80 mm, Saw blade thickness: 2.5 mm, Maximum mechanical speed: 1.700 - 10.000 copies/hour, Full specifications on request, Machine dimensions (excluding turning conveyor): 2900 x 1000 x 1650 mm, Machine dimensions (including turning conveyor): 4200 x 1350 x 1650 mm, Weight (excluding turning conveyor): 1.890 kg

WR17258 Kolbus TR 160 (2000)

Stock List Bindery

Right hand infeed, Automatic hopper feeder for inline production, 1 saw blade, Belt delivery with turning conveyor, Specifications are subject to manufacturers changes in similar models, Maximum book size: 305 x 510 mm, Minimum book size: 100 x 250 mm, Block thickness: 5 - 80 mm, Saw blade thickness: 2.5 mm, Maximum mechanical speed: 1.700 - 10.000 copies/hour, Full specifications on request, Machine dimensions (including turning conveyor): 4200 x 1350 x 1650 mm, Weight (including turning conveyor): 2240 kg

HH12214 **Kolbus TR 160 (2012)**

Left hand infeed, Automatic hopper feeder for inline production, 1 saw blade, Turning conveyor on the left, belt on the right, Machine raised by (cm): 30, Specifications are subject to manufacturers changes in similar models, Maximum book size: 305 x 510 mm, Minimum book size: 100 x 250 mm, Block thickness: 5 - 80 mm, Saw blade thickness: 2.5 mm, Maximum mechanical speed: 1.700 - 10.000 copies/hour, Full specifications on request, Machine dimensions (excluding turning conveyor): 2900 x 1000 x 1650 mm, Machine dimensions (including turning conveyor): 4200 x 1350 x 1650 mm, Weight (excluding turning conveyor): 1.890 kg, Weight (including turning conveyor): 2240 kg

CS25483 **Müller Martini 3502 (2010)**

Infeed conveyor, Left hand infeed, Automatic hopper feeder for inline production, 1 saw blade, Belt delivery with turning conveyor, model: 3506, Specifications are subject to manufacturers changes in similar models, Maximum book size: 510 x 320 x 80 mm, Minimum book size: 220 x 75 x 1.8 mm, Block thickness: 1.8 - 80mm, Maximum mechanical speed: 1.000 - 15.000 cycles/hour, Full specifications on request

HK26953 **Wohlenberg TS 11 S (1982)**

Hand feeding station, 1 saw blade, Belt delivery, Specifications are subject to manufacturers changes in similar models, Maximum book size: 520 x 250 mm, Minimum book size: 240 x 100 mm, Block thickness: 5 - 60 mm, Saw blade thickness: 2 mm, Maximum mechanical speed: 1.750 - 10.000 cycles/hour, Full specifications on request, Machine dimensions (excluding turning conveyor): 1845 x 1110 mm, Machine dimensions (including turning conveyor): 3135 x 1110 mm, Weight (excluding turning conveyor): 800 kg, Power supply: 5 KW

FH31111 **Wohlenberg TS 12 (1994)**

Infeed conveyor, Automatic hopper feeder for inline production, 1 saw blade, Belt delivery with turning conveyor, model: WB 12, Specifications are subject to manufacturers changes in similar models, Maximum book size: 520 x 250 mm, Minimum book size: 250 x 100 mm, Block thickness: 5 - 60 mm, Saw blade thickness: 2 mm, Maximum mechanical speed: 12.000 copies/hour, Full specifications on request, Machine dimensions (excluding turning conveyor): 1845 x 1110 mm, Machine dimensions (including turning conveyor): 3135 x 1110 mm, Weight (excluding turning conveyor): 800 kg, Power supply: 5 KW

QE97427 **Wohlenberg TS 8000 (2000)**

Right hand infeed, Automatic hopper feeder for inline production, 1 saw blade, Turning conveyor on the left, belt on the right, Specifications are subject to manufacturers changes in similar models, Maximum book size: 520 x 250 mm, Minimum book size: 250 x 100 mm, Block thickness: 5 - 62 mm, Maximum mechanical speed: 1.000 - 8.000 copies/hour, Full specifications on request

Foil wrapping machines

XF89961 **Beck KV 540.ON (1999)**

Foil unit, Shrink wrap unit

BA53291 **Hausmann Unopacker B 500 (1997)**

Foil unit, Shrink wrap unit, Power supply: 400 V. 50Hz. 3 phases

XC25937 **Kallfass Packjet 4000 (1999)**

Foil unit: Packjet 4000, Shrink wrap unit: Compact 650 SO

YG16896 **Müller Martini 6257 - 6216 (2003)**

Foil unit, Shrink wrap unit

KW93126 **OMG Autofard 600 (2001)**

Foil unit, Shrink wrap unit, Maximum pile height: 250 mm, Maximum size: 400 x 320 x 250 mm, Minimum size: 140 x 100 x 10 mm, Maximum mechanical speed: 15 cycles/min

HH82643 **OMG Autofard 600 C (2001)**

Foil unit, Shrink wrap unit, Maximum pile height: 250 mm, Maximum size: 400 x 320 x 250 mm, Minimum size: 140 x 100 x 10 mm, Maximum mechanical speed: 15 cycles/min

Stock List Bindery

HW57967 **Polypack Poly.UAB2060 (2006)**

Foil unit, Shrink wrap unit

Paper cutting lines

GT24395 **Polar 115 EMC-Monitor (1993)**

Make: Polar, Model: RAB 5, Age: 1994, Air removal roller, Delivery to the left and right, Make: Polar, Model: 115 EMC-Monitor, Age: 1993/94, Monitor, Side table on the right with air, Cutting table chromed with air, Photocel protection, 2 knives, Make: Polar, Model: ER 1EL 145-3, Age: 1991, On left side of the cutting machine

WQ17281 **Polar 137 ED (1998)**

Make: Polar, Model: RA 4, Air removal roller, Delivery to the left and right, Make: Polar, Model: 137 ED, Monitor, Automatic programm, Side table on the right with air, Cutting table chromed with air, Photocel protection, 2 knives, Make: Polar, Model: TR 130 EL, On left side of the cutting machine

CX56545 **Wohlenberg Cut-Tec 155 (1997)**

Make: Polar, Model: Old model, With lifting forks, Make: Polar, Model: RAB 5, Age: 1994, Air removal roller, Make: Wohlenberg, Model: Cut-Tec 155, Age: 1997, Color display, Automatic programm, Side table on the left with air, Side table on the right with air, Cutting table chromed with air, Photocel protection, 2 knives, Make: KS Master, Model: 1C51, Age: 1979, On left side of the cutting machine

RE67942 **Wohlenberg Cut-Tec 155 (2002)**

Make: Butler, With lifting forks, Make: Polar, Model: RB 7, Age: 1986, Air removal roller, Make: Wohlenberg, Model: Cut-Tec 155, Age: 2002, Monitor, Side table on the left with air, Side table on the right with air, Cutting table with air, 2 knives, Make: Baumann, Model: BA 6, On left side of the cutting machine

Guillotines

XC64479 **Schneider Senator 115 MC (1981)**

Side table on the left, Side table on the right, Cutting table with air, Photocel protection, 2 knives, Maximum cutting width: 115 cm

Pile lifts

WF63897 **Hydrolift .**

With lifting forks

FB17881 **Meyer HFW 20 10**

With steel plate

Paper jogggers

UR95849 **Schneider Senator RS - SR 0559 (2002)**

Air removal roller

Off loading systems

ZQ15323 **Baumann BA 3 (1990)**

On left side of the cutting machine, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 750 x 1050 mm, Full specifications on request

EQ28195 **Polar 1BL 185-7S (1992)**

On left side of the cutting machine

Stock List Bindery

RH88449 **Polar TRE 145 L3 (1985)**

On right side of the cutting machine

KS17229 **Schneider Senator Profi-Line (2002)**

On left side of the cutting machine

Miscellaneous

AB95134 **Akebono TS 250 (1991)**

Strapping machine

XH21498 **Comarme GEM 520 (2007)**

Box closing machine

AX52158 **Dürselen Corta PB09 (2000)**

Number of drilling heads: 4

VH31625 **Gemini GEM 50**

Box closing machine

HB37937 **Gemini GEM 50RC**

Box closing machine

FV98448 **Gemini GEM 50RC (1996)**

Box closing machine

QW37918 **Hang 106DT20**

Drilling machine, Number of drilling heads: 2

YR85151 **Hang 245-00**

Drilling machine

XF29344 **Iram 16 (1985)**

Drilling machine, Number of drilling heads: 2

QB95182 **Iram 16 (1985)**

Drilling machine, Number of drilling heads: 2

GA62993 **Mosca RA-5-55 (1983)**

Strapping machine

FS51295 **Nagel Citoborma 280 B**

Drilling machine, Number of drilling heads: 2

ZV17123 **Renz RSB 360 (1997)**

--: QSA wire binding machine

ZU23193 **Siat AF3CF1 (1998)**

Pallet sealing machine, Photocell control

KH85812 **Signode UNi 300 (1998)**

Strapping machine

Updated : 29.03.2018

All prices mentioned are loaded onto transport ex current location.
Additional transport charges can be offered upon request.

All pictures available online: www.kgt.nl