

---

---

## Bindery

---

---

### Combination folders

---

---

**ZC76791 Heidelberg-Stahl KD78/6KL (2000)**

Pallet feeder, Pump, Counter, Glue unit, 16 page folder, Parallel fold unit with 6 buckle plates, First cross fold, Second cross fold to the left, Stream delivery, model: SA 78.K S1, Horizontal stack delivery with pressing and marking device, model: SMP M 46D, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 78 x 116 cm., Minimum sheet size, width x length (cm): 14 x 18 cm, Maximum pile height: 120 cm, Maximum mechanical speed: 50.000 cycles/hour, Full specifications on request

---

**VZ29244 Heidelberg-Stahl KH66/4KL (2004)**

Pallet feeder model: PFH 66, Pump, Counter, 16 page folder, Parallel fold unit with 4 buckle plates, Gate fold plate, First cross fold, Second cross fold to the left, Anti noise hood over the entire folding section, Vertical stacking delivery with pressing: VSA 66, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 66 x 104 cm, Minimum sheet size, width x length (cm): 14 x 18 cm, Minimum sheet size with twin suction wheel, width x length (cm): 20 x 18 cm, Maximum pile height: 120 cm, Maximum mechanical speed: 50.000 cycles/hour, Full specifications on request

---

**TA58171 MBO K52/2KL (1977)**

Flat pile feeder, Pump, Counter, 8 page folder, Parallel fold unit with 2 buckle plates, Anti noise hood(s), First cross fold, Second cross fold to the left, Stream delivery

---

**TE29726 MBO K52/2KL (1979)**

Flat pile feeder, Pump, Counter, 16 page folder, Parallel fold unit with 2 buckle plates, Anti noise hood(s), First cross fold, Second cross fold to the left, Stream delivery

---

**YA24932 Stahl KC78/4KZR (1988)**

Pallet feeder, Pump, Tremat, Counter, 32 page folder, Parallel fold unit with 4 buckle plates, Anti noise hood(s), First cross fold, Second cross fold to the left and right, Third cross fold left or right (moveable), Excluding delivery, Maximum sheet size, width x length (cm): 78 x 116 cm., Minimum sheet size, width x length (cm): 15 x 20 cm, Maximum mechanical speed: 180 mtr/min., Full specifications on request

---

### All buckle folders

---

---

**TU33681 Heidelberg-Stahl TD112/44 (2006)**

Pallet feeder, Excluding pump(s), Counter, 8 page folder, Front mounted perforation shaft, First buckle folding section with 4 buckle plates, Second buckle folding section with 4 buckle plates, Double stream device for second folding section, Anti noise hood(s), Horizontal stack delivery with pressing, model: SBP 86, Age: 2006, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 112 x 162 cm, Minimum sheet size with twin suction wheel, width x length (cm): 32 x 18 cm, Maximum pile height: 120 cm, Maximum mechanical speed: 45.000 cycles/hour, Full specifications on request

---

**CQ35945 Heidelberg-Stahl TD78/442 (2000)**

Pallet feeder model: PD 78 T, Excluding pump(s), Counter, 16 page folder, First buckle folding section with 4 buckle plates, model: 78 cm., Anti noise hood(s), Second buckle folding section with 4 buckle plates, Anti noise hood(s), Third buckle folding section with 2 buckle plates, Anti noise hood(s), Horizontal stack delivery with pressing and marking device, model: SB-46/MPD, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 780 x 1.280 mm

---

**UY75449 Heidelberg-Stahl TH56/44 (2010)**

Touch screen monitor(s), Automatic setting, Flat pile feeder, Pump, 16 page folder, First buckle folding section with 4 buckle plates, Width: 56 cm., Anti noise hood(s), Second buckle folding section with 4 buckle plates, Width: 56 cm., Anti noise hood(s), Stream delivery, model: SAK 56, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 56 x 90 cm, Minimum sheet size, width x length (cm): 14 x 18 cm, Paper weight (g/m<sup>2</sup>): 40-250, Maximum pile height: 80 cm, Maximum mechanical speed: 230, Full specifications on request

---

**GC42743 Heidelberg-Stahl TH82/442 (2007)**

## Stock List Bindery

---

Touch screen monitor(s), Automatic setting, Pallet feeder model: PFH-82, Excluding pump(s), 16 page folder, First buckle folding section with 4 buckle plates, model: 820 mm, Anti noise hood(s), Second buckle folding section with 4 buckle plates, Anti noise hood(s), Third buckle folding section with 2 buckle plates, Anti noise hood(s), Horizontal stack delivery with pressing, model: SBP 46, Age: 2007, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 82 x 120 cm, Minimum sheet size, width x length (cm): 14 x 18 cm, Minimum sheet size with twin suction wheel, width x length (cm): 20 x 18 cm, Maximum pile height: 1.200 mm, Maximum mechanical speed: 25 - 230 m/min, Full specifications on request

---

**FH41739 Heidelberg-Stahl TH82/442 (2005)**

Round pile feeder, Pump, Counter, 16 page folder, First buckle folding section with 4 buckle plates, Second buckle folding section with 4 buckle plates, Third buckle folding section with 2 buckle plates, Anti noise hood(s), Horizontal stack delivery with pressing, model: SBP 66, Age: 2005, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 82 x 128 cm, Minimum sheet size, width x length (cm): 14 x 18 cm, Minimum sheet size with twin suction wheel, width x length (cm): 20 x 18 cm, Maximum pile height: 8 cm, Maximum mechanical speed: 50.000 cycles/hour, Full specifications on request

---

**QS86985 MBO T112/6/12 (1998)**

Pallet feeder, Excluding pump(s), Counter, 8 page folder, First buckle folding section with 6 buckle plates, Anti noise hood(s), Second buckle folding section with 12 buckle plates, Excluding noise hoods, Excluding delivery

---

**BQ49435 MBO T72/442 (1996)**

Round pile feeder, Pump, Counter, 16 page folder, First buckle folding section with 4 buckle plates, Anti noise hood(s), Second buckle folding section with 4 buckle plates, Anti noise hood(s), Third buckle folding section with 2 buckle plates, Anti noise hood(s), Stream delivery: ASP 66 ME, Age: 1995

---

**HZ61358 MBO T800/442+Z2 (1998)**

Round pile feeder, Pump, Counter, Glue unit: HHS, 32 page folder, First buckle folding section with 4 buckle plates, Anti noise hood(s), Second buckle folding section with 4 buckle plates, Anti noise hood(s), Third buckle folding section with 2 buckle plates, Anti noise hood(s), -, Optional available:, Separate knife folding unit, Make: MBO, Model: Z2, Age: 1995, Price (for optional equipment): EUR 2.500, Horizontal stack delivery with pressing and marking device, model: SBAP 46 ME, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 82 x 115 cm, Minimum sheet size, width x length (cm): 15 x 15 cm, Maximum mechanical speed: 10 - 205 mtr/m, Full specifications on request

---

**CB16141 Stahl TD78/46 (1995)**

Round pile feeder, Pump, Counter, 8 page folder, First buckle folding section with 4 buckle plates, Second buckle folding section with 6 buckle plates, Excluding noise hoods, Horizontal stack delivery with pressing, model: SBP 46.D, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 78 x 128 cm, Maximum pile height: 8 cm, Maximum mechanical speed: 45.000 cycles/hour, Full specifications on request

---

**KZ32715 Stahl TD78/64 (1997)**

Round pile feeder model: RD78.1, Pump, Counter, 8 page folder, First buckle folding section with 6 buckle plates, model: 78 cm., Excluding noise hoods, Second buckle folding section with 4 buckle plates, model: 66 cm., Excluding noise hoods, Excluding delivery

---

**EV12815 Stahl TFU112/442-FF (1989)**

Pallet feeder, Pump, Counter, 16 page folder, First buckle folding section with 4 buckle plates, Anti noise hood(s), Second buckle folding section with 4 buckle plates, Anti noise hood(s), Third buckle folding section with 2 buckle plates, Anti noise hood(s), Horizontal stack delivery with pressing, model: SBP 86, Age: 1989, Specifications are subject to manufacturers changes in similar models, Maximum sheet size, width x length (cm): 112 x 140 cm, Minimum sheet size, width x length (cm): 30 x 40 cm, Maximum mechanical speed: 150 ntr/min., Full specifications on request

---

### Knife folding units

---

---

**WC53873 Heidelberg-Stahl VF66 (2009)**

Mobile knife folding unit, Specifications are subject to manufacturers changes in similar models, Maximum size: 66 x 56 cm, Minimum size: 15 x 10 cm, Infeed height: 50 - 95 cm, Maximum mechanical speed: 180 m/min

---

**RU44391 MBO Z 2 (2009)**

Mobile knife folding unit

---

## Stock List Bindery

ST31298 **Stahl VF66 (2007)**

Mobile knife folding unit, Knife position: Top

QV75251 **Stahl VFZ 52.D (1995)**

Mobile knife folding unit, Knife position: Top, Specifications are subject to manufacturers changes in similar models, Maximum size: 52 x 36 cm, Minimum size: 12 x 10 cm., Maximum mechanical speed: 50 - 150 mtr/min, Full specifications on request

### Delivery systems

XE83599 **Heidelberg-Stahl SA-78-K S1 (2000)**

Stream delivery, Maximum infeed width: 78 cm.

HH85762 **Heidelberg-Stahl SAK 78 (2004)**

Stream delivery, Maximum infeed width: 780 mm

WX76288 **Heidelberg-Stahl SAK 94 (2007)**

Stream delivery, Maximum infeed width: 94 cm., Minimum sheet size: 10 x 10 cm, Machine dimensions: 124 x 116 cm., Electrical data: 220 V. 50-60 Cyles, Weight: 145 kg.

SZ98563 **Heidelberg-Stahl SAK 94 (2005)**

Stream delivery, Maximum infeed width: 94 cm., Minimum sheet size: 10 x 10 cm, Machine dimensions: 124 x 116 cm., Electrical data: 220 V. 50-60 Cyles, Weight: 145 kg.

ZF59493 **Heidelberg-Stahl SAK 94 (2005)**

Stream delivery, Maximum infeed width: 94 cm., Minimum sheet size: 10 x 10 cm, Machine dimensions: 124 x 116 cm., Electrical data: 220 V. 50-60 Cyles, Weight: 145 kg.

WY66371 **Heidelberg-Stahl SB.3-46/MP (2001)**

Horizontal stack delivery with pressing and marking device, model, Maximum infeed width: 46 cm.

CX18676 **Heidelberg-Stahl VSA 86 (2007)**

Stream delivery with marking and pressing device

FQ77963 **MBO A 76**

Stream delivery, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 76 cm, Maximum mechanical speed: 1 - 10 mtr/min, Infeed height: 40 - 95 cm, Full specifications on request, Machine dimensions: 114 x 114 cm

HF32719 **MBO ASP 66 ME (1995)**

Stream delivery with marking and pressing device, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 660 mm, Maximum mechanical speed: 50 - 140 mtr/min, Full specifications on request

WE97853 **Palamides Alpha 500 (2009)**

Vertical stacking delivery with pressing

CG92446 **Palamides Alpha 500 (2004)**

Vertical stacking delivery with pressing, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 510 mm, Maximum infeed length: 330 mm, Maximum pile height: 3 - 160 mm, Maximum mechanical speed: 205 mtr/m, Full specifications on request, Machine dimensions: 2870 x 2465 mm

TY51259 **Palamides BA 700 (2000)**

Vertical stacking delivery with pressing, -: Palamides PL 700, -: Stack lift, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 760 mm, Maximum infeed length: 330 mm, Maximum pile height: 3 - 160 mm, Maximum mechanical speed: 205 mtr/m, Full specifications on request, Machine dimensions: 2870 x 2465 mm

WR29189 **Stahl MKA 78 (1990)**

## Stock List Bindery

---

Stream delivery, Maximum infeed width: 780 mm

AT43855     **Stahl SAK 66.D (1995)**

Stream delivery, Maximum infeed width: 660 mm

WC28225     **Stahl SAK 78 S.1 (1996)**

Stream delivery, Maximum infeed width: 78 cm., Minimum sheet size: 10 x 10 cm, Machine dimensions: 108 x 116 cm., Electrical data: 220 V. 50-60 Cycles, Weight: 130 kg.

SC19236     **Stahl SAK 78.3 (1993)**

Stream delivery, Maximum infeed width: 780 mm

SG12931     **Stahl SAK 78.3 (1991)**

Stream delivery, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 780 mm

XX33378     **Stahl SBP46 (1987)**

Horizontal stack delivery with pressing, Specifications are subject to manufacturers changes in similar models, Maximum infeed width: 46 cm., Maximum sheet size: 46 x 30 cm., Minimum sheet size: 12 x 10 cm., Maximum mechanical speed: 15 - 75 mtr/min., Full specifications on request, Machine dimensions: 104 x 219 cm., Weight: 620 kg.

BK58461     **Stahl SBP46.2 (1991)**

Horizontal stack delivery with pressing, Maximum infeed width: 46 cm., Maximum sheet size: 46 x 30 cm., Minimum sheet size: 12 x 10 cm., Maximum mechanical speed: 15 - 75 mtr/min., Machine dimensions: 104 x 219 cm., Weight: 620 kg.

---

### Gate fold plates

---

AU25551     **Heidelberg Gatefold plate KH & TH 78 (2005)**

Suitable for: KH 78 & TH 78, Width: 78 cm.

BY83389     **Heidelberg-Stahl Gate fold**

Suitable for: Heidelberg KD78, Width: 78 cm.

EV24926     **MBO Gate fold**

Suitable for: MBO T79

AG72432     **MBO Gate fold (2000)**

Suitable for: MBO K530

---

### Sewers

---

VX56522     **Müller Martini Ventura MC (2010)**

Automatic setting, Monitor with touch screen, Feeder with magazin, ASIR Automatic Signature Image Recognition, 4+4 opening possibilities, Sword opening, Belt delivery, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 510 x 320 mm, Minimum sheet size: 120 x 75 mm, Stitching length: 16.5 mm, Number of stitch positions: 13, Maximum mechanical speed: 18 - 200 cycles/minute, Full specifications on request, Weight: 3450 kg

---

### Gatherers

---

QK19181     **Kolbus ZU 804.L (1998)**

Hand feeding station for one person, Number of gathering stations: 24, Excluding pump(s), Optical signature control system, make: Optigraf ATC, Stacking delivery with delivery conveyor, model: ZA 800, Belt delivery, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 460 x 310 mm, Minimum sheet size: 125 x 100 mm, Maximum mechanical speed: 8.000 cycles/hour, Full specifications on request

---

---

### Saddle stitchers

---

---

**RB72146 Müller Martini Bravo Plus (2007)**

Total number of chain stations: 7, Single universal base, total: 1, Double universal base, total: 3, Horizontal signature feeder, model: 370, Number of horizontal signature feeders: 5, Cover feeder, model: 1528, Pump(s), Stitching unit: Müller Martini Bravo Plus (380), Colour monitor(s) with touch screen, Stitching control, Stitching head(s), model: HK 75, Number of stitching heads: 2, Trimmer, model: Müller Martini 449, 2 sets of knives, Compensating stacker: Müller Martini Perfetto (450), Age: 2007, Delivery to the left, Roller table delivery, Specifications are subject to manufacturers changes in similar models, Maximum mechanical speed: 12.000 copies/hour, Maximum uncutted size with lap: 480 x 320 mm, Minimum uncutted size with lap: 105 x 115 mm, Maximum uncutted size without lap: 400 x 300 mm, Minimum uncutted size without lap: 150 x 120 mm, Maximum cut off (head and tail): 50 mm, Maximum cut off (front): 50 mm, Maximum product thickness: 10 mm, Full specifications on request

---

**CV41421 Müller Martini Presto (2002)**

Total number of chain stations: 8, Hand feeding station for one person, Horizontal signature feeder, model: 1551, Number of horizontal signature feeders: 6, Cover feeder, model: 1528, Pump(s), Total number of pump(s): 2, Stitching unit: 1550 (Presto), Stitching head(s), model: HK 75, Number of stitching heads: 2, Trimmer, model: 1522, 2 sets of knives, Belt delivery, model: 1522, Specifications are subject to manufacturers changes in similar models, Maximum mechanical speed: 9.000 copies/hour, Maximum uncutted size: 365 x 305 mm, Minimum uncutted size: 105 x 115 mm, Maximum cutted size: 360 x 300 mm, Minimum cutted size: 140 x 76 mm, Maximum cut off (head and tail): 50 mm, Maximum cut off (front): 35 mm, Maximum product thickness: 10 mm, Full specifications on request

---

---

---

### Universal bases

---

---

**GT24134 Müller Martini 3681 (2005)**

Double universal base, total: 2, Suitable for: Müller Martini 3681, Including chain track, Excluding chain

---

**CA45876 Müller Martini Double universal base**

Universal bases, Excluding chain track, Excluding chain

---

**YA34889 Müller Martini Double universal base**

Suitable for: MM Prima. MM Bravo, Universal bases, Including chain track, Excluding chain

---

**SW46326 Müller Martini Double universal base**

Suitable for: MM Prima. MM Bravo, Universal bases, Including chain track, Excluding chain

---

**TG73298 Müller Martini Double universal base (1995)**

Suitable for: MM Prima. MM Bravo, Universal bases, Including chain track, Excluding chain

---

**KB88825 Müller Martini Double universal base**

Universal bases, Excluding chain track, Excluding chain

---

**RA29858 Müller Martini Double universal base (1998)**

Suitable for: MM Prima. MM Bravo, Universal bases, Including chain track, Excluding chain

---

**EW12982 Müller Martini Universal base**

Single universal base, Including chain track, Excluding chain

---

**CZ68257 Müller Martini Universal base**

Single universal base, Suitable for: Muller MArtini Bravo. Prima. 300, Excluding chain track, Excluding chain

---

---

---

### Signature feeders

---

---

**KB41691 Müller Martini 370.0400 (1998)**

## Stock List Bindery

Universal bases, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 480 x 105 mm, Minimum sheet size: 105 x 115 mm, Maximum mechanical speed: 13.000 copies/hour, Full specifications on request, Weight: 170 kg

---

**BV14194 Müller Martini 370.0400 (1997)**

Including shuttle feeder, Excluding universal base, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 480 x 105 mm, Minimum sheet size: 105 x 115 mm, Maximum mechanical speed: 13.000 copies/hour, Full specifications on request, Weight: 170 kg

---

**ZX37659 Müller Martini 370.0400 (2000)**

Horizontal signature feeder, model: 370.0400, Number of horizontal signature feeders: 2, Universal bases, Excluding chain, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 480 x 105 mm, Minimum sheet size: 105 x 115 mm, Maximum mechanical speed: 13.000 copies/hour, Full specifications on request, Weight: 170 kg

---

**YQ38772 Müller Martini 370.0400 (1997)**

Including shuttle feeder, Excluding universal base, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 480 x 105 mm, Minimum sheet size: 105 x 115 mm, Maximum mechanical speed: 13.000 copies/hour, Full specifications on request, Weight: 170 kg

---

**FE66522 Müller Martini Mini-infeed**

Mini-Feed number: 5, Mini-infeed, suitable for: Müller Martini 370

---

### Card gluers

---

**TX98396 Müller Martini 315.0402 - 21" (1997)**

Robatech hotmelt system, Excluding universal base, Excluding chain track, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum card size: 210 x 210 xx, Minimum card size: 80 x 60 mm, Maximum mechanical speed: 18.000 copies/hour, Full specifications on request, Weight: 200 kg., Power supply: 1Nm3/h - 5-6 bar

---

**TS48393 Müller Martini 315.0402 - 21" (1992)**

Robatech hotmelt system: Roba 30, Excluding universal base, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum card size: 210 x 210 xx, Minimum card size: 80 x 60 mm, Maximum mechanical speed: 14.000 copies/hour, Full specifications on request, Weight: 200 kg., Power supply: 1Nm3/h - 5-6 bar

---

**UF88348 Müller Martini 315.0402 - 21" (2003)**

Nordson hotmelt system, Excluding universal bases, Excluding chain track, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum card size: 210 x 210 xx, Minimum card size: 80 x 60 mm, Maximum mechanical speed: 18.000 copies/hour, Full specifications on request, Weight: 200 kg., Power supply: 1Nm3/h - 5-6 bar

---

**WC28486 Müller Martini 315.0402 - 21" (1998)**

Robatech hotmelt system, Excluding universal base, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum card size: 210 x 210 xx, Minimum card size: 80 x 60 mm, Maximum mechanical speed: 14.000 copies/hour, Full specifications on request, Weight: 200 kg., Power supply: 1Nm3/h - 5-6 bar

---

**BK19836 Müller Martini 315.0402 - 21" (1996)**

Robatech hotmelt system, Excluding universal base, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum card size: 210 x 210 xx, Minimum card size: 80 x 60 mm, Maximum mechanical speed: 14.000 copies/hour, Full specifications on request, Weight: 200 kg., Power supply: 1Nm3/h - 5-6 bar

---

**YS92393 Müller Martini 423.0421 21" (2006)**

Robatech hotmelt system, Excluding universal bases, Excluding pump(s), Specifications are subject to manufacturers changes in similar models, Maximum card size: 210 x 250 mm, Minimum card size: 80 x 55 mm, Maximum mechanical speed: 13.000 copies/hour, Full specifications on request, Weight: 400 kg

---

### Stream feeders

---

**EB48147 Müller Martini 3738 (2004)**

## Stock List Bindery

Including extension

AV45956 **Müller Martini 3738 (2006)**

Stream feeders, model: 3738, Stream feeders, total: 6, Bundle clamp(s): Not included

### Hoists

FW25762 **Müller Martini 277 (1999)**

Bundle clamp(s): 1, Hoist for bundle clamp(s): Demag

EK23291 **Müller Martini Hoist**

Gantry system: MM 370 & MM 306

### Center cutting device

HZ17166 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

SB35247 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

VS23418 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

RT46782 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

QS52679 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

FC99526 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

VX71468 **Müller Martini Center Cut**

Suitable for: Muller Martini 360 - 361 - 449, Sets of knives: 1, 4 th and 5th knife

FZ36416 **Müller Martini Trio Cut**

Suitable for: Müller Martini 449, Trio Cut

### Delivery systems

YR89233 **Desta PK25/E**

Compensating stacker

QZ58935 **Harris RS 10 (1983)**

Delivery to the left, Specifications are subject to manufacturers changes in similar models, Maximum product size: 320 x 470 x 19 mm, Minimum product size: 102 x 140 x 1 mm, Maximum pile height: 248 - 267 mm, Maximum mechanical speed: 13.000 copies/hour, Full specifications on request

UW44211 **Müller Martini 225**

Belt delivery

TU87754 **Müller Martini CS 14 (1991)**

## Stock List Bindery

Delivery to the left, Specifications are subject to manufacturers changes in similar models, Maximum product size: 480 x 340 x 40 mm, Minimum product size: 148 x 105 mm, Maximum mechanical speed: 14.000 copies/hour, Full specifications on request

---

**GK37952 Müller Martini Perfetto (2007)**

Compensating stacker, Delivery to the left

---

**RX62579 Müller Martini Pratico (1997)**

Delivery to the left, Roller table delivery, Specifications are subject to manufacturers changes in similar models, Maximum product size: 480 x 320 mm, Minimum product size: 148 x 105 mm, Maximum pile height: 250 mm, Maximum mechanical speed: 15.000 copies/hour, Full specifications on request, Weight: 900 kg, Power supply: 2.5 KW, Power supply: 18Nm3/h

---

### Case makers

---

**XF39332 Kolbus DA 232 (2006)**

Corner cutter, Copilot system with touch screen monitor, Motorized format adjustments, Board prestacking conveyor, Board cutter: PS, Centre strip infeed, Chopper for the centre strip waste, Glue unit, Viscosity control, Pressing station, Stacking delivery, Device for inside lining with hotmelt, Specifications are subject to manufacturers changes in similar models, Maximum open case size : 660 x 380 mm, Maximum open case size : 210 x 130 mm, Cloth width: 234 - 690 mm, Cloth height: 154 - 410 mm, Board thickness: 1 - 4 mm., Board width: 95 - 320 mm, Board height: 130 - 380 mm, Board center strip thickness: 0.3 - 0.5 mm., Board center strip width: 6 - 90 mm, Maximum mechanical speed: 85 cycles/min, Full specifications on request, Machine dimensions: 6320 x 4710 mm, Weight: 6510 kg, Power supply: 33 Nm3/h - 6 bar

---

**XK89391 Kolbus DA 260 (2008)**

Board magazin for manual loading, Excluding centre strip infeed, Glue unit, Viscosity control, Cloth feeder, Pressing station, Stacking delivery, -, Optional available (not included in price), -: Device for flexible spine strip, Price (for optional equipment): EUR 30.000.--, -: Kolbus Round Corner Device, -: Incl tool for 7 mm radius, Price (for optional equipment): EUR 15.000, Specifications are subject to manufacturers changes in similar models, Maximum open case size : 670 x 390 mm, Maximum open case size : 205 x 140 mm, Joint width: 4 - 15 mm, Width between boards: 14 - 120 mm, Turning in width: 8 - 15 mm, Cloth width: 223 - 708 mm, Cloth height: 130 - 428 mm, Board thickness: 1 - 4 mm, Board width: 95 - 328 mm, Board height: 140 - 390 mm, Board center strip thickness: 1 - 4 mm, Board center strip width: 6 - 90 mm, Centre strip roll thickness: 0.3 - 0.6 mm, Centre strip roll thickness: 6 - 90 mm, Maximum mechanical speed: 40 cycles/min, Full specifications on request, Machine dimensions: 5000 x 3000 x 2200 mm, Weight: 5100 kg, Power supply: 3 phase. 400 volt. 50 cycles

---

**EF88656 Kolbus DA 270 (2002)**

Programmable automatic setting, motorized adjustments, Board prestacking conveyor, Centre strip infeed, Chopper for the centre strip waste, Viscosity control, Glue unit with pre-heated glue tube, Cloth feeder, Pressing station, Stacking delivery, Device for inside lining with hotmelt, Device for producing padded cases, Automatic case counter, Specifications are subject to manufacturers changes in similar models, Maximum open case size : 670 x 390 mm, Maximum open case size : 140 x 100 mm, Joint width: 4 - 15 mm, Width between boards: 14 - 120 mm, Turning in width: 8 - 15 mm, Cloth width: 223 - 708 mm, Cloth height: 130 - 428 mm, Board thickness: 1 - 4 mm., Board width: 95 - 328 mm, Board height: 140 - 390 mm, Board center strip thickness: 1 - 4 mm., Board center strip width: 6 - 90 mm, Centre strip roll thickness: 0.3 - 0.6 mm, Centre strip roll thickness: 6 - 90 mm, Maximum mechanical speed: 65 cycles/min, Full specifications on request, Machine dimensions: 6200 x 3000 x 2200 mm, Weight: 5850 kg, Power supply: 400 V. 50Hz. 3 phases, Power supply: 28 Nm3/h - 6 bar

---

### Embossing machines

---

**BS82387 Kolbus PE 312 (1999)**

Case pre-stacking conveyor, Feeder for cases, Case bending station, Foil unwind, Matrix plate: 2, Counter stacker delivery, Roller conveyor, Specifications are subject to manufacturers changes in similar models, Maximum open case size : 660 x 405 mm., Maximum open case size : 170 x 100 mm, Embossing area: 420 x 355 mm., Pressure: 350 KN, Maximum mechanical speed: 20 - 80 cycles/min., Full specifications on request, Machine dimensions: 5.690 x 1.920 x 2.000 mm., Weight: 5.500 kg., Power supply: 1 Nm3/h - 6 bar

---

**XG18854 Kolbus PE 48 (1989)**

Automatic , Feeder for cases, Case bending station, Foil unwind, Tray delivery, Pump(s), Specifications are subject to manufacturers changes in similar models, Maximum open case size : 660 x 405 mm., Maximum open case size : 170 x 100 mm, Embossing area: 420 x 355 mm, Pressure: 35 T, Maximum mechanical speed: 20- 48 cases/min, Full specifications on request, Machine dimensions: 3900 x 1720 x 1700 mm, Weight: 2995 kg, Power supply: 9.4 KW

---

**AH56841 Kolbus PE 70 (1985)**



## Stock List Bindery

Automatic , Feeder for cases, Case bending station, Foil unwind, Tray delivery, Specifications are subject to manufacturers changes in similar models, Maximum open case size : 660 x 405 mm., Maximum open case size : 170 x 100 mm, Embossing area: 420 x 355 mm, Pressure: 35 T, Maximum mechanical speed: 30 - 70 cases/min, Full specifications on request, Machine dimensions: 3900 x 1720 x 1700 mm, Weight: 2995 kg, Power supply: 14.3 KW

---

### Endsheet tipping machines

---

#### ZX73652 **Hunkeler VEA 520 (1990)**

Stand alone machine, Manual feeding, Cold glue glue system, Suitable for inserting, Photocel protection, Pump(s), Belt delivery (cold glue products), Specifications are subject to manufacturers changes in similar models, Outside gluing maximum size: 520 x 310 mm, Outside gluing minimum size: 100 x 70 mm, Inside gluing maximum size: 320 x 260 mm, Maximum mechanical speed: 8.400 cycles/hour, Full specifications on request

#### VZ15673 **Hunkeler VEA 520 - 3000 (1996)**

Stand alone machine, Manual feeding, Cold glue glue system, Suitable for inserting, Photocel protection, Pump(s), Stream delivery, Specifications are subject to manufacturers changes in similar models, Outside gluing maximum size: 520 x 310 mm, Outside gluing minimum size: 100 x 70 mm, Inside gluing maximum size: 320 x 260 mm, Maximum mechanical speed: 6.600 cycles/hour, Full specifications on request

---

### Nipping and pressing machines

---

#### HV94673 **Sigloch NH (1998)**

Nipping machine, Specifications are subject to manufacturers changes in similar models, Maximum product size: 510 x 320 mm, Minimum product size: 100 x 90 mm, Maximum block thickness: 80 mm, Maximum mechanical speed: 40 cycles/min, Full specifications on request, Machine dimensions: 1.221 x 1.131 x 1.281 mm, Weight: 400 kg, Power supply: 0.25 KW, Power supply: 27NL/h - 6 bar

#### KK95629 **Sigloch NH (1998)**

Nipping machine, Specifications are subject to manufacturers changes in similar models, Maximum product size: 510 x 320 mm, Minimum product size: 100 x 90 mm, Maximum block thickness: 80 mm, Maximum mechanical speed: 40 cycles/min, Full specifications on request, Machine dimensions: 1.221 x 1.131 x 1.281 mm, Weight: 400 kg, Power supply: 0.25 KW, Power supply: 27NL/h - 6 bar

---

### Glue units

---

#### VY26417 **Sigloch PUR glue unit (2013)**

Suitable for: Sigloch SB 3000 - SB 6000, PUR glue unit, Excluding premelter

---

### Book stackers

---

#### WG23471 **Sigloch BS 60 (1997)**

Book stacker, Turning device, Straight delivery, Roller table delivery, Specifications are subject to manufacturers changes in similar models, Maximum book size: 300 x 380 x 70 mm, Minimum book size: 100 x 120 mm, Maximum pile height: 300 mm, Maximum mechanical speed: 55 cycles/min, Full specifications on request, Weight: 290 kg, Power supply: 0.85 KW, Power supply: 60 NL/min - 5 bar

#### QK42138 **Solema HCS 3 (2000)**

Book stacker, Turning device, Straight delivery, Delivery to the right, Delivery to the left, Specifications are subject to manufacturers changes in similar models, Maximum book size: 390 x 350 mm, Minimum book size: 120 x 100 mm, Maximum pile height: 320 mm, Maximum mechanical speed: 60 cycles/min., Full specifications on request, Weight: 1100 kg, Power supply: 4 KW, Power supply: 20 m3/h - 6 bar

---

### Miscellaneous

---

#### TC65699 **Kolbus DK 670 (2007)**

-: Horizontal turning device for single books, Specifications are subject to manufacturers changes in similar models, Maximum size: 305 x 375 x 80 mm, Minimum size: 70 x 100 x 2 mm, Maximum mechanical speed: 20 - 60 product/min, Full specifications on request

#### HY87299 **Nagel Citoborma 480 AB**

## Stock List Bindery

Specifications are subject to manufacturers changes in similar models, Maximum size: 4

---

### Perfect binders

---

#### XY93874 **Kolbus KM 470 (2002)**

Soft cover perfect bound books with hotmelt glue, Hand feeding station for 2 persons, Gathering machine, model: ZU 804, Number of gathering stations: 24, Pump, make: Rietschle Air-center, Setup element, Intermediate element, Transfer into the binder, Model: KM 470, Number of clamps: 21, Main milling station, Roughening station, Excluding dust extraction system, machine was connected to a centralised dust extraction system, Base for spine gluing station, Base for side gluing station, Exchangable hotmelt spine gluing unit, Exchangeable hotmelt side gluing unit (disk type), Premelter for hotmelt spine gluing system, model: LH 370, Pile cover feeder, First nipping and pressing station, Second nipping and pressing station, Lay down device, Conveyor system included, Model: Kolbus HD 151.P, Age: 2000, Copilot system with monitor, Infeed from the right, Integrated pre-stacker, Pile magazine for products thicker than 5 mm, Exchangeable cutting tables (standard set), Knife changing device, 2 sets of knives, Specifications are subject to manufacturers changes in similar models, Maximum book block size: 310 x 390 x 60 mm., Minimum book block size: 100 x 125 x 3 mm., Maximum mechanical speed: 6.000 cycles/hour, Full specifications on request

---

#### XQ14295 **Kolbus KM 472.A (2003)**

Soft cover perfect bound books with hotmelt glue, Book blocks for hard cover books with lining using coldglue, Handfeeding station for one person, Gathering machine, model: ZU 804, Number of gathering stations: 20, Optical signature control system, Pump(s), Reject gate, for incomplete products: AS 800, Intermediate element, Model: Ratiobinder KM 472.A, Number of clamps: 27, Co-pilot, Monitor(s), Main milling station, First spine preparation station, Second spine preparation unit, Excluding dust extraction system, machine was connected to a centralised dust extraction system, Base for spine gluing station, Base for side gluing station, Exchangable hotmelt spine gluing unit, Exchangable cold glue spine gluing unit, Exchangeable hotmelt side gluing unit (disk type), Exchangeable cold glue side gluing unit, Premelter for hotmelt spine gluing system, Gauzing station, Stream cover feeder, First nipping and pressing station, HF High Frequency dryer, make: Himmel, Second nipping and pressing station, Lay down device, Conveyor system included, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 320 x 460 mm, Minimum sheet size: 100 x 125 mm, Maximum signature thickness: 4 mm., Maximum mechanical speed: 8.000 copies/hour, Full specifications on request, Maximum book block size: 310 x 390 x 60 mm., Minimum book block size: 100 x 125 x 3 mm., Maximum mechanical speed: 8.000 cycles/hour, Full specifications on request

---

#### BK83994 **Kolbus KM 600 (2011)**

Hand feeding station for 2 persons, Universal bases a total number of positions of: 21, Gathering machine, model: ZU 832.A, Number of gathering stations: 21, Optical signature control system, make: Signalynx, Automatic sheet thickness control: ATC, Air center: Becker VariAir, Setup element, Intermediate element, Model: KM 600, Number of clamps: 21, Co-pilot with touch screen monitor, Main milling station, First spine preparation station, Brushing station, Excluding dust extraction system, machine was connected to a centralised dust extraction system, Base for spine gluing station, Base for side gluing station, Exchangable hotmelt spine gluing unit, Exchangeable hotmelt side gluing unit (disk type), Exchangeable PUR spine gluing unit (open roller system), Premelter for hotmelt spine gluing system, model: LH 375.B, Drum premelter for PUR spine gluing unit, model: Nordson (Kolbus XNO 962), Premelter for hotmelt side gluing system, model: LH 375.A, Gauzing station, Heating elements in curve, Stream cover feeder, First nipping and pressing station, Second nipping and pressing station, Lay down device, Book measuring table, Conveyor system included, Length of conveyor system, approximate (mtr): 85 mtr, Escape delivery, model: TS.Z, Model: HD 153.P, Age: 2011, Co-pilot with touch screen monitor, Infeed from the right, Integrated pre-stacker, Silicone spray, Device for shingled stream infeed with magazine mode, Exchangeable cutting tables (standard set), Transported by grippers, Knife changing device, 2 sets of knives, Specifications are subject to manufacturers changes in similar models, Maximum book block size: 320 x 383 x 60 mm, Minimum book block size: 105 x 105 x 3 mm, Maximum mechanical speed: 8.000 cycles/hour, Maximum mechanical speed: 5.500 - 6.600 cycles/ hour, Maximum untrimmed size (automatic infeed): 310 x 430 x 80 mm, Maximum trimmed size (automatic infeed): 300 x 420 x 80 mm, Minimum trimmed size (automatic infeed): 100 x 120 x 5 mm, Maximum pile height: 80 mm, Full specifications on request

---

#### AQ67113 **Kolbus KM 600 (2011)**

Soft cover perfect bound books with hotmelt glue, Soft cover perfect bound books with hotmelt glue, Handfeeding station for one person, Gathering machine, model: ZU 832.A, Number of gathering stations: 15, Air center: Becker VariAir, Setup element, Reject gate, for incomplete products, Intermediate element, Transfer into the binder, Model: KM 600, Number of clamps: 21, Co-pilot with touch screen monitor, Semi automatic setting, Main milling station, Roughening station, Base for spine gluing station, Base for side gluing station, Exchangable hotmelt spine gluing unit, Exchangeable hotmelt side gluing unit (disk type), Exchangeable PUR spine gluing unit (open roller system), Premelter for hotmelt spine gluing system, model: LH 375.A, Premelter for hotmelt side gluing system, model: LH 375.B, Drum premelter for PUR side gluing unit, model: Nordson XNO 961, Rotary cover feeder, Nipping and Pressing station, Conveyor system included, Model: HD 143.P, Age: 2011, Colour monitor with touch screen, Infeed from the right, Exchangeable cutting tables (standard set), Belt delivery, Knife changing device, 2 sets of knives, Model: Kolbus / Rima RS 3310S / XRS 130, Age: 2011, Compensating book stacker

---

#### EC24775 **Wohlenberg Champion 8000 (1998)**

## Stock List Bindery

---

Book blocks for hard cover books with lining using coldglue, Handfeeding station for one person, Gathering machine, model: 7011, Number of gathering stations: 20, Optical signature control system, make: Opticontrol, Automatic sheet thickness control: ACC, Pump(s), Setup element, Criss cross delivery, Book block feeder, End sheet gluer with cold glue, model : HHS, Intermediate element, Transfer into the binder, Model: Champion 8000, Number of clamps: 28, Main milling station, Separate spine preparation units: 4, Excluding dust extraction system, machine was connected to a centralised dust extraction system, Base for spine gluing station, Base for side gluing station, Exchangable cold glue spine gluing unit, Exchangable cold glue side gluing unit, Gauzing station, Rotary cover feeder, First nipping and pressing station, HF High Frequency dryer, make: Strayfield 12KW, Second nipping and pressing station, Lay down device, Conveyor system included, Specifications are subject to manufacturers changes in similar models, Maximum book block size: 340 x 320 x 92 - 485 x 290 x 92 mm, Minimum book block size: 140 x 105 x 16 mm, Maximum open cover size: 645 x 490 mm, Minimum open cover size: 208 x 140 mm, Maximum mechanical speed: 1.000 - 8.000 copies/hour, Full specifications on request

---

### SV65185 **Wohlenberg City 4000 (2000)**

Soft cover perfect bound books with hotmelt glue, Hand feeding station for 2 persons, Gathering machine, model: Sprinter 4000, Number of gathering stations: 20, Optical signature control system, make: Optigraf, Pump(s), Setup element, Intermediate element, Transfer into the binder, Model: City 4000, Number of clamps: 15, Main milling station, Roughening station, Including dust extraction system, Base for spine gluing station, Base for side gluing station, Exchangable hotmelt spine gluing unit, Exchangeable hotmelt side gluing unit (disk type), Fume exhaust fan, Rotary cover feeder, Nipping and Pressing station, Lay down device, Conveyor system included, Model: Wohlenberg Trimtec 45 I, Age: 1996, Infeed from the right, Integrated pre-stacker, Exchangeable cutting tables (standard set), Knife changing device, 2 sets of knives, Specifications are subject to manufacturers changes in similar models, Maximum sheet size: 370 x 320 x 4 mm, Minimum sheet size: 105 x 75 mm, Full specifications on request, Maximum book block size: 370 x 320 x 50 mm, Minimum book block size: 140 x 105 x 2 mm, Maximum open cover size: 640 x 375 mm, Minimum open cover size: 208 x 140 mm, Maximum mechanical speed: 1.000 - 4.000 cycles/hour, Full specifications on request, Maximum mechanical speed: 12 - 45 cycles/min, Maximum untrimmed size (automatic infeed): 410 x 310 mm, Maximum trimmed size (automatic infeed): 380 x 300 mm, Minimum trimmed size (automatic infeed): 145 x 100 mm, Maximum pile height: 100 mm., Minimum pile height: 10 mm, Full specifications on request

---

### ZB44864 **Wohlenberg City E-6000 (2011)**

Soft cover perfect bound books with hotmelt glue, Handfeeding station for one person, Gathering machine, model: Sprinter E, Number of gathering stations: 24, Venturi system, Air blower(s), no.: 1, Setup element, Reject gate, for incomplete products, Criss cross delivery, Intermediate element with jogger, Model: City E-6000, Number of clamps: 15, Colour monitor(s) with touch screen, Semi automatic setting, Main milling station, Roughening station, Excluding dust extraction system, machine was connected to a centralised dust extraction system, Base for spine gluing station, Base for side gluing station, Exchangable hotmelt spine gluing unit, Exchangeable hotmelt side gluing unit (disk type), Pile cover feeder, Nipping and Pressing station, Lay down device, Conveyor system included, Escape delivery included, Model: Wohlenberg Trimtec 60 I, Age: 2011, Colour monitor with touch screen, Infeed from the right, Integrated pre-stacker, Exchangeable cutting tables (standard set), Belt delivery, Knife changing device, 2 sets of knives, Specifications are subject to manufacturers changes in similar models, Maximum book block size: 370 x 320 x 50 mm, Minimum book block size: 140 x 105 x 2 mm, Maximum open cover size: 375 x 645 mm, Minimum open cover size: 140 x 212 mm, Maximum mechanical speed: 1.000 - 6.000 cycles/hour, Full specifications on request, Maximum mechanical speed: 500 - 3.600 cycles/hour, Maximum untrimmed size (automatic infeed): 320 x 420 mm., Maximum trimmed size (automatic infeed): 300 x 400 mm, Minimum trimmed size (automatic infeed): 87 x 147 mm, Maximum pile height: 70 mm, Minimum pile height: 5 mm, Full specifications on request

---

## Palletisers

---

### SR49425 **Müller Martini Cohiba (2003)**

Monitor with touch screen, Infeed conveyor, model: 6214, Turning station, Stacking robot, Pallet dispenser, Slip sheet feeder, Pallet transport system, Pallet delivery station, Full specifications on request

---

### CX29291 **WST Doctor (2003)**

Monitor, Stacking robot, Pallet delivery station, Full specifications on request

---

## Glue units

---

### SU29434 **Hauf Mini-Star (2003)**

PUR spine glue unit, roller system, PUR melting unit, model: Hauf Kompact Star

---

### QE87789 **Müller Martini PUR glue unit (2007)**

PUR spine glue unit, roller system, PUR melting unit, model: Nordson

---

## Stock List Bindery

---

---

### Spiral conveyor tower

---

---

**RB28323 Solema . (2003)**

Double tower, Length of conveyors: +/- 50 mtr

---

---

---

### Miscellaneous

---

---

**KT32881 Gantenbein Rolong RA (1967)**

-: Spine rubbing machine, Maximum size: 135 mm (thickness), Maximum mechanical speed: 30 cycles/min, Machine dimensions: 950 x 620 mm, Weight: 222 kg

---

**GS94982 Gantenbein Rolong RA (1965)**

-: Spine rubbing machine, Maximum size: 135 mm (thickness), Maximum mechanical speed: 30 cycles/min, Machine dimensions: 950 x 620 mm, Weight: 222 kg

---

**FB65811 Kolbus TS.LW (2014)**

-: Turning device, -: Infeed conveyor TS.L

---

**VG63317 Müller Martini Double universal base (2005)**

-: 2 double universal bases, -: for MM 3681

---

**TH95399 Tec-Graf S 8662 (2001)**

Lay down device

---

**XZ74146 Tec-Graf S 8662 (2001)**

Lay down device

---

**FR31588 Tec-Graf S 9810 (2001)**

Infra Red drying section

---

---

---

### Front cutting machines

---

---

**BR73729 SCS Easy Fly (2006)**

Touch screen monitor(s), Belt infeed, Cutting unit, Throughfeed, Belt delivery, Specifications are subject to manufacturers changes in similar models, Maximum trimmed size: 570 x 350 mm, Minimum trimmed size: 120 x 100 mm, Book thickness (max-min): 60 - 3 mm, Cut off (max - min): 45 - 3 mm, Maximum mechanical speed: 4.000 cycles/hour, Full specifications on request, Machine dimensions: 4400 x 1200 x 1600 mm, Weight: 2.600 kg, Power supply: 100l/min - 6 bar

---

---

---

### Book stackers

---

---

**YC69351 Kolbus KL 301 (2016)**

Compensating book stacker, Delivery to the left and right, Roller table delivery, Belt delivery, Specifications are subject to manufacturers changes in similar models, Maximum book size: 320 x 420 x 80 mm, Minimum book size: 100 x 125 x 2 mm, Maximum pile height: 330 mm, Maximum mechanical speed: 10.000 copies/hour, Full specifications on request

---

**HR91329 Kolbus XRS 130 (Rima) (2000)**

Compensating book stacker, Delivery to the left and right, Roller table delivery, Specifications are subject to manufacturers changes in similar models, Maximum book size: 321 x 470 x 80 mm, Minimum book size: 100 x 125 x 2 mm, Maximum mechanical speed: 15.000 copies/hour, Full specifications on request, Machine dimensions: 2311 x 700 x 1730 mm, Weight: 660 kg, Power supply: 400 V. 50Hz. 3 phases, Power supply: 10 Nm3/h - 6 bar

---

**XF73531 Müller Martini CB 15 (3630) (1987)**

## Stock List Bindery

---

Compensating book stacker, Specifications are subject to manufacturers changes in similar models, Maximum book size: 450 x 340 x 70 mm, Minimum book size: 140 x 100 x 3 mm, Maximum pile height: 220 mm / 350 mm, Maximum mechanical speed: 4.000 - 15.000 copies/hour, Full specifications on request, Machine dimensions: 1.523 x 1.523 (3.046) x 1.900 mm, Weight: 1.000 kg, Power supply: 3 KW, Power supply: 17 Nm<sup>3</sup>/h - 6 bar

---

**ZG81399 Müller Martini CB 16 (3631) (1993)**

Compensating book stacker, Specifications are subject to manufacturers changes in similar models, Maximum book size: 450 x 340 x 70 mm, Minimum book size: 140 x 100 x 3 mm, Maximum pile height: 240 mm, Maximum mechanical speed: 18.000 copies/hour, Full specifications on request, Weight: 1.000 kg, Power supply: 2.4 KW, Power supply: 50 Nm<sup>3</sup>/hour - 6 bar

---

### Book splitters

---

---

**KQ47316 Kolbus TR 160 (1999)**

Right hand infeed, Automatic hopper feeder for inline production, 1 saw blade, Excluding delivery, Specifications are subject to manufacturers changes in similar models, Maximum book size: 305 x 510 mm, Minimum book size: 100 x 250 mm, Block thickness: 5 - 80 mm, Saw blade thickness: 2.5 mm, Maximum mechanical speed: 1.700 - 10.000 copies/hour, Full specifications on request, Machine dimensions (excluding turning conveyor): 2900 x 1000 x 1650 mm, Machine dimensions (including turning conveyor): 4200 x 1350 x 1650 mm, Weight (excluding turning conveyor): 1.890 kg

---

**WR17258 Kolbus TR 160 (2000)**

Right hand infeed, Automatic hopper feeder for inline production, 1 saw blade, Belt delivery with turning conveyor, Specifications are subject to manufacturers changes in similar models, Maximum book size: 305 x 510 mm, Minimum book size: 100 x 250 mm, Block thickness: 5 - 80 mm, Saw blade thickness: 2.5 mm, Maximum mechanical speed: 1.700 - 10.000 copies/hour, Full specifications on request, Machine dimensions (including turning conveyor): 4200 x 1350 x 1650 mm, Weight (including turning conveyor): 2240 kg

---

**YT76924 Müller Martini 3501 (2007)**

Excluding infeed conveyor, Right hand infeed, Automatic hopper feeder for inline production, 1 saw blade, Belt delivery with turning conveyor, model: 3605, Turning conveyor on the right, belt on the left, Specifications are subject to manufacturers changes in similar models, Maximum book size: 510 x 320 x 60 mm, Minimum book size: 220 x 72 x 3 mm, Full specifications on request

---

**CZ13859 Müller Martini 3502 (2007)**

Left hand infeed, 1 saw blade, Belt delivery with turning conveyor, model: 3506, Bypass system included, -: Excluding electronical cabinet/drive for by pass system, Specifications are subject to manufacturers changes in similar models, Maximum book size: 510 x 320 x 80 mm, Minimum book size: 220 x 75 x 1.8 mm, Block thickness: 1.8 - 80mm, Maximum mechanical speed: 1.000 - 15.000 cycles/hour, Full specifications on request

---

**CS25483 Müller Martini 3502 (2010)**

Infeed conveyor, Left hand infeed, Automatic hopper feeder for inline production, 1 saw blade, Belt delivery with turning conveyor, model: 3506, Specifications are subject to manufacturers changes in similar models, Maximum book size: 510 x 320 x 80 mm, Minimum book size: 220 x 75 x 1.8 mm, Block thickness: 1.8 - 80mm, Maximum mechanical speed: 1.000 - 15.000 cycles/hour, Full specifications on request

---

### Foil wrapping machines

---

---

**SU19192 Beck Flexo 400 (1998)**

Shrink wrap unit: SLB 5012/25, Full specifications on request

---

**XF89961 Beck KV 540.ON (1999)**

Foil unit, Shrink wrap unit

---

**BA53291 Haussmann Unopacker B 500 (1997)**

Foil unit, Shrink wrap unit, Power supply: 400 V. 50Hz. 3 phases

---

**XC25937 Kallfass Packjet 4000 (1999)**

Foil unit: Packjet 4000, Shrink wrap unit: Compact 650 SO

---

**UW56991 Kallfass Universa 8060/100 (1998)**

## Stock List Bindery

Shrink wrap unit: Standard 650 N, Full specifications on request

### Paper cutting lines

---

---

**KR28549 Wohlenberg Cut-Tec 137 PS (1998)**

With steel plate, Make: Baumann, Model: BSB 6/L, Air removal roller, Delivery to the left, Make: Wohlenberg, Model: Cut-Tec 137, Color display, Automatic programm, Side table on the right with air, Cutting table chromed with air, Air blower, Plexiglas cover for back table, Photocel protection, 2 knives

---

**CX56545 Wohlenberg Cut-Tec 155 (1997)**

Make: Polar, Model: Old model, With lifting forks, Make: Polar, Model: RAB 5, Age: 1994, Air removal roller, Make: Wohlenberg, Model: Cut-Tec 155, Age: 1997, Color display, Automatic programm, Side table on the left with air, Side table on the right with air, Cutting table chromed with air, Photocel protection, 2 knives, Make: KS Master, Model: 1C51, Age: 1979, On left side of the cutting machine

### Pile lifts

---

---

**WF63897 Hydrolift .**

With lifting forks

### Paper jogggers

---

---

**UR95849 Schneider Senator RS - SR 0559 (2002)**

Air removal roller

### Off loading systems

---

---

**EQ28195 Polar 1BL 185-7S (1992)**

On left side of the cutting machine

---

**KS17229 Schneider Senator Profi-Line (2002)**

On left side of the cutting machine

### Miscellaneous

---

---

**AG24289 3M-Matic Box closing machine (2002)**

Box closing machine

---

**AB95134 Akebono TS 250 (1991)**

Strapping machine

---

**WQ26848 Dürselen Corta PB 09 ST (1999)**

Drilling machine

---

**AX52158 Dürselen Corta PB09 (2000)**

Number of drilling heads: 4

---

**CU53854 Dürselen PB04 (1998)**

Drilling machine, Number of drilling heads: 5

---

**VH31625 Gemini GEM 50**

Box closing machine

## Stock List Bindery

---

HB37937 **Gemini GEM 50RC**

Box closing machine

---

FV98448 **Gemini GEM 50RC (1996)**

Box closing machine

---

TR92422 **Getra RQ-8 (2005)**

Strapping machine

---

QW37918 **Hang 106DT20**

Drilling machine, Number of drilling heads: 2

---

YR85151 **Hang 245-00**

Drilling machine

---

WZ44257 **Hohner Economy 25/40**

Drilling machine, Number of drilling heads: 1, Standard equipped, Full specifications on request

---

QB95182 **Iram 16 (1985)**

Drilling machine, Number of drilling heads: 2

---

XF29344 **Iram 16 (1985)**

Drilling machine, Number of drilling heads: 2

---

GA62993 **Mosca RA-5-55 (1983)**

Strapping machine

---

FS51295 **Nagel Citoborma 280 B**

Drilling machine, Number of drilling heads: 2

---

EC31545 **Quick Pack Sealpack (2003)**

Pallet sealing machine, Standard equipped, Full specifications on request

---

ZU23193 **Siat AF3CF1 (1998)**

Pallet sealing machine, Photocell control

---

KH85812 **Signode UNi 300 (1998)**

Strapping machine

---

EE61986 **Wupa Kerma**

Standard equipped

---

Updated : 03-09-2018

All prices mentioned are loaded onto transport ex current location. Additional transport charges can be offered upon request.