

---



---

## Offset printing

---



---

### 2 colour

---



---

QZ64524 | 54658

**Heidelberg SM74-2-P (2001)**

Impressions: 63 mil., CP-Tronic, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 2, Machine with perfecting: 2/0 - 1/1, Autoplate, Alcolor Vario dampening, Automatic blanket washing device, Dampening system: Baldwin BasicLiner 2.0 L, Ink temperature control, Powder spray unit, make: Grafix

---

### 4 colour

---



---

AB21812 | n/a

**Heidelberg CD74-4+LX F UV (2005)**

Impressions: 86 mil., CP2000, PPF Preset Plus feeder, Non-Stop feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, Autoplate, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, UV coating, Water base coating: chambered ductor system, Make Tresu, Drying position possibilities: 3, Number of interdeck cassettes/lamps: 3, Interdeck UV drying system, IR + Hotair drying system in delivery, UV drying system in delivery, PPD Preset Plus Delivery, Extended delivery, Non Stop delivery, Machine raised by (cm): approx 50 cm

---

RQ78721 | n/a

**Heidelberg PM74-4 (2004)**

Impressions: 40 mil., Suction feeder table, Anti static device, Number of printing unit(s): 4, Straight machine, Autoplate, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Baldwin, Powder spray unit, make: weko

---

EC61584 | n/a

**Heidelberg SX74-4H (2012)**

Impressions: 80 mil., CP2000, Suction feeder table, Number of printing unit(s): 4, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Powder spray unit, make: Weko AP232

---

FZ42453 | n/a

**KBA (Koenig & Bauer) Rapida 105-4+LX U (2007)**

Impressions: 115 mil., Colortronic, Ergotronic console, Suction feeder table, Anti static device, Double sheet control, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, Universal model, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Baldwin, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Rapid Dry IR-Hot air system, Powder spray unit, make: Weko AP 262

---

UB96743 | 54607

**KBA (Koenig & Bauer) Rapida 106-4 SW (2009)**

Impressions: 238 mil., Colortronic, Densitronic S, SIS Sensoric Infeed System, Anti static device, Double sheet control, Steel plate in feeder, Number of printing unit(s): 4, Machine with perfecting: 4/0 - 2/2, P40 model, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Powder spray unit, make: weko, Powder spray unit, model: AP262, Air cabinet

---

QW24719 | 54666

**Roland 304HOB SW (2001)**

Impressions: 94 mil., RCI with jobcard, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Machine with perfecting: 4/0 - 2/2, CPL plate change, Rolandmatic, Super blue, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Alpha d, Powder spray unit, make: Weko T77C, Compressed air compressor excluded

---

US53683 | 54620

**Roland 704/3B+LV Direct Drive (2009)**

Impressions: 168 mil., RCI Remote Controlled Inking, Inline quality control, Telepresence, Mabeg sheeter, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 4, APL full automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink fill system: Technotrans Incline, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Roland Seccomatic IR / Hot Air dryer, Airglide, Extended delivery, Powder unit, Powder exhauster, Air cabinet, Cabinets water cooled, Compressed air compressor excluded, Heat exchanger for cabinets, Maximum output (copies/hour): 16.000, Maximum sheet size: 740 x 1040 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 715 x 1020 mm, Plate size: 785 x 1030

---

## Stock List Offset printing

### 5 colour

ZV65863 | n/a

#### Heidelberg CD102-5+LX (2009)

Impressions: 70 mil., CP2000, PPF Preset Plus feeder, Non-Stop feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Ink temperature control, Number of coating units: 1, UV coating, Make Tresu, Number of Anilox roller(s): 1, Make: IST UV, Number of interdeck cassettes/lamps: 3, UV drying system in delivery, PPD Preset Plus Delivery, Extended delivery, Non Stop delivery, Powder spray unit, make: No, Machine raised, Machine raised by (cm): 50 cm, AirStar air cabinet, Cabinets air cooled, Dampening cooling and circulation system: Technotrans Beta.C, ScrollStar compressor

CY95761 | 54691

#### Heidelberg CD102-5+LX UV (2002)

Impressions: 165 mil., CP2000, Preset Feeder, Non-Stop feeder, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, UV coating, Water base coating: chambered ductor system, Make Tresu, Make: IST, Drying position possibilities: 1-2.3.4.5, Number of interdeck cassettes/lamps: 3, Interdeck UV drying system, UV drying system in delivery, IR drying system in delivery, Extended delivery, Non Stop delivery, Powder unit, Powder spray unit, make: Grafix Exatronic Duo Plus, Machine raised by (cm): 50

UC55534 | n/a

#### Heidelberg SM52-5 (2002)

Impressions: 82 mil., CP2000, Suction feeder table, Number of printing unit(s): 5, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans, Powder spray unit, make: Grafix Alphatronic 200

EQ24928 | n/a

#### Heidelberg XL105-5Y+LYY-P-5+LX3 (2011)

Impressions: 200 mil., CP 2000 with Wallscreen, Prinect Inpress Control, PPF Preset Plus feeder, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 10, Machine with perfecting: 5/5 - 10/0, Autoplate XL, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 2, Water base coating: chambered ductor system, Make Tresu, IR drying system in delivery, PPD Preset Plus Delivery, Non Stop delivery, Powder spray unit, make: Weko AP 500 Duo, Cabinets water cooled, Heat exchanger for cabinets, excluded

SB55159 | 54649

#### KBA (Koenig & Bauer) Rapida 74-5+LV (2003)

Impressions: 76 mil., Colortronic, Ergotronic console, CX package, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Baldwin, Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 2, IR + Hotair drying system in delivery, Extended delivery, Powder spray unit, make: Grafix Digitronic, Cabinets air cooled, Compressed air compressor, Maximum output (copies/hour) : 15.000 copies/hour, Paper thickness maximum: 60-350 g/m<sup>2</sup>

CE11759 | n/a

#### Komori LS529 EM+C (2011)

Impressions: 55 mil., PQC-S, KHS, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, SAPC semi automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, Water base coating, Powder unit

HX69199 | n/a

#### Komori LS529 EM+C (2013)

Impressions: 44 mil., EM-model, PQC-S, KHS-AI, KMS-4, PDC-S, AMR, PCD lite II, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, FAPC full automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, IR drying system in delivery, Extended delivery, Maximum output (copies/hour) : 16.000, Maximum sheet size: 530x740 mm

QB88694 | n/a

#### Komori LS529+LX (2010)

Impressions: 112 mil., PQC, KMS, AMR, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Komorimatic dampening system, Skeleton Transfer drums, Plate changing system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Water base coating: chambered ductor system, Make Harris & Bruno, Extended delivery, Powder unit

WW11565 | 54656

#### Roland 205E/OB (2004)

## Stock List Offset printing

Impressions: 24 mil., RCI Remote Controlled Inking, ColorPilot, Suction feeder table, Electronic double sheet control, Card board device, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, CPL plate change, Rolandmatic, Automatic blanket washing device, Dampening system: Baldwin , Powder unit, Antistatic device, Antistatic device: Kersten, Maximum output (copies/hour) : 13.000 copies/hour, Maximum sheet size: 520 x 740 mm, Maximum print size: 510 x 735 mm, Plate size: 510 x 735 mm, Paper thickness minimum: 0.04 mm, Paper thickness maximum: 0.8 mm

FV27352 | 54614 **Roland 205E/OB (2002)**

Impressions: 37 mil., RCI with jobcard, Suction feeder table, Electronic double sheet control, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Rolandmatic, Quick action plate clamps, Automatic blanket washing device, Dampening system: Quint refrigeration, Non Stop delivery, Powder unit, Powder spray unit, make: Weko T66, Powder spray unit, model : Weko T66, Dampening cooling and circulation system: Quint

RY54148 | n/a **Roland 505OB+LV (2008)**

Impressions: 115 mil., RCI Remote Controlled Inking, Suction feeder table, Double sheet control, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, PPL semi automatic plate change, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Number of coating units: 1, Water base coating: chambered ductor system, IR drying system in delivery, Extended delivery, Powder unit, Maximum output (copies/hour) : 16.000

YQ21322 | n/a **Roland 705/3B+LV (2006)**

Impressions: 255 mil., RCI Remote Controlled Inking, ColorPilot Plus D+F, Quick change coating, Suction feeder table, Anti static device, Double sheet control, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, PPL semi automatic plate change, Rolandmatic, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Number of coating units: 1, Water base coating: chambered ductor system, Roland Seccomatic IR dryer, Airglide, Powder spray unit, make: Grafix Cantronic 3000

### 6 colour

HF73789 | n/a **Heidelberg SM74-6-P-H-LX (1995)**

Impressions: 200 mil., CP-Tronic, CPC 1-04, Suction feeder table, Number of printing unit(s): 6, Machine with perfecting: 6/0 and 2/4, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans cooling and circulation unit, Number of coating units: 1, Water base coating: standard film system, IR drying system in delivery, Powder unit

BZ64139 | n/a **Heidelberg XL75-6+LX (C) (2011)**

Impressions: 140 mil., Wall screen, Prinect Press Center, PPF Preset Plus feeder, Suction feeder table, Number of printing unit(s): 6, Straight machine, Autoplate, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans CombiStar, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, UV drying system in delivery, IR drying system in delivery, Preset Delivery, Extended delivery, Powder spray unit, make: Weko AP 262, AirStar air cabinet, Cabinets air cooled

GG39112 | 54600 **KBA (Koenig & Bauer) Rapida 104-6+LV (1997)**

Impressions: 335 mil., Colortronic, CIP3, Non-Stop feeder , Steel plate in feeder, Number of printing unit(s): 6, Straight machine, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Water base coating: standard film system, Make: Eltosch IR, Extended delivery, Non Stop delivery, Powder spray unit, make: weko , Powder spray unit, model : T77C, Cabinets air cooled, Dampening cooling and circulation system: Baldwin , Compressed air compressor

UB47511 | 54630 **Roland 906/6+LV (2001)**

Impressions: 166 mil., RCI Remote Controlled Inking, Multi CCI, Non-Stop feeder , Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans Beta.C , Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Roland Seccomatic IR dryer, Number of interdeck cassettes/lamps: 1, Airglide, Extended delivery, Non Stop delivery, Powder spray unit, make: Grafix Hitronic 3000, Machine raised, Machine raised by (cm): 50, Air cabinet, Cabinets air cooled, Compressed air compressor

### 8 colour

ET31741 | 54643 **Komori LS840P (2008)**

## Stock List Offset printing

Impressions: 85 mil., PQC-S, KHS-AI, PDC-S, AMR, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 8, Machine with perfecting: 8/0 - 4/4, FAPC full automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , AlcoSmart, Ink temperature control, Powder spray unit, make: Grafix twintronic 3000, Powder exhauster, Machine raised by (cm): 30 cm, Air cabinet, Cabinets water cooled, Compressed air compressor, Heat exchanger for cabinets, Plate punch, Plate bender

ZH74449 | n/a

### **Roland 708/3B SW HiPrint (2008)**

Impressions: 90 mil., Inline inspector, RCI Remote Controlled Inking, ColorPilot Plus D+F, Telepresence, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 8, Machine with perfecting: 8/0 -4/4, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , Ink temperature control, Airglide, Powder spray unit, make: Weko AP 262, Air cabinet, Cabinets water cooled, Heat exchanger for cabinets, excluded, Maximum output (copies/hour) : 16.000 , Maximum sheet size: 740 x 1040 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 715 x 1040 mm, Plate size: 785 x 1045 mm, Blanket size: 910 x 1060 mm, Paper thickness minimum: 0.06 - 0.4 mm

## Pile turner

EU35665 | 76498

### **Baumann BSW 7-1800 D (1998)**

Pile turner, Maximum pallet size: 1200 x 1650 mm, Maximum lifting capacity: 1800 kg

CW33573 | 76721

### **Busch SW 104 L (1988)**

Pile turner, Air blower

QX49599 | 54487

### **Krift Zipsner Pile Turner (2004)**

Pile turner, Air blower, Vibration

WS28154 | 76471

### **Polar PW-4 (2004)**

Pile turner, Specifications are subject to manufacturers changes in similar models, Maximum pallet size: 808 x 1.200 mm, Maximum infeed height: 1.365 mm, Maximum lifting capacity: 1.200 kg, Full specifications on request

## Plate punch

BU85451 | 54586

### **KBA (Koenig & Bauer) Plate Punch**

Plate register system: RAP 105, Plate punch

## Plate bender

QH45483 | 53880

### **Heidelberg Plate Bender (2001)**

Plate bender, Plate bender: Brüder Neumeister GmbH

YU26225 | 54642

### **Heidelberg Plate Bender (1995)**

Plate bender: Brüder Neumeister GmbH

## Scanner

XQ39289 | 54668

### **Heidelberg Image Control (2011)**

Standard equipped

AH32169 | 54602

### **Heidelberg Image Control (2006)**

Standard equipped

QW85828 | 54255

### **Heidelberg Image Control (2001)**

Standard equipped

RW98822 | 54575

### **Heidelberg Image Control (2008)**

## Stock List Offset printing

Standard equipped

CT14921 | 54541

**Other CREO Plate Scanner**

Standard equipped

CS29452 | 54571

**Other Grapho Metronic Multi CCI (2008)**

Standard equipped

### Numbering and perforating

WV11486 | 54674

**Heidelberg Numbering + Perforating unit**

Standard equipped

EQ35314 | 54100

**Other Numbering + Perforating unit**

Standard equipped

### Rollers

VU67694 | 54588

**Roland 4 sets new Böttcher inking and dampening rollers for a Roland 700 (2017)**

Standard equipped

### Envelope feeder

BK18586 | n/a

**Unknown PGF Maxifeeder (2008)**

Standard equipped

### Miscellaneous

AT83734 | 54655-1

**Heidelberg Blanket Wash Casette for CD102**

Standard equipped

XF69438 | 54665-4

**Heidelberg Blanket Wash Casette for CD102**

Standard equipped

CT79135 | 54655-3

**Heidelberg Blanket Wash Casette for CD102**

Standard equipped

GB48917 | 54655-2

**Heidelberg Blanket Wash Casette for CD102**

Standard equipped

WG21537 | 54274

**Heidelberg CutStar (2002)**

Standard equipped

VX26272 | 54640

**Heidelberg Image Control (2007)**

Standard equipped

UT98696 | n/a

**KBA (Koenig & Bauer) KBA Densitronic (2005)**

Standard equipped

CH88696 | n/a

**Other CF1000 Portable Foiler (2011)**

Standard equipped



**Kool Graphic Trade**

## Stock List Offset printing

---

AY99486 | 54478

**Other Papershells**

Standard equipped

---

KR44336 | 54584

**Other Plastic pallets for 75 x 105 cm machines (1000)**

Standard equipped

---