

Stock List Offset printing

Impressions: 165 mil., CP2000, Image Control, Preset Feeder, Non-Stop feeder, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, UV coating, Water base coating: chambered ductor system, Make Tresu, Make: IST, Drying position possibilities: 1-2.3.4.5, Number of interdeck cassettes/lamps: 3, Interdeck UV drying system, UV drying system in delivery, IR drying system in delivery, Extended delivery, Non Stop delivery, Powder unit, Powder spray unit, make: Grafix Exatronic Duo Plus, Machine raised by (cm): 50

UC55534 | n/a **Heidelberg SM52-5 (2002)**

Impressions: 82 mil., CP2000, Suction feeder table, Number of printing unit(s): 5, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans, Powder spray unit, make: Grafix Alphatronic 200

EQ24928 | n/a **Heidelberg XL105-5Y+LYY-P-5+LX3 (2011)**

Impressions: 200 mil., CP 2000 with Wallscreen, Prinect Inpress Control, PPF Preset Plus feeder, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 10, Machine with perfecting: 5/5 - 10/0, Autoplate XL, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 2, Water base coating: chambered ductor system, Make Tresu, IR drying system in delivery, PPD Preset Plus Delivery, Non Stop delivery, Powder spray unit, make: Weko AP 500 Duo, Cabinets water cooled, Heat exchanger for cabinets, excluded

SB55159 | 54649 **KBA (Koenig & Bauer) Rapida 74-5+LV (2003)**

Impressions: 76 mil., Colortronic, Ergotronic console, CX package, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Baldwin, Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 2, IR + Hotair drying system in delivery, Extended delivery, Powder spray unit, make: Grafix Digitronic, Cabinets air cooled, Compressed air compressor, Maximum output (copies/hour) : 15.000 copies/hour, Paper thickness maximum: 60-350 g/m²

FV61652 | n/a **KBA (Koenig & Bauer) Rapida 74-5+LV CX ALV2 (2005)**

Impressions: 85 mil., Colortronic, Ergotronic console, Logitronic Professional, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans, Number of coating units: 1, Water base coating, Make Tresu, VariDry IR/hot air, Extended delivery, Powder spray unit, make: Weko AP 230

HX69199 | n/a **Komori LS529 EM+C (2013)**

Impressions: 44 mil., EM-model, PQC-S, KHS-AI, KMS-4, PDC-S, AMR, PCD lite II, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, FAPC full automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, IR drying system in delivery, Extended delivery, Maximum output (copies/hour) : 16.000, Maximum sheet size: 530x740 mm

CE11759 | n/a **Komori LS529 EM+C (2011)**

Impressions: 55 mil., PQC-S, KHS, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, SAPC semi automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, Water base coating, Powder unit

FV27352 | 54614 **Roland 205E/OB (2002)**

Impressions: 37 mil., RCI with jobcard, Suction feeder table, Electronic double sheet control, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Rolandmatic, Quick action plate clamps, Automatic blanket washing device, Dampening system: Quint refrigeration, Non Stop delivery, Powder unit, Powder spray unit, make: Weko T66, Powder spray unit, model : Weko T66, Dampening cooling and circulation system: Quint

WW11565 | 54656 **Roland 205E/OB (2004)**

Impressions: 24 mil., RCI Remote Controlled Inking, ColorPilot, Suction feeder table, Electronic double sheet control, Card board device, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, CPL plate change, Rolandmatic, Automatic blanket washing device, Dampening system: Baldwin, Powder unit, Antistatic device, Antistatic device: Kersten, Maximum output (copies/hour) : 13.000 copies/hour, Maximum sheet size: 520 x 740 mm, Maximum print size: 510 x 735 mm, Plate size: 510 x 735 mm, Paper thickness minimum: 0.04 mm, Paper thickness maximum: 0.8 mm

Stock List Offset printing

YQ21322 | n/a

Roland 705/3B+LV (2006)

Impressions: 255 mil., RCI Remote Controlled Inking, ColorPilot Plus D+F, Quick change coating, Suction feeder table, Anti static device, Double sheet control, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, PPL semi automatic plate change, Rolandmatic, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Number of coating units: 1, Water base coating: chambered ductor system, Roland Seccomatic IR dryer, Airglide, Powder spray unit, make: Grafix Cantronic 3000

6 colour

HF73789 | n/a

Heidelberg SM74-6-P-H-LX (1995)

Impressions: 200 mil., CP-Tronic, CPC 1-04, Suction feeder table, Number of printing unit(s): 6, Machine with perfecting: 6/0 and 2/4, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans cooling and circulation unit, Number of coating units: 1, Water base coating: standard film system, IR drying system in delivery, Powder unit

BZ64139 | n/a

Heidelberg XL75-6+LX (C) (2011)

Impressions: 140 mil., Wall screen, Prinect Press Center, PPF Preset Plus feeder, Suction feeder table, Number of printing unit(s): 6, Straight machine, Autoplate, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans CombiStar, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, UV drying system in delivery, IR drying system in delivery, Preset Delivery, Extended delivery, Powder spray unit, make: Weko AP 262, AirStar air cabinet, Cabinets air cooled

GG39112 | 54600

KBA (Koenig & Bauer) Rapida 104-6+LV (1997)

Impressions: 335 mil., Colortronic, GIP3, Non-Stop feeder , Steel plate in feeder, Number of printing unit(s): 6, Straight machine, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Water base coating: standard film system, Make: Eltosch IR, Extended delivery, Non Stop delivery, Powder spray unit, make: Weko, Powder spray unit, model : T77C, Cabinets air cooled, Dampening cooling and circulation system: Baldwin , Compressed air compressor

HZ21236 | n/a

KBA (Koenig & Bauer) Rapida 105-6+LTTLV CX ALV2 UV (2001)

Impressions: 260 mil., Colortronic, Ergotronic console, CX package, Non-Stop feeder , Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , Ink temperature control, Number of coating units: 2, UV coating, Water base coating: chambered ductor system, Make Tresu, Make: Eltosch UV, Drying position possibilities: 2, Number of interdeck cassettes/lamps: 1, IR + Hotair drying system in delivery, UV drying system in delivery, Extended delivery, Non Stop delivery, Powder spray unit, make: Weko AP260, Machine raised by (cm): 60 cm, Cabinets water cooled, Heat exchanger for cabinets

ZW64928 | n/a

Roland 706/3B+LTTLV HiPrint (Hybride) (2011)

Impressions: 100 mil., ColorPilot Plus D+F, Quick change coating, Non-Stop feeder , Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, APL full automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , Ink temperature control, Number of coating units: 2 , UV coating, Water base coating: chambered ductor system, Make Tresu, Roland Seccomatic IR / Hot Air dryer, Interdeck UV drying system, IR + Hotair drying system in delivery, UV drying system in delivery, Extended delivery, Non Stop delivery, Powder spray unit, make: Cantronic HEP, Machine raised by (cm): 550 mm, Air cabinet, Cabinets water cooled

UB47511 | 54630

Roland 906/6+LV (2001)

Impressions: 166 mil., RCI Remote Controlled Inking, Multi CCI, Non-Stop feeder , Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans Beta.C , Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Roland Seccomatic IR dryer, Number of interdeck cassettes/lamps: 1, Airglide, Extended delivery, Non Stop delivery, Powder spray unit, make: Grafix Hitronic 3000, Machine raised, Machine raised by (cm): 50, Air cabinet, Cabinets air cooled, Compressed air compressor

8 colour

ZR54717 | n/a

Heidelberg CD74-8-P (C-size) (2006)

Stock List Offset printing

Impressions: 80 mil., CP2000, Axis Control, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 8 , Machine with perfecting: 8/0 - 4/4, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans Beta.C , Ink temperature control, PPD Preset Plus Delivery, Powder unit

FV82522 | n/a **Komori L440SP (2004)**

Impressions: 305 mil., PQC, KHS, PDC-S, AMR, Non-Stop feeder , Steel plate in feeder, Number of printing unit(s): 8 , Machine with perfecting: 8/0 - 4/4, FAPC full automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , Ink temperature control, Extended delivery, Non Stop delivery, Powder unit

ET31741 | 54643 **Komori LS840P (2008)**

Impressions: 85 mil., PQC-S, KHS-AI, PDC-S, AMR, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 8, Machine with perfecting: 8/0 - 4/4, FAPC full automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , AlcoSmart, Ink temperature control, Powder spray unit, make: Grafix twintronic 3000, Powder exhauster, Machine raised by (cm): 30 cm, Air cabinet, Cabinets water cooled, Compressed air compressor, Heat exchanger for cabinets, Plate punch, Plate bender

Pile turner

EU35665 | 76498 **Baumann BSW 7-1800 D (1998)**

Pile turner, Maximum pallet size: 1200 x 1650 mm, Maximum lifting capacity: 1800 kg

CW33573 | 76721 **Busch SW 104 L (1988)**

Pile turner, Air blower

QX49599 | 54487 **Krift Zipsner Pile Turner (2004)**

Pile turner, Air blower, Vibration

Plate punch

BU85451 | 54586 **KBA (Koenig & Bauer) Plate Punch**

Plate register system: RAP 105, Plate punch

Plate bender

YU26225 | 54642 **Heidelberg Plate Bender (1995)**

Plate bender: Brüder Neumeister GmbH

Scanner

QW85828 | 54255 **Heidelberg Image Control (2001)**

Standard equipped

AH32169 | 54602 **Heidelberg Image Control (2006)**

Standard equipped

XQ39289 | 54668 **Heidelberg Image Control (2011)**

Standard equipped

RW98822 | 54575 **Heidelberg Image Control (2008)**

Standard equipped

Stock List Offset printing

CT14921 | 54541 **Other CREO Plate Scanner**
Standard equipped

CS29452 | 54571 **Other Grapho Metronic Multi CCI (2008)**
Standard equipped

Numbering and perforating

WV11486 | 54674 **Heidelberg Numbering + Perforating unit**
Standard equipped

EQ35314 | 54100 **Other Numbering + Perforating unit**
Standard equipped

Rollers

VU67694 | 54588 **Roland 4 sets new Böttcher inking and dampening rollers for a Roland 700 (2017)**
Standard equipped

Envelope feeder

BK18586 | n/a **Unknown PGF Maxifeeder (2008)**
Standard equipped

Miscellaneous

AT83734 | 54655-1 **Heidelberg Blanket Wash Cassette for CD102**
Standard equipped

XF69438 | 54665-4 **Heidelberg Blanket Wash Cassette for CD102**
Standard equipped

CT79135 | 54655-3 **Heidelberg Blanket Wash Cassette for CD102**
Standard equipped

GB48917 | 54655-2 **Heidelberg Blanket Wash Cassette for CD102**
Standard equipped

WG21537 | 54274 **Heidelberg CutStar (2002)**
Standard equipped

VX26272 | 54640 **Heidelberg Image Control (2007)**
Standard equipped

UT98696 | n/a **KBA (Koenig & Bauer) KBA Densitronic (2005)**
Standard equipped

CH88696 | n/a **Other CF1000 Portable Foiler (2011)**
Standard equipped

AY99486 | 54478 **Other Papershells**



Kool Graphic Trade

Stock List Offset printing

Standard equipped

KR44336 | 54584

Other Plastic pallets for 75 x 105 cm machines (1000)

Standard equipped
