

Offset printing

09.10.2019

2 colour

QZ64524 | 54658

Heidelberg SM74-2-P (2001)

Impressions: 63 mil., CP-Tronic, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 2, Machine with perfecting: 2/0 - 1/1, Autoplate, Alcolor Vario dampening, Automatic blanket washing device, Dampening system: Baldwin BasicLiner 2.0 L, Ink temperature control, Powder spray unit, make: Grafix

QU58328 | 54708

Roland 702/3B SW (2000)

Impressions: 361 mil., RCI Remote Controlled Inking, Suction feeder table, Steel plate in feeder, Machine with perfecting: 2/0 - 1/1, PPL semi automatic plate change, Rolandmatic, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.D, Ink temperature control, Airglide, Powder spray unit, make: Grafix Hitronic-S, Maximum output (copies/hour) : 15000 s/h in straight / 12000 s/h in perfecting, Maximum sheet size: 720 x 1040 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 700 x 1020 mm

4 colour

AB21812 | 54699

Heidelberg CD74-4+LX F UV (2005)

Impressions: 86 mil., CP2000, PPF Preset Plus feeder, Non-Stop feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, Autoplate, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, UV coating, Water base coating: chambered ductor system, Make Tresu, Drying position possibilities: 3, Number of interdeck cassettes/lamps: 3, Interdeck UV drying system, IR + Hotair drying system in delivery, UV drying system in delivery, PPD Preset Plus Delivery, Extended delivery, Non Stop delivery, Machine raised by (cm): approx 50 cm

AC82824 | n/a

Heidelberg XL75-4+L (F-size) (2011)

Impressions: 88 mil., Prinect Press Center, PPF Preset Plus feeder, Suction feeder table, Anti static device, Double sheet control, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, Autoplate, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans CombiStar, AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, IR + Hotair drying system in delivery, Non Stop delivery, Powder spray unit, make: Powderstar Weko AP232, AirStar air cabinet

BQ67929 | n/a

KBA (Koenig & Bauer) Rapida 105-4 (2005)

Impressions: 164 mil., Colortronic, Ergotronic console, Suction feeder table, Anti static device: Kersten, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, P32 model, Universal model, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, VariDry IR/hot air, Powder unit, Powder spray unit, make: Weko

YW81184 | n/a

KBA (Koenig & Bauer) Rapida 105-4+P-SW2 (Perforating unit) (2007)

Impressions: 100 mil., Colortronic, Ergotronic console, Densitronic Basic, Suction feeder table, Steel plate in feeder, Pre-loader, Number of printing unit(s): 4, Machine with perfecting: 4/0 - 2/2, Machine with perfecting device, P40 model, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Baldwin, Ink temperature control, Number of coating units: Perforating unit, Powder unit, Powder spray unit, make: Grafix Megatronic, Cabinets water cooled

XB64177 | 54608

KBA (Koenig & Bauer) Rapida 106-4 SW SIS SPC - 4 SW2 (2009)

Impressions: 220 mil., Colortronic, SIS Sensoric Infeed System, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 4, Machine with perfecting: 4/0 - 2/2, P40 model, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Airtronic delivery, Powder spray unit, make: Weko AP 262, Powder exhauster, Maximum output (copies/hour) : 18.000 copies/hour, Maximum sheet size: 740 x 1060 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 730 x 1050 mm, Plate size: 795 x 1060 mm, Paper thickness minimum: 0.04 mm, Paper thickness maximum: 0.6 mm

AE94777 | 54709

Komori GL440 (2013)

Stock List Offset printing 09.10.2019

Impressions: 160 mil., PQC-S, KHS-AI, Non-Stop feeder, Steel plate in feeder, Pre-loader, Number of printing unit(s): 4, Straight machine, FAPC full automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Ink temperature control, Non Stop delivery, Powder unit, Cabinets air cooled, Compressed air compressor, Plate punch

QW24719 | 54666 **Roland 304HOB SW (2001)**

Impressions: 94 mil., RCI with jobcard, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Machine with perfecting: 4/0 - 2/2, CPL plate change, Rolandmatic, Super blue, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Alpha d, Powder spray unit, make: Weko T77C, Compressed air compressor excluded

CW83174 | n/a **Roland 704/3B LV (2007)**

Impressions: 90 mil., RCI Remote Controlled Inking, ColorPilot, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, IR + Hotair drying system in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafix

US53683 | 54620 **Roland 704/3B+LV Direct Drive (2009)**

Impressions: 168 mil., RCI Remote Controlled Inking, Inline quality control, Telepresence, Mabeg sheeter, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 4, APL full automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink fill system: Technotrans Incline, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Roland Seccomatic IR / Hot Air dryer, Airglide, Extended delivery, Powder unit, Powder exhaustor, Air cabinet, Cabinets water cooled, Compressed air compressor excluded, Heat exchanger for cabinets, Maximum output (copies/hour) : 16.000, Maximum sheet size: 740 x1040 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 715 x 1020 mm, Plate size: 785 x 1030

GK73537 | n/a **Ryobi RMGT 790ST-4S+CD LED UV Hybrid (2016)**

Impressions: 27 mil., Number of printing unit(s): 4, Straight machine, LED UV in delivery, LED UV interdeck dryer, Maximum output (copies/hour) : 16.000, Maximum sheet size: 600x788mm, Maximum print size: 580x765mm

5 colour

CY95761 | 54691 **Heidelberg CD102-5+LX UV (2002)**

Impressions: 165 mil., CP2000, Image Control, Preset Feeder, Non-Stop feeder, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, UV coating, Water base coating: chambered ductor system, Make Tresu, Make: IST, Drying position possibilities: 1-2.3.4.5, Number of interdeck cassettes/lamps: 3, Interdeck UV drying system, UV drying system in delivery, IR drying system in delivery, Extended delivery, Non Stop delivery, Powder unit, Powder spray unit, make: Grafix Exatronic Duo Plus, Machine raised by (cm): 50

KC82843 | n/a **KBA (Koenig & Bauer) Rapida 105-5+LV (CX) (2013)**

Impressions: 78 mil., Colortronic, CX package, Ergotronic Colordrive, Non-Stop feeder, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans CombiStar, Ink temperature control, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 1, VariDry IR/hot air, Extended delivery: 2400 mm, Non Stop delivery, Powder unit, Air cabinet

SB55159 | 54649 **KBA (Koenig & Bauer) Rapida 74-5+LV (2003)**

Impressions: 76 mil., Colortronic, Ergotronic console, CX package, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Baldwin, Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 2, IR + Hotair drying system in delivery, Extended delivery, Powder spray unit, make: Grafix Digitronic, Cabinets air cooled, Compressed air compressor, Maximum output (copies/hour) : 15.000 copies/hour, Paper thickness maximum: 60-350 g/m2

ET94778 | n/a **Komori GL540 LX (2016)**

Stock List Offset printing 09.10.2019

Impressions: 29 mil., PQC-S, PQC with Wallscreen, KHS-AI, PDC-SX, Number of printing unit(s): 5, Straight machine, FAPC full automatic plate change, Komorimatic dampening system, Skeleton Transfer drums, Automatic inking roller washing device, Automatic plate cilinder washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , Ink temperature control, Combined rollers for UV and normal ink, Number of coating units: 1, UV coating, Water base coating: chambered ductor system, Make Tresu, H-UV drying, Drying position possibilities: 3, Number of interdeck cassettes/lamps: 2, Interdeck UV drying system, UV drying system in delivery, Extended delivery, Maximum output (copies/hour) : 16500 s/h

TC64529 | 54704 **Komori LS529+LX (2007)**

Impressions: 55 mil., PQC, PDC-S, AMR, Number of printing unit(s): 5, Straight machine, SAPC semi automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: id:227229, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, IR drying system in delivery, Extended delivery, Powder spray unit, make: Weko AP242

FV27352 | 54614 **Roland 205E/OB (2002)**

Impressions: 37 mil., RCI with jobcard, Suction feeder table, Electronic double sheet control, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Rolandmatic, Quick action plate clamps, Automatic blanket washing device, Dampening system: Quint refrigeration, Non Stop delivery, Powder unit, Powder spray unit, make: Weko T66, Powder spray unit, model : Weko T66, Dampening cooling and circulation system: Quint

YR42362 | n/a **Ryobi R-525 L GX (UV) (2008)**

Impressions: 62 mil., CIP4, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Ink temperature control, Number of coating units: 1, UV coating, Number of interdeck cassettes/lamps: 2, Interdeck UV drying system, UV drying system in delivery

6 colour

HF73789 | n/a **Heidelberg SM74-6-P-H-LX (1995)**

Impressions: 200 mil., CP-Tronic, CPC 1-04, Suction feeder table, Number of printing unit(s): 6, Machine with perfecting: 6/0 and 2/4, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans cooling and circulation unit, Number of coating units: 1, Water base coating: standard film system, IR drying system in delivery, Powder unit

GG39112 | 54600 **KBA (Koenig & Bauer) Rapida 104-6+LV (1997)**

Impressions: 335 mil., Colortronic, CIP3, Non-Stop feeder , Steel plate in feeder, Number of printing unit(s): 6, Straight machine, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Water base coating: standard film system, Make: Eltosch IR, Extended delivery, Non Stop delivery, Powder spray unit, make: Weko , Powder spray unit, model : T77C, Cabinets air cooled, Dampening cooling and circulation system: Baldwin , Compressed air compressor

KY24572 | 54707 **KBA (Koenig & Bauer) Rapida 130A-6+L (ALV2 PWVA) (2005)**

Impressions: 128 mil., Colortronic, CX package, Non-Stop feeder , Suction feeder table, Anti static device: Kersten, Double sheet control, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, P40 model, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 1, Rapid Dry IR-Hot air system, Extended delivery: ALV2, Non Stop delivery, Powder spray unit, make: Weko AP 262, Antistatic device: Kersten, Cabinets water cooled, Compressed air compressor: Kaeser, Heat exchanger for cabinets, Spare inking rollers, Maximum output (copies/hour) : 15.000 copies/hour, Maximum sheet size: 965 x 1300 mm, Minimum sheet size: 500 x 600 mm, Maximum print size: 955 x 1300 mm

QA53749 | n/a **Komori LSX629+CX UV Embossing/Die cutting tower with Inline Foiler (2008)**

Impressions: 63 mil., PQC, KHS-AI, KMS-4, PDC-S, AMR, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, FAPC full automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Ink temperature control, Inline foiler, Number of coating units: 1, UV coating, Water base coating: chambered ductor system, Make Harris & Bruno, Make: Nordson, Drying position possibilities: 6, Number of interdeck cassettes/lamps: 2, Interdeck UV drying system, UV drying system in delivery, Extended delivery, Maximum output (copies/hour) : 16.000 , Maximum sheet size: 610x750 mm, Minimum sheet size: 297x420 mm, Paper thickness minimum: 0.04 mm, Paper thickness maximum: 0.8 mm

AR35362 | 54705 **Roland 506OB LV (2002)**

Stock List Offset printing 09.10.2019

Impressions: 108 mil., CCI, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Number of Anilox roller(s): 3, IR drying system in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafix Hitronic 3000, Machine raised by (cm): 20 cm, Air cabinet, Dampening cooling and circulation system: Technotrans Beta.C , Compressed air compressor excluded, Heat exchanger for cabinets, Maximum sheet size: 530 x 740 mm

8 colour

AB56826 | n/a

Komori GL840P (2014)

Impressions: 114 mil., PQC-S, KHS-AI, AMR, Mabeg sheeter, Steel plate in feeder, Machine with perfecting: 8/0 -4/4, Machine with perfecting device, FAPC full automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic plate cilinder washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , Ink temperature control, Non Stop delivery, Powder spray unit, make: Grafix, Maximum output (copies/hour) : 15000 S/h

10 colour

CE25195 | n/a

Roland 710/3B SW (2005)

Impressions: 265 mil., RCI Remote Controlled Inking, ColorPilot, Quick change job, Suction feeder table, Steel plate in feeder, Machine with perfecting: 10/0 - 5/5, Machine with perfecting device, APL full automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic plate cilinder washing device, Automatic impression cylinder washing device, Dampening system: Technotrans, Airglide, Powder spray unit, make: Grafix

QA53391 | n/a

Roland 710/3B SW Direct Drive (2007)

Impressions: 228 mil., RCI Remote Controlled Inking, ColorPilot Plus D+F, Quick change job, Quick change wash, Quick change color, Quick change Air, Telepresence, Suction feeder table, Double sheet control, Steel plate in feeder, Number of printing unit(s): 10, Machine with perfecting: 10/0 - 5/5, Machine with perfecting device, APL full automatic plate change, Roland Deltamatic dampening, Automatic blanket washing device, Dampening system: Technotrans Beta.C , Perfect Jackets, Ink temperature control, Airglide, Powder unit

Pile turner

CW33573 | 76721

Busch SW 104 L (1988)

Pile turner, Air blower

QX49599 | 54487

Krift Zipsner Pile Turner (2004)

Pile turner, Air blower, Vibration

Plate punch

BU85451 | 54586

KBA (Koenig & Bauer) Plate Punch

Plate register system: RAP 105, Plate punch

Plate bender

YU26225 | 54642

Heidelberg Plate Bender (1995)

Plate bender: Brüder Neumeister GmbH

Scanner

XQ39289 | 54668

Heidelberg Image Control (2011)

Standard equipped

Stock List Offset printing 09.10.2019

QW85828 54255	Heidelberg Image Control (2001)
Standard equipped	
AH32169 54602	Heidelberg Image Control (2006)
Standard equipped	
RW98822 54575	Heidelberg Image Control (2008)
Standard equipped	
CT14921 54541	Other CREO Plate Scanner
Standard equipped	
CS29452 54571	Other Grapho Metronic Multi CCI (2008)
Standard equipped	

Rollers

VU67694 54588	Roland 4 sets new Böttcher inking and dampening rollers for a Roland 700 (2017)
Standard equipped	

Envelope feeder

BK18586 n/a	Unknown PGF Maxifeeder (2008)
Standard equipped	

Miscellaneous

CT79135 54655-3	Heidelberg Blanket Wash Cassette for CD102
Standard equipped	
AT83734 54655-1	Heidelberg Blanket Wash Cassette for CD102
Standard equipped	
GB48917 54655-2	Heidelberg Blanket Wash Cassette for CD102
Standard equipped	
XF69438 54665-4	Heidelberg Blanket Wash Cassette for CD102
Standard equipped	
VX26272 54640	Heidelberg Image Control (2007)
Standard equipped	
UT98696 n/a	KBA (Koenig & Bauer) KBA Densitronic (2005)
Standard equipped	
CH88696 n/a	Other CF1000 Portable Foiler (2011)
Standard equipped	
AY99486 54478	Other Papershells
Standard equipped	
KR44336 54584	Other Plastic pallets for 100 x 140 cm machines (1000)



Kool Graphic Trade

Stock List Offset printing 09.10.2019

Standard equipped
