

Stock List Offset printing 03.03.2020

Offset printing

03.03.2020

2 colour

BS63765 | 54727

Heidelberg 72ZP (1978)

Steel plate in feeder, Number of printing unit(s): 2, Machine with perfecting: 2/0 - 1/1, Standard plate clamps, Powder unit

UK75365 | n/a

Heidelberg SM74-2 (1998)

Impressions: 110 mil., CP-Tronic, Number of printing unit(s): 2, Straight machine, Autoplate, Alcolor dampening, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: id:268514, Powder spray unit, make: Grafix, Dampening cooling and circulation system: Baldwin

QZ64524 | 54658

Heidelberg SM74-2-P (2001)

Impressions: 63 mil., CP-Tronic, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 2, Machine with perfecting: 2/0 - 1/1, Autoplate, Alcolor Vario dampening, Automatic blanket washing device, Dampening system: Baldwin BasicLiner 2.0 L, Ink temperature control, Powder spray unit, make: Grafix

SQ19657 | 54740

Heidelberg SORMZ (1987)

Impressions: 60 mil., Steel plate in feeder, Number of printing unit(s): 2, Straight machine, Quick action plate clamps, Dampening system: Alcohol, Powder unit

VE86441 | 54743

Roland 202E (2004)

Impressions: 20 mil., RCI Remote Controlled Inking, Suction feeder table, Number of printing unit(s): 2, Straight machine, Rolandmatic, Dampening system: SDL , Compressed air compressor

4 colour

EA23947 | n/a

Heidelberg CD102-4+LX (2006)

Impressions: 172 mil., CP2000, PPF Preset Plus feeder, Non-Stop feeder , Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4 , Straight machine, Autoplate, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Alcolor Vario, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, IR drying system in delivery, PPD Preset Plus Delivery, Extended delivery, Non Stop delivery, Powder spray unit, make: Exatronic Duo Plus CAN, Dampening cooling and circulation system: Technotrans CombiStar

AB21812 | 54699

Heidelberg CD74-4+LYX F UV (2005)

Impressions: 86 mil., CP2000, PPF Preset Plus feeder, Non-Stop feeder , Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4 , Straight machine, Autoplate, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, UV coating, Water base coating: chambered ductor system, Make Tresu, Drying position possibilities: 3, Number of interdeck cassettes/lamps: 3, Interdeck UV drying system, IR + Hotair drying system in delivery, UV drying system in delivery, PPD Preset Plus Delivery, Extended delivery, Non Stop delivery, Machine raised by (cm): approx 50 cm

VX56962 | n/a

Heidelberg PM74-4 (2008)

Impressions: 50 mil., Prinect Press Center, Suction feeder table, Anti static device, Number of printing unit(s): 4 , Straight machine, Easyplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Baldwin Basicliner 3.0, Powder unit, Powder spray unit, make: Grafix Alphatronic 200, Compressed air compressor, Maximum output (copies/hour) : 13.000 copies/hour, Maximum sheet size: 530 x 740 mm, Minimum sheet size: 210 x 280 mm, Plate size: 605 x 745 mm, Blanket size: 616 x 772 mm, Paper thickness maximum: 0.6 mm

KT98778 | n/a

Heidelberg SM52-4 anicolor (2005)

Impressions: 37 mil., CP-Tronic, Number of printing unit(s): 4 , Straight machine, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening cooling and circulation system: Technotrans

WW87741 | n/a

Heidelberg SM52-4-LX (2007)

Stock List Offset printing 03.03.2020

Impressions: 100 mil., CP2000, Axis Control, Suction feeder table, Number of printing unit(s): 4 , Straight machine, Autoplate, Alcolor dampening, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Number of coating units: 1, Water base coating: chambered ductor system, IR drying system in delivery, Extended delivery, Powder unit, Maximum output (copies/hour) : 15000 S/h, Paper thickness maximum: 0.06 - 0.4 mm

AC61415 | n/a **Heidelberg sm52-4-P (2007)**

Impressions: 45 mil., Prinect Press Center, Suction feeder table, Number of printing unit(s): 4 , Machine with perfecting: 4/0 - 2/2, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Powder unit

SZ83635 | n/a **Heidelberg sm52-4-P (2002)**

Impressions: 110 mil., CP2000, Suction feeder table, Number of printing unit(s): 4 , Machine with perfecting: 4/0 - 2/2, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, AlcoSmart, Ink temperature control, Powder spray unit, make: Grafix Alphatronic 200

TB94786 | n/a **KBA (Koenig & Bauer) Rapida 105-4 PWHA (2006)**

Impressions: 220 mil., Colortronic, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4 , Straight machine, P32 model, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Baldwin , Powder spray unit, make: Weko AP262, Air cabinet, Compressed air compressor

XK81256 | 54742 **KBA (Koenig & Bauer) Rapida 105-4 PWHA Universal (2006)**

Impressions: 98 mil., Colortronic, Ergotronic console, Lithec, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4 , Straight machine, Universal model, PWHA semi automatic plate change, Varidamp dampening, Automatic blanket washing device, Automatic impression cylinder washing device, Ink temperature control, Powder spray unit, make: Powderstar Weko AP232, Air cabinet, Dampening cooling and circulation system: Baldwin MultiLiner B+ 12.0 L, Compressed air compressor

YW81184 | n/a **KBA (Koenig & Bauer) Rapida 105-4+P-SW2 (Perforating unit) (2007)**

Impressions: 100 mil., Colortronic, Ergotronic console, Densitronic Basic, Suction feeder table, Steel plate in feeder, Pre- loader, Number of printing unit(s): 4 , Machine with perfecting: 4/0 - 2/2, Machine with perfecting device, P40 model, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Baldwin , Ink temperature control, Number of coating units: Perforating unit, Powder unit, Powder spray unit, make: Grafix Megatronic, Cabinets water cooled

XB64177 | 54608 **KBA (Koenig & Bauer) Rapida 106-4 SW SIS SPC - 4 SW2 (2009)**

Impressions: 220 mil., Colortronic, SIS Sensoric Infeed System, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 4 , Machine with perfecting: 4/0 - 2/2, P40 model, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Airtronic delivery, Powder spray unit, make: Weko AP 262, Powder exhauster, Maximum output (copies/hour) : 18.000 copies/hour, Maximum sheet size: 740 x 1060 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 730 x 1050 mm, Plate size: 795 x 1060 mm, Paper thickness minimum: 0.04 mm, Paper thickness maximum: 0.6 mm

TX21634 | n/a **KBA (Koenig & Bauer) Rapida 106-4+LV (CX) (2014)**

Impressions: 70 mil., Wall screen, Colortronic, Cleantronic washing programm, Ergotronic console, CX package, Qualitronic, SIS Sensoric Infeed System, Non-Stop feeder (Plus), Suction feeder table, Card board device, Steel plate in feeder, Number of printing unit(s): 4 , Straight machine, P40 model, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Number of Anilox roller(s): 1, VariDry IR/hot air, Airtronic delivery, Extended delivery: 2400 mm, Air cabinet, Cabinets air cooled, Compressed air compressor, Maximum output (copies/hour) : 18.000 copies/hour, Maximum sheet size: 750 x 1060 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 730 x 1050 mm, Plate size: 811 x 1055 mm, Blanket size: 860 x 1070 mm, Paper thickness maximum: 1.2 mm

YU57867 | 54714 **KBA (Koenig & Bauer) Rapida 162A-4 (1998)**

Impressions: 420 mil., Colortronic, Ergotronic console, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4 , Straight machine, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans, Powder unit, Maximum output (copies/hour) : 12000 s/h, Maximum sheet size: 1200 x 1620 mm, Minimum sheet size: 600 x 920 mm, Machine dimensions: Length: 13430 mm Width: 4510 mm Height: 2950 mm, Weight: Approx. 68600 kgs, Power supply: 134 kw

KA59568 | 54713 **KBA (Koenig & Bauer) Rapida 162A-4 (1999)**

Stock List Offset printing 03.03.2020

Impressions: 420 mil., Colortronic, Ergotronic console, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4 , Straight machine, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans, Powder unit, Maximum output (copies/hour) : 12000 s/h, Maximum sheet size: 1200 x 1620 mm, Minimum sheet size: 600 x 920 mm, Machine dimensions: Length: 13430 mm Width: 4510 mm Height: 2950 mm, Weight: Approx. 68600 kgs, Power supply: 134 kw

BC51422 | n/a **KBA (Koenig & Bauer) Rapida 75-4+L ALV2 (2015)**

Impressions: 76 mil., Colortronic, X-rite IntelliTrax spectrophotometer, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4 , Straight machine, SAPC semi automatic plate change, Varidamp dampening, Automatic blanket washing device, Number of coating units: 1, UV coating, Water base coating: standard film system, H-UV drying, Powder unit

AE94777 | 54709 **Komori GL440 (2013)**

Impressions: 160 mil., PQC-S, KHS-AI, Non-Stop feeder , Steel plate in feeder, Pre- loader, Number of printing unit(s): 4 , Straight machine, FAPC full automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Ink temperature control, Non Stop delivery, Powder unit, Cabinets air cooled, Compressed air compressor, Plate punch

QW24719 | 54666 **Roland 304HOB SW (2001)**

Impressions: 94 mil., RCI with jobcard, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4 , Machine with perfecting: 4/0 - 2/2, CPL plate change, Rolandmatic, Super blue, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Alpha d, Powder spray unit, make: Weko T77C, Compressed air compressor excluded

FW75488 | n/a **Roland 704/3B (2011)**

Impressions: 130 mil., RCI Remote Controlled Inking, Suction feeder table, Steel plate in feeder, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans, Airglide, Powder spray unit, make: Grafex Cantronic 3000, Compressed air compressor excluded

FV31373 | 54737 **Roland 704/3B+LV HiPrint (2009)**

Impressions: 190 mil., RCI Remote Controlled Inking, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4 , Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.D, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Roland Seccomatic IR / Hot Air dryer, Airglide, Extended delivery, Powder spray unit, model : Grafex Cantronic 3000 , Cabinets air cooled, Compressed air compressor: Kaeser

YU75962 | n/a **Roland 804/7B (1989)**

Impressions: 200 mil., RCI Remote Controlled Inking, Steel plate in feeder, Number of printing unit(s): 4 , Straight machine, Rolandmatic, Quick action plate clamps, Powder spray unit, make: Weko

CQ31323 | n/a **Shinohara 52-4 L (2005)**

Impressions: 65 mil., Non-Stop feeder , Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4 , Straight machine, SAPC semi automatic plate change, Automatic blanket washing device, Dampening system: Alcohol, Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, IR drying system in delivery, Powder unit

5 colour

QZ74525 | 54741 **Heidelberg SM102-5-P3 (2006)**

Impressions: 258 mil., CP2000, PPF Preset Plus feeder, Suction feeder table, Steel plate in feeder, Machine with perfecting: 5/0. 2/3, Autoplate, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink temperature control, PPD Preset Plus Delivery, Powder spray unit, make: Powderstar Duo Plus

XR66889 | n/a **Heidelberg SM74-5-P-H (P2 en P3) (1997)**

Impressions: 200 mil., CP-Tronic, CPC 1-04, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Machine with perfecting: 1/4 - 2/3 - 5/0, Autoplate, Alcolor dampening, Dampening system: Technotrans , Powder spray unit, make: Grafex Alphatronic 200

YQ34994 | 54744 **KBA (Koenig & Bauer) Rapida 142-5+LV (2001)**

Stock List Offset printing 03.03.2020

Impressions: 317 mil., Colortronic, CX package, Non-Stop feeder, Logistic system, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, PWHA semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Baldwin, Ink temperature control, Number of coating units: 1, UV coating, Water base coating, Make Tresu, Number of Anilox roller(s): 2, Rapid Dry IR-Hot air system, Make: Eltosch UV/IR, UV drying system in delivery, Extended delivery, Non Stop delivery, Powder spray unit, make: Weko AP260, Machine raised by (cm): 420 mm, Cabinets air cooled, Compressed air compressor excluded, Maximum output (copies/hour) : 14.000, Maximum sheet size: 1020 x 1420 mm

SB55159 | 54649

KBA (Koenig & Bauer) Rapida 74-5+LV (2003)

Impressions: 76 mil., Colortronic, Ergotronic console, CX package, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Baldwin, Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 2, IR + Hotair drying system in delivery, Extended delivery, Powder spray unit, make: Grafix Digitronic, Cabinets air cooled, Compressed air compressor, Maximum output (copies/hour) : 15.000 copies/hour, Paper thickness maximum: 60-350 g/m²

EH54789 | n/a

Roland 705/3B Direct Drive (2011)

Impressions: 200 mil., PressPilot, Quick change job, Quick change wash, Quick change Surface, Telepresence, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic plate cilinder washing device, Dampening system: Technotrans Alpha d, Airglide, Powder unit, Air cabinet, Compressed air compressor, Maximum output (copies/hour) : 16.000, Maximum sheet size: 740 x 1040 mm, Maximum print size: 715 x 1020 mm, Plate size: 785 x 1030 mm

YW68515 | n/a

Roland 705/3B SW+LV (2002)

Impressions: 117 mil., CCI, Quick change coating, Pecom, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 5, Machine with perfecting: 5/0 - 2/3, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink temperature control, Water base coating: chambered ductor system, Make Tresu, Number of Anilox roller(s): 1, Roland Seccomatic IR dryer, Airglide, Extended delivery, Extended delivery: 1828 mm, Powder spray unit, make: Grafix Hitronic, Maximum output (copies/hour) : 15.000 copies/hour, Maximum sheet size: 740 x 1040 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 715 x 1020 mm, Plate size: 785 x 1030 mm, Blanket size: 910 x 1060 mm, Paper thickness minimum: 0.06 mm, Paper thickness maximum: 0.6 mm

BT79568 | n/a

Roland 705/3B+LV (2006)

Impressions: 75 mil., RCI Remote Controlled Inking, ColorPilot Plus D+F, Quick change coating, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Number of coating units: 1, Water base coating: chambered ductor system, Roland Seccomatic IR dryer, IR drying system in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafix Cantronic 3000, Machine raised, Maximum output (copies/hour) : 16.000

6 colour

TB51454 | 54738

KBA (Koenig & Bauer) Rapida 105-6+LV (CX) (2011)

Impressions: 415 mil., Colortronic, Densitronic S, CX package, Non-Stop feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, P32 model, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 2, Rapid Dry IR-Hot air system, Extended delivery, Non Stop delivery, Powder spray unit, make: Grafix Megatronic 3000, Machine raised, Machine raised by (cm): 600 mm, Cabinets air cooled, Maximum sheet size: 740 x 1050 mm, Minimum sheet size: 350 x 500 mm, Maximum print size: 731 x 1040 mm, Plate size: 795 x 1045 mm, Blanket size: 860 x 1060 mm, Paper thickness minimum: 1.2 mm

AR35362 | 54705

Roland 506OB LV (2002)

Stock List Offset printing 03.03.2020

Impressions: 108 mil., CCI, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Number of Anilox roller(s): 3, IR drying system in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafix Hitronic 3000, Machine raised by (cm): 20 cm, Air cabinet, Cabinets water cooled, Dampening cooling and circulation system: Technotrans Beta.C, Compressed air compressor excluded, Heat exchanger for cabinets, excluded, Maximum sheet size: 530 x 740 mm

ER72948 | n/a

Roland 706/3B+LTTLV HiPrint with inline Foiler (2009)

Impressions: 60 mil., RCI Remote Controlled Inking, ColorPilot Plus D+F, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, APL full automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 2, Water base coating: chambered ductor system, Roland Seccomatic IR dryer, Drying position possibilities: 5, Number of interdeck cassettes/lamps: 3, Interdeck UV drying system, UV drying system in delivery, IR drying system in delivery, Airglide, Extended delivery, Powder unit, Machine raised

FH36984 | n/a

Roland 906/7B+LV (2005)

Impressions: 285 mil., RCI Remote Controlled Inking, ColorPilot, Pecom, Non-Stop feeder, Suction feeder table, Double sheet control, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, IR + Hotair drying system in delivery, Airglide, Non Stop Rollomatic, Extended delivery, Machine raised, Machine raised by (cm): 667 mm, Air cabinet, Maximum output (copies/hour) : 12.000, Maximum sheet size: 1200 x 1620 mm, Minimum sheet size: 600 x 920 mm, Maximum print size: 1190 x 1200 mm, Plate size: 1325 x 1630 mm, Paper thickness minimum: 0.06 mm, Paper thickness maximum: 1.2 mm

7 colour

CZ45578 | n/a

KBA (Koenig & Bauer) Rapida 105-7+LV (CX) (P40) (2008)

Impressions: 300 mil., Colortronic, Ergotronic console, Densitronic S, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 7, Straight machine, P40 model, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: standard film system, Make Harris & Bruno, Varidry drying system, Extended delivery, Powder unit

8 colour

AW11443 | n/a

Heidelberg SM102-8-P (2007)

Impressions: 286 mil., CP2000, PPF Preset Plus feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 8, Machine with perfecting: 8/0 -4/4, Machine with perfecting device, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Alcolor Vario, Ink temperature control, PPD Preset Plus Delivery, Powder spray unit, make: Grafix Exatronic Duo Plus, Cabinets water cooled, Dampening cooling and circulation system: Technotrans Beta.C

WB55545 | 54724

KBA (Koenig & Bauer) Rapida 106-8-SW SIS (2012)

Impressions: 190 mil., Colortronic, Ergotronic console, Qualitronic II, Drivetronic feeder, SIS Sensoric Infeed System, Suction feeder table, Anti static device, Double sheet control, Steel plate in feeder, Number of printing unit(s): 8, Machine with perfecting: 8/0 - 4/4, P40 model, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Perfect Jackets, Ink temperature control, Airtronic delivery, Powder spray unit, make: Grafix Megatronic, Air cabinet, Cabinets water cooled, Heat exchanger for cabinets, excluded, Maximum output (copies/hour) : 18000, Maximum sheet size: 740 x 1060 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 730 x 1050 mm, Plate size: 795 x 1060 mm, Paper thickness minimum: 0.04 mm

HX64231 | n/a

Roland 708/3B SW HiPrint (2007)

Impressions: 135 mil., ColorPilot, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 8, Machine with perfecting: 8/0 -4/4, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Airglide, Powder unit

10 colour

Stock List Offset printing 03.03.2020

XU97143 | 54745 **Heidelberg SM102-10-P-S (2002)**

Impressions: 262 mil., CP2000, Preset Feeder, Anti static device, Steel plate in feeder, Number of printing unit(s): 10, Machine with perfecting: 10/0 - 5/5, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Perfect Jackets, Ink temperature control, Powder spray unit, make: Grafix Duo Plus , Air cabinet, Cabinets water cooled, Heat exchanger for cabinets, excluded

Pile turner

QX49599 | 54487 **Krift Zipsner Pile Turner (2004)**

Pile turner, Air blower, Vibration

Plate punch

BU85451 | 54586 **KBA (Koenig & Bauer) Plate Punch**

Plate register system: RAP 105, Plate punch

Plate bender

YU26225 | 54642 **Heidelberg Plate Bender (1995)**

Plate bender: Brüder Neumeister GmbH

Scanner

XQ39289 | 54668 **Heidelberg Image Control (2011)**

Standard equipped

QW85828 | 54255 **Heidelberg Image Control (2001)**

Standard equipped

AH32169 | 54602 **Heidelberg Image Control (2006)**

Standard equipped

RW98822 | 54575 **Heidelberg Image Control (2008)**

Standard equipped

CT14921 | 54541 **Other CREO Plate Scanner**

Standard equipped

CS29452 | 54571 **Other Grapho Metronic Multi CCI (2008)**

Standard equipped

Envelope feeder

BK18586 | n/a **Unknown PGF Maxifeeder (2008)**

Standard equipped

Miscellaneous

CT79135 | 54655-3 **Heidelberg Blanket Wash Cassette for CD102**

Stock List Offset printing 03.03.2020

Standard equipped

AT83734 | 54655-1

Heidelberg Blanket Wash Cassette for CD102

Standard equipped

GB48917 | 54655-2

Heidelberg Blanket Wash Cassette for CD102

Standard equipped

XF69438 | 54665-4

Heidelberg Blanket Wash Cassette for CD102

Standard equipped

VX26272 | 54640

Heidelberg Image Control (2007)

Standard equipped

UT98696 | n/a

KBA (Koenig & Bauer) KBA Densitronic (2005)

Standard equipped

CH88696 | n/a

Other CF1000 Portable Foiler (2011)

Standard equipped

AY99486 | 54478

Other Papershells

Standard equipped

KR44336 | 54584

Other Plastic pallets for 100 x 140 cm machines (1000)

Standard equipped
