

Stock List Offset printing 18.11.2020
Offset printing

18.11.2020

1 colour

 HE78767 | 54776 **Heidelberg SBG (1971)**

Number of printing unit(s): 1

 XT75362 | 54758 **Heidelberg T-platen (1958)**

Maximum sheet size: 260 x 380 mm

2 colour

 GG76246 | 54775 **Heidelberg 102ZP (1994)**

Impressions: 140 mil., CP-Tronic, CPC 1-03, Steel plate in feeder, Number of printing unit(s): 2, Machine with perfecting: 2/0-1/1, Autoplate, Alcolor dampening, Super blue, Dampening system: Baldwin, Powder spray unit, make: Grafix Exatronic, Compressed air compressor excluded

 BS63765 | 54727 **Heidelberg 72ZP (1978)**

Steel plate in feeder, Number of printing unit(s): 2, Machine with perfecting: 2/0 - 1/1, Standard plate clamps, Powder unit

 VE86441 | 54743 **Roland 202E (2004)**

Impressions: 20 mil., RCI Remote Controlled Inking, Suction feeder table, Number of printing unit(s): 2, Straight machine, Rolandmatic, Dampening system: SDL, Compressed air compressor

4 colour

 TB94786 | 54746 **KBA (Koenig & Bauer) Rapida 105-4 PWHA (2006)**

Impressions: 220 mil., Colortronic, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, P32 model, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Baldwin, Powder spray unit, make: Weko AP262, Air cabinet, Compressed air compressor

 XK81256 | 54742 **KBA (Koenig & Bauer) Rapida 105-4 PWHA Universal (2006)**

Impressions: 98 mil., Colortronic, Ergotronic console, Lithec, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, Universal model, PWHA semi automatic plate change, Varidamp dampening, Automatic blanket washing device, Automatic impression cylinder washing device, Ink temperature control, Powder spray unit, make: Powderstar Weko AP232, Air cabinet, Dampening cooling and circulation system: Baldwin MultiLiner B+ 12.0 L, Compressed air compressor

 TR72961 | n/a **Komori GL437 (2016)**

Impressions: 57 mil., PQC-S, AMR, PDC-SX, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, SAPC semi automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans alpha. c, Ink temperature control, Powder spray unit, make: Weko AP160, Maximum output (copies/hour) : 15000 S/h, Maximum sheet size: 640 x 940mm, Minimum sheet size: 297 x 420mm, Maximum print size: 620 x 930mm, Plate size: 700 x 945mm, Blanket size: 800 x 955mm

 QW24719 | 54666 **Roland 304HOB SW (2001)**

Impressions: 94 mil., RCI with jobcard, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Machine with perfecting: 4/0 - 2/2, CPL plate change, Rolandmatic, Super blue, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Alpha d, Powder spray unit, make: Weko T77C, Compressed air compressor excluded

 VT75316 | n/a **Roland 504 OB+LV (2010)**

Stock List Offset printing 18.11.2020

Impressions: 95 mil., RCI Remote Controlled Inking, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, PPL semi automatic plate change, Rolandmatic, Automatic blanket washing device, Dampening system: Technotrans , Water base coating: chambered ductor system, Make Tresu, IR + Hotair drying system in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafix, Compressed air compressor

FW75488 | n/a **Roland 704/3B (2011)**

Impressions: 130 mil., RCI Remote Controlled Inking, Suction feeder table, Steel plate in feeder, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans, Airglide, Powder spray unit, make: Grafix Cantronic 3000, Compressed air compressor excluded

BV58543 | 54620 **Roland 704/3B Direct Drive (2009)**

Impressions: 168 mil., RCI Remote Controlled Inking, Telepresence, Suction feeder table, Anti static device, Steel plate in feeder, APL full automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, AlcoSmart, Ink temperature control, Airglide, Powder unit, Powder exhauster, Air cabinet, Cabinets water cooled, Compressed air compressor excluded, Heat exchanger for cabinets, Maximum sheet size: 740 x 1040 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 715 x 1020 mm, Plate size: 785 x 1030 mm

GC13288 | n/a **Roland 704/3B HiPrint (2010)**

Impressions: 167 mil., RCI Remote Controlled Inking, CCI, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , Ink temperature control, Airglide, Powder spray unit, make: Grafix Cantronic 3000, Air cabinet, Maximum output (copies/hour) : 16.000

SX51218 | 54774 **Roland 704/3B+LV HiPrint (2011)**

Impressions: 166 mil., Inline ColorPilot, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, APL full automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Number of Anilox roller(s): 2, Roland Seccomatic IR / Hot Air dryer, Airglide, Extended delivery, Powder spray unit, make: Grafix Cantronic 3000 , Compressed air compressor excluded

FV31373 | 54737 **Roland 704/3B+LV HiPrint (2009)**

Impressions: 190 mil., RCI Remote Controlled Inking, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.D, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Roland Seccomatic IR / Hot Air dryer, Airglide, Extended delivery, Powder spray unit, model : Grafix Cantronic 3000 , Cabinets air cooled, Compressed air compressor: Kaeser

YU75962 | n/a **Roland 804/7B (1989)**

Impressions: 200 mil., RCI Remote Controlled Inking, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, Rolandmatic, Quick action plate clamps, Powder spray unit, make: weko

SS28235 | n/a **Unknown Sakurai Oliver 472ED2 (2000)**

Number of printing unit(s): 4, Straight machine, APL full automatic plate change, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans , Number of coating units: 1, IR drying system in delivery, Powder spray unit, make: Grafix, Maximum output (copies/hour) : 13000 S/h

5 colour

CY65987 | n/a **Heidelberg CD102-5+LX (PPF-PPD) (2007)**

Impressions: 110 mil., CP 2000, PPF Preset Plus feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Autoplate, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, IR drying system in delivery, PPD Preset Plus Delivery, Extended delivery, Extended delivery: X2, Powder spray unit, make: Powderstar AP262

CE71292 | n/a **Heidelberg CD102-5+LYLX (1998)**

Stock List Offset printing 18.11.2020

Impressions: 450 mil., CP-Tronic, CPC 1-04, Preset Feeder, Number of printing unit(s): 5, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Number of coating units: 1, Make Tresu, IR + Hotair drying system in delivery, UV drying system in delivery, Extended delivery, Powder unit, Machine raised, Air cabinet

ET59533 | n/a

KBA (Koenig & Bauer) Rapida 104-5 (1992)

Impressions: 435 mil., Ergotronic console, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Universal model, Quick action plate clamps, Automatic blanket washing device, Dampening system: Baldwin, Powder spray unit, make: Wekotron, Cabinets air cooled, Maximum output (copies/hour) : 15000 S/h, Maximum sheet size: 720 x 1040 mm, Minimum sheet size: 360 x 520 mm, Plate size: 795 x 1050, Machine dimensions: 10600 x 3720 x 2160 (H), Weight: approx. 41950, Power supply: Approx. 48 kw

SB55159 | 54649

KBA (Koenig & Bauer) Rapida 74-5+LV (2003)

Impressions: 76 mil., Colortronic, Ergotronic console, CX package, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Baldwin, Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 2, IR + Hotair drying system in delivery, Extended delivery, Powder spray unit, make: Grafix Digitronic, Cabinets air cooled, Compressed air compressor, Maximum output (copies/hour) : 15.000 copies/hour, Paper thickness maximum: 60-350 g/m²

YC99134 | 54778

Mitsubishi Diamant LX3000-5+C (2004)

Impressions: 175 mil., Steel plate in feeder, Number of printing unit(s): 5, Straight machine, SAPC semi automatic plate change, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Water base coating: chambered ductor system, Make Harris & Bruno, IR drying system in delivery, Extended delivery, Powder spray unit, make: Grafix, Maximum output (copies/hour) : 16200, Paper thickness minimum: 0.04 mm, Paper thickness maximum: 1

QC51215 | n/a

Roland 205E/OB (2004)

Impressions: 97 mil., RCI Remote Controlled Inking, Number of printing unit(s): 5, Straight machine, CPL plate change, Rolandmatic, Automatic blanket washing device, Dampening system: Baldwin, IR drying system in delivery, Powder unit

XK18785 | n/a

Roland 505 OB P (2006)

Impressions: 123 mil., RCI Remote Controlled Inking, ColorPilot, Telepresence, Steel plate in feeder, Number of printing unit(s): 5, Machine with perfecting: 5/0. 1.4, Machine with perfecting device, CPL plate change, Rolandmatic, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink temperature control, Powder spray unit, make: Grafix Cantronic, Cabinets water cooled, Heat exchanger for cabinets

EC82138 | n/a

Roland 705/3B SW+LTLV (1998)

Impressions: 650 mil., RCI Remote Controlled Inking, Inline quality control, Non-Stop feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Machine with perfecting: 5/0 - 1/4, APL full automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans, Ink temperature control, Number of coating units: 2, Water base coating: chambered ductor system, Make Tresu, Roland Seccomatic IR / Hot Air dryer, IR drying system between coating unit 1 and 2, IR + Hotair drying system in delivery, Extended delivery, Powder spray unit, make: weko, Cabinets air cooled, Dampening cooling and circulation system: Technotrans, Compressed air compressor excluded

6 colour

KG34225 | n/a

Heidelberg CD74-6+LX (F) Hybrid (2002)

Impressions: 160 mil., CP 2000, Preset Feeder, Non-Stop feeder, Suction feeder table, Anti static device: Eltex, Double sheet control, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, Autoplate, Alcolor dampening, Dampening system: Technotrans Beta.C, Ink temperature control, Combined rollers for UV and normal ink, UV coating, Number of interdeck cassettes/lamps: 3, UV drying system in delivery, Extended delivery: X2, Non Stop delivery, Powder spray unit, make: Betatronic 200, Machine raised, Machine raised by (cm): 55 cm, Air cabinet, Compressed air compressor, Maximum sheet size: 590 x 740 mm

TB51454 | 54738

KBA (Koenig & Bauer) Rapida 105-6+LV (CX) (2011)

Stock List Offset printing 18.11.2020

Impressions: 415 mil., Colortronic, Densitronic S, CX package, Non-Stop feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, P32 model, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 2, Rapid Dry IR-Hot air system, Extended delivery, Non Stop delivery, Powder spray unit, make: Grafix Megatronic 3000, Machine raised, Machine raised by (cm): 600 mm, Cabinets air cooled, Maximum sheet size: 740 x 1050 mm, Minimum sheet size: 350 x 500 mm, Maximum print size: 731 x 1040 mm, Plate size: 795 x 1045 mm, Blanket size: 860 x 1060 mm, Paper thickness minimum: 1.2 mm

UH59562 | n/a

KBA (Koenig & Bauer) Rapida 105-6+LV (Universal) (2005)

Impressions: 170 mil., Colortronic, Ergotronic console, Logotronic Basic, Non-Stop feeder, Suction feeder table, Double sheet control, Card board device, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, Universal model, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Water base coating: chambered ductor system, Make Harris & Bruno, IR + Hotair drying system in delivery, Extended delivery, Extended delivery: 2600mm, Non Stop delivery, Powder spray unit, make: Weko AP262, Maximum output (copies/hour) : 15000 S/h, Maximum sheet size: 740 x 1050 mm, Minimum sheet size: 350 x 500 mm, Maximum print size: 730 x 1030 mm, Paper thickness minimum: 0.35mm, Paper thickness maximum: 1.2 mm, Paper weight minimum (gr/m2): 60, Paper weight maximum (gr/m2): 350

AR35362 | 54705

Roland 506OB LV (2002)

Impressions: 108 mil., CCI, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Number of Anilox roller(s): 3, IR drying system in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafix Hitronic 3000, Machine raised by (cm): 20 cm, Air cabinet, Cabinets water cooled, Dampening cooling and circulation system: Technotrans Beta.C, Compressed air compressor excluded, Heat exchanger for cabinets, excluded, Maximum sheet size: 530 x 740 mm

7 colour

CZ45578 | n/a

KBA (Koenig & Bauer) Rapida 105-7+LV (CX) (P40) (2008)

Impressions: 300 mil., Colortronic, Ergotronic console, Densitronic S, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 7, Straight machine, P40 model, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: standard film system, Make Harris & Bruno, Varidry drying system, Extended delivery, Powder unit

8 colour

SG44871 | n/a

Heidelberg SM74-8-P-H (2008)

Impressions: 111 mil., CP 2000, Axis Control, PPF Preset Plus feeder, Suction feeder table, Electronic double sheet control, Steel plate in feeder, Number of printing unit(s): 8/0 -4/4, Machine with perfecting device, Autoplate, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Ink fill system: Technotrans Incline, AirStar air cabinet, Compressed air compressor excluded

UG33495 | 54764

Heidelberg XL105-8-P (2010)

Impressions: 322 mil., CP 2000, Wall screen, Prinect Inpress Control, PPF Preset Plus feeder, StaticStar compact, Suction feeder table, Double sheet control, Steel plate in feeder, Number of printing unit(s): 8, Machine with perfecting: 8/0 -4/4, Machine with perfecting device, Autoplate advanced, Alcolor Vario dampening, IPA reduced printing package, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans CombiStar, AlcoSmart, Ink temperature control, PPD Preset Plus Delivery, CleanStar powder exhauster, Powder spray unit, make: Weko PowderStar AP 500, AirStar air cabinet, Cabinets water cooled, Maximum output (copies/hour) : 15000 S/h

WB55545 | 54724

KBA (Koenig & Bauer) Rapida 106-8-SW SIS (2012)

Impressions: 190 mil., Colortronic, Ergotronic console, Qualitronic II, Drivetronic feeder, SIS Sensoric Infeed System, Suction feeder table, Anti static device, Double sheet control, Steel plate in feeder, Number of printing unit(s): 8, Machine with perfecting: 8/0 - 4/4, P40 model, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Perfect Jackets, Ink temperature control, Airtronic delivery, Powder spray unit, make: Grafix Megatronic, Air cabinet, Cabinets water cooled, Heat exchanger for cabinets, excluded, Maximum output (copies/hour) : 18000, Maximum sheet size: 740 x 1060 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 730 x 1050 mm, Plate size: 795 x 1060 mm, Paper thickness minimum: 0.04 mm

Stock List Offset printing 18.11.2020

FE13728 | 54767

Komori LS840P+L (2010)

Impressions: 8 mil., PQC-S, KHS-AI, KMS-4, PDC-S, AMR, Non-Stop feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 8, Machine with perfecting: 8/0 - 4/4, FAPC full automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Perfect Jackets, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Number of Anilox roller(s): 1, IR + Hotair drying system in delivery, Extended delivery, Powder unit, Machine raised by (cm): 300 mm, Air cabinet, Cabinets air cooled, Maximum output (copies/hour) : 15000 s/h in straight / 12000 s/h in perfecting, Maximum sheet size: 720 x 1020 mm, Maximum print size: 710 x 1020 mm, Plate size: 800 x 1030 mm, Paper thickness minimum: 0.06 mm, Paper thickness maximum: 0.6 mm

BT78179 | n/a

Roland 708/3B SW (1996)

Impressions: 184 mil., RCI Remote Controlled Inking, Steel plate in feeder, Machine with perfecting: 8/0 -4/4, Machine with perfecting device, PPL semi automatic plate change, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans, Powder spray unit, make: Grafix

10 colour

XU97143 | 54745

Heidelberg SM102-10-P-S (2002)

Impressions: 265 mil., CP 2000, Preset Feeder, Anti static device, Steel plate in feeder, Number of printing unit(s): 10, Machine with perfecting: 10/0 - 5/5, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Perfect Jackets, Powder spray unit, make: Grafix Duo Plus, Air cabinet, Cabinets water cooled, Compressed air compressor: Rietschle, Heat exchanger for cabinets, excluded

Pile turner

WB96517 | 54739

Krift Zipsner E190RL/MZ/RO (2004)

Pile turner, Air blower, Photocel protection, Guarding

QX49599 | 54487

Krift Zipsner Pile Turner (2004)

Pile turner, Air blower, Vibration

Plate punch

GQ77375 | 54535

Bacher Plate Punch (1997)

Plate punch: Bacher. 2002.04

UU32262 | 54728

Bacher Plate Punch (2002)

Plate punch: Bacher. 2002.01

FT28916 | n/a

Bacher Plate Punch (2000)

Plate punch

AH39342 | 54016

Beil Plate Punch (1993)

Plate punch: Beil. 550-S-H-KOMORI-TP

CZ64457 | 54322

Beil Plate Punch (2001)

Plate punch: Beil. PB-S-74/52-HB-m

KG53243 | 54246

Heidelberg Plate Punch (2001)

Plate punch: Bruder Neumeister GmbH. A1.090.9016/04

FB85715 | 54539

Other Plate Punch

Plate punch: Make OML

Stock List Offset printing 18.11.2020

Plate bender

AW61213 | n/a **Heidelberg Plate Bender (2001)**

Plate bender: Brüder Neumeister GmbH. 91.144.1301/05

RV53994 | n/a **Heidelberg Plate Bender**

Plate bender: 91.144.1301/10 10616

WZ21666 | 54243 **Heidelberg Plate Bender (2001)**

Plate bender: Brüder Neumeister GmbH. G2.090.9051/02

QH45483 | 53880 **Heidelberg Plate Bender (2001)**

Plate bender: Brüder Neumeister GmbH. 91.144.1301/06

GG61768 | 53975 **Heidelberg Plate Bender (2000)**

Plate bender: Brüder Neumeister GmbH. 91.144.1301/05

Scanner

QW85828 | 54255 **Heidelberg Image Control (2001)**

Standard equipped

RW98822 | 54575 **Heidelberg Image Control (2008)**

Standard equipped

CT14921 | 54541 **Other CREO Plate Scanner**

Standard equipped

CS29452 | 54571 **Other Grapho Metronic Multi CCI (2008)**

Standard equipped

Miscellaneous

QH25651 | n/a **Heidelberg Anilox roller (Heidelberg XL75) (2008)**

Standard equipped

GB48917 | 54655-2 **Heidelberg Blanket Washing Cassette for CD102**

Standard equipped

CT79135 | 54655-3 **Heidelberg Blanket Washing Cassette for CD102**

Standard equipped

XF69438 | 54665-4 **Heidelberg Blanket Washing Cassette for CD102**

Standard equipped

AT83734 | 54655-1 **Heidelberg Blanket Washing Cassette for CD102**

Standard equipped

KQ49975 | n/a **Heidelberg Prinect Easy Control system (2008)**

Standard equipped

UT98696 | n/a **KBA (Koenig & Bauer) KBA Densitronic (2005)**

Stock List Packaging

Standard equipped

AY99486 | 54478

Other Papershells

Standard equipped

KR44336 | 54584

Other Plastic pallets for 100 x 140 cm machines (1000)

Standard equipped

HH15643 | n/a

Other X-rite IntelliTrax (2009)

Standard equipped

Packaging

Die cutting

WV22677 | n/a

Bobst SP 102 BMA (1988)

Runtime: 57.217 h, Full description will follow soon.
