

Offset printing

06.01.2021

2 colour

BS63765 | 54727

Heidelberg 72ZP (1978)

Steel plate in feeder, Number of printing unit(s): 2, Machine with perfecting: 2/0 - 1/1, Standard plate clamps, Powder unit

VE86441 | 54743

Roland 202E (2004)

Impressions: 20 mil., RCI Remote Controlled Inking, Suction feeder table, Number of printing unit(s): 2, Straight machine, Rolandmatic, Dampening system: SDL , Compressed air compressor

4 colour

TB94786 | 54746

KBA (Koenig & Bauer) Rapida 105-4 PWHA (2006)

Impressions: 220 mil., Colortronic, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, P32 model, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Baldwin , Powder spray unit, make: Weko AP262, Air cabinet, Compressed air compressor

XK81256 | 54742

KBA (Koenig & Bauer) Rapida 105-4 PWHA Universal (2006)

Impressions: 98 mil., Colortronic, Ergotronic console, Lithec, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, Universal model, PWHA semi automatic plate change, Varidamp dampening, Automatic blanket washing device, Automatic impression cylinder washing device, Ink temperature control, Powder spray unit, make: Powderstar Weko AP232, Air cabinet, Dampening cooling and circulation system: Baldwin MultiLiner B+ 12.0 L, Compressed air compressor

TR72961 | n/a

Komori GL437 (2016)

Impressions: 57 mil., PQC-S, AMR, PDC-SX, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, SAPC semi automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans alpha. c, Ink temperature control, Powder spray unit, make: Weko AP160, Maximum output (copies/hour) : 15000 S/h, Maximum sheet size: 640 x 940mm, Minimum sheet size: 297 x 420mm, Maximum print size: 620 x 930mm, Plate size: 700 x 945mm, Blanket size: 800 x 955mm

QW24719 | 54666

Roland 304HOB SW (2001)

Impressions: 94 mil., RCI with jobcard, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Machine with perfecting: 4/0 - 2/2, CPL plate change, Rolandmatic, Super blue, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Alpha d, Powder spray unit, make: Weko T77C, Compressed air compressor excluded

VT75316 | n/a

Roland 504 OB+LV (2010)

Impressions: 95 mil., RCI Remote Controlled Inking, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, PPL semi automatic plate change, Rolandmatic, Automatic blanket washing device, Dampening system: Technotrans , Water base coating: chambered ductor system, Make Tresu, IR + Hotair drying system in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafix, Compressed air compressor

BV58543 | 54620

Roland 704/3B Direct Drive (2009)

Impressions: 168 mil., RCI Remote Controlled Inking, Telepresence, Suction feeder table, Anti static device, Steel plate in feeder, APL full automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, AlcoSmart, Ink temperature control, Airglide, Powder unit, Powder exhauster, Air cabinet, Cabinets water cooled, Compressed air compressor excluded, Heat exchanger for cabinets, Maximum sheet size: 740 x 1040 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 715 x 1020 mm, Plate size: 785 x 1030 mm

FV31373 | 54737

Roland 704/3B+LV HiPrint (2009)

Stock List Offset printing 06.01.2021

Impressions: 190 mil., RCI Remote Controlled Inking, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.D, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Roland Seccomatic IR / Hot Air dryer, Airglide, Extended delivery, Powder spray unit, model : Grafic Cantronic 3000 , Cabinets air cooled, Compressed air compressor: Kaeser

YU75962 | n/a **Roland 804/7B (1989)**

Impressions: 200 mil., RCI Remote Controlled Inking, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, Rolandmatic, Quick action plate clamps, Powder spray unit, make: weko

5 colour

CE71292 | n/a **Heidelberg CD102-5+LYLX (1998)**

Impressions: 450 mil., CP-Tronic, CPC 1-04, Preset Feeder, Number of printing unit(s): 5, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Number of coating units: 1, Make Tresu, IR + Hotair drying system in delivery, UV drying system in delivery, Extended delivery, Powder unit, Machine raised, Air cabinet

ET59533 | n/a **KBA (Koenig & Bauer) Rapida 104-5 (1992)**

Impressions: 435 mil., Ergotronic console, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Universal model, Quick action plate clamps, Automatic blanket washing device, Dampening system: Baldwin , Powder spray unit, make: Wekotron, Cabinets air cooled, Maximum output (copies/hour) : 15000 S/h, Maximum sheet size: 720 x 1040 mm, Minimum sheet size: 360 x 520 mm, Plate size: 795 x 1050, Machine dimensions: 10600 x 3720 x 2160 (H) , Weight: approx. 41950, Power supply: Approx. 48 kw

SB55159 | 54649 **KBA (Koenig & Bauer) Rapida 74-5+LV (2003)**

Impressions: 76 mil., Colortronic, Ergotronic console, CX package, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Baldwin , Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 2, IR + Hotair drying system in delivery, Extended delivery, Powder spray unit, make: Grafic Digitronic, Cabinets air cooled, Compressed air compressor, Maximum output (copies/hour) : 15.000 copies/hour, Paper thickness maximum: 60-350 g/m²

AV58598 | 54786 **Komori LS529H (2007)**

Impressions: 88 mil., EH-model, PQC, KHS, PDC-S, AMR, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans alpha. c, IR drying system in delivery, Non Stop delivery, Compressed air compressor excluded

YC99134 | 54778 **Mitsubishi Diamant LX3000-5+C (2004)**

Impressions: 175 mil., Steel plate in feeder, Number of printing unit(s): 5, Straight machine, SAPC semi automatic plate change, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Water base coating: chambered ductor system, Make Harris & Bruno, IR drying system in delivery, Extended delivery, Powder spray unit, make: Grafic, Maximum output (copies/hour) : 16200, Paper thickness minimum: 0.04 mm, Paper thickness maximum: 1

QC51215 | n/a **Roland 205E/OB (2004)**

Impressions: 97 mil., RCI Remote Controlled Inking, Number of printing unit(s): 5, Straight machine, CPL plate change, Rolandmatic, Automatic blanket washing device, Dampening system: Baldwin , IR drying system in delivery, Powder unit

XK18785 | n/a **Roland 505 OB P (2006)**

Impressions: 123 mil., RCI Remote Controlled Inking, ColorPilot, Telepresence, Steel plate in feeder, Number of printing unit(s): 5, Machine with perfecting: 5/0. 1.4, Machine with perfecting device, CPL plate change, Rolandmatic, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink temperature control, Powder spray unit, make: Grafic Cantronic , Cabinets water cooled, Heat exchanger for cabinets

EC82138 | n/a **Roland 705/3B SW+LTLV (1998)**

Stock List Offset printing 06.01.2021

Impressions: 650 mil., RCI Remote Controlled Inking, Inline quality control, Non-Stop feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Machine with perfecting: 5/0 - 1/4, APL full automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans, Ink temperature control, Number of coating units: 2, Water base coating: chambered ductor system, Make Tresu, Roland Seccomatic IR / Hot Air dryer, IR drying system between coating unit 1 and 2, IR + Hotair drying system in delivery, Extended delivery, Powder spray unit, make: weko, Cabinets air cooled, Dampening cooling and circulation system: Technotrans, Compressed air compressor excluded

QQ52737 | n/a **Roland 905/6+LV (2017)**

Impressions: 38 mil., Inline ColorPilot, RCI Remote Controlled Inking, Quick change job, Suction feeder table, Electronic double sheet control, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, APL full automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Roland Seccomatic IR dryer, Extended delivery, Powder unit, Compressed air compressor, Maximum output (copies/hour) : 16.000 Copies per hour

6 colour

BV26457 | n/a **Heidelberg CD102-6+L (2002)**

Impressions: 230 mil., CP 2000, Axis Control, Preset Feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans, Water base coating: chambered ductor system, IR drying system in delivery, Preset Delivery, Maximum output (copies/hour) : 13.000 copies/hour

KG34225 | n/a **Heidelberg CD74-6+LX (F) Hybrid (2002)**

Impressions: 160 mil., CP 2000, Preset Feeder, Non-Stop feeder, Suction feeder table, Anti static device: Eltex, Double sheet control, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, Autoplate, Alcolor dampening, Dampening system: Technotrans Beta.C, Ink temperature control, Combined rollers for UV and normal ink, UV coating, Number of interdeck cassettes/lamps: 3, UV drying system in delivery, Extended delivery: X2, Non Stop delivery, Powder spray unit, make: Betatronic 200, Machine raised, Machine raised by (cm): 55 cm, Air cabinet, Compressed air compressor, Maximum sheet size: 590 x 740 mm

TK35688 | 54791 **KBA (Koenig & Bauer) Rapida 105-6+LV (P40) CX (2006)**

Impressions: 239 mil., Colortronic, Ergotronic console, Logotronic Basic, CX package, Lithec, ACR Automatic Camera System, Non-Stop feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, P40 model, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Combined rollers for UV and normal ink, Number of coating units: 1, UV coating, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 2, Make: Grafex UV/IR, Drying position possibilities: 6, Number of interdeck cassettes/lamps: 4, Interdeck UV drying system, IR + Hotair drying system in delivery, UV drying system in delivery, Extended delivery, Non Stop delivery, Powder spray unit, make: Grafex Megatronic 3000, Powder exhauster, Logistic system, Machine raised by (cm): 675 mm, Air cabinet, Cabinets water cooled, Compressed air compressor excluded, Heat exchanger for cabinets, Maximum output (copies/hour) : 18.000 copies/hour, Maximum sheet size: 740 x 1050 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 730 x 1050 mm, Plate size: 795 x 1060 mm, Blanket size: 860 x 1070 mm, Paper thickness maximum: 1.2 mm, Weight: 59.850 kg

TB51454 | 54738 **KBA (Koenig & Bauer) Rapida 105-6+LV (CX) (2011)**

Impressions: 415 mil., Colortronic, Densitronic S, CX package, Non-Stop feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, P32 model, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 2, Rapid Dry IR-Hot air system, Extended delivery, Non Stop delivery, Powder spray unit, make: Grafex Megatronic 3000, Machine raised, Machine raised by (cm): 600 mm, Cabinets air cooled, Maximum sheet size: 740 x 1050 mm, Minimum sheet size: 350 x 500 mm, Maximum print size: 731 x 1040 mm, Plate size: 795 x 1045 mm, Blanket size: 860 x 1060 mm, Paper thickness minimum: 1.2 mm

UH59562 | n/a **KBA (Koenig & Bauer) Rapida 105-6+LV (Universal) (2005)**

Impressions: 170 mil., Colortronic, Ergotronic console, Logotronic Basic, Non-Stop feeder, Suction feeder table, Double sheet control, Card board device, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, Universal model, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Water base coating: chambered ductor system, Make Harris & Bruno, IR + Hotair drying system in delivery, Extended delivery, Extended delivery: 2600mm, Non Stop delivery, Powder spray unit, make: Weko AP262, Maximum output (copies/hour) : 15000 S/h, Maximum sheet size: 740 x 1050 mm, Minimum sheet size: 350 x 500 mm, Maximum print size: 730 x 1030 mm, Paper thickness minimum: 0.35mm, Paper thickness maximum: 1.2 mm, Paper weight minimum (gr/m2): 60, Paper weight maximum (gr/m2): 350

Stock List Offset printing 06.01.2021

AR35362 | 54705

Roland 506OB LV (2002)

Impressions: 108 mil., CCI, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Number of Anilox roller(s): 3, IR drying system in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafix Hitronic 3000, Machine raised by (cm): 20 cm, Air cabinet, Cabinets water cooled, Dampening cooling and circulation system: Technotrans Beta.C , Compressed air compressor excluded, Heat exchanger for cabinets, excluded, Maximum sheet size: 530 x 740 mm

7 colour

CZ45578 | n/a

KBA (Koenig & Bauer) Rapida 105-7+LV (CX) (P40) (2008)

Impressions: 300 mil., Colortronic, Ergotronic console, Densitronic S, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 7, Straight machine, P40 model, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: standard film system, Make Harris & Bruno, Varidry drying system, Extended delivery, Powder unit

8 colour

SG44871 | n/a

Heidelberg SM74-8-P-H (2008)

Impressions: 111 mil., CP 2000, Axis Control, PPF Preset Plus feeder, Suction feeder table, Electronic double sheet control, Steel plate in feeder, Number of printing unit(s): 8/0 -4/4, Machine with perfecting device, Autoplate, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Ink fill system: Technotrans Incline, AirStar air cabinet, Compressed air compressor excluded

AE55187 | n/a

Heidelberg XL75-8-P (F) (2011)

Impressions: 239 mil., CP 2000, PPF Preset Plus feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 8, Machine with perfecting: 8/0 - 4/4, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans , PPD Preset Plus Delivery, Non Stop delivery

WB55545 | 54724

KBA (Koenig & Bauer) Rapida 106-8-SW SIS (2012)

Impressions: 190 mil., Colortronic, Ergotronic console, Qualitronic II, Drivetric feeder, SIS Sensoric Infeed System, Suction feeder table, Anti static device, Double sheet control, Steel plate in feeder, Number of printing unit(s): 8, Machine with perfecting: 8/0 - 4/4, P40 model, FAPC full automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Perfect Jackets, Ink temperature control, Airtronic delivery, Powder spray unit, make: Grafix Megatronic, Air cabinet, Cabinets water cooled, Heat exchanger for cabinets, excluded, Maximum output (copies/hour) : 18000 , Maximum sheet size: 740 x 1060 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 730 x 1050 mm, Plate size: 795 x 1060 mm, Paper thickness minimum: 0.04 mm

EH61797 | n/a

Komori LS840P (2007)

Impressions: 200 mil., PQC-S, KMS-4, AMR, Machine with perfecting: 8/0 -4/4, Machine with perfecting device, SAPC semi automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, H-UV drying

BT78179 | n/a

Roland 708/3B SW (1996)

Impressions: 184 mil., RCI Remote Controlled Inking, Steel plate in feeder, Machine with perfecting: 8/0 -4/4, Machine with perfecting device, PPL semi automatic plate change, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans , Powder spray unit, make: Grafix

10 colour

XU97143 | 54745

Heidelberg SM102-10-P-S (2002)

Impressions: 265 mil., CP 2000, Preset Feeder, Anti static device, Steel plate in feeder, Number of printing unit(s): 10, Machine with perfecting: 10/0 - 5/5, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Perfect Jackets, Powder spray unit, make: Grafix Duo Plus , Air cabinet, Cabinets water cooled, Compressed air compressor: Rietschle, Heat exchanger for cabinets, excluded

Stock List Offset printing 06.01.2021

Pile turner

WB96517 | 54739 **Krift Zipsner E190RL/MZ/RO (2004)**

Pile turner, Air blower, Photocel protection, Guarding

QX49599 | 54487 **Krift Zipsner Pile Turner (2004)**

Pile turner, Air blower, Vibration

Plate punch

GQ77375 | 54535 **Bacher Plate Punch (1997)**

Plate punch: Bacher. 2002.04

UU32262 | 54728 **Bacher Plate Punch (2002)**

Plate punch: Bacher. 2002.01

FT28916 | n/a **Bacher Plate Punch (2000)**

Plate punch

AH39342 | 54016 **Beil Plate Punch (1993)**

Plate punch: Beil. 550-S-H-KOMORI-TP

CZ64457 | 54322 **Beil Plate Punch (2001)**

Plate punch: Beil. PB-S-74/52-HB-m

KG53243 | 54246 **Heidelberg Plate Punch (2001)**

Plate punch: Bruder Neumeister GmbH. A1.090.9016/04

FB85715 | 54539 **Other Plate Punch**

Plate punch: Make OML

Plate bender

AW61213 | n/a **Heidelberg Plate Bender (2001)**

Plate bender: Brüder Neumeister GmbH. 91.144.1301/05

RV53994 | n/a **Heidelberg Plate Bender**

Plate bender: 91.144.1301/10 10616

WZ21666 | 54243 **Heidelberg Plate Bender (2001)**

Plate bender: Brüder Neumeister GmbH. G2.090.9051/02

QH45483 | 53880 **Heidelberg Plate Bender (2001)**

Plate bender: Brüder Neumeister GmbH. 91.144.1301/06

GG61768 | 53975 **Heidelberg Plate Bender (2000)**

Plate bender: Brüder Neumeister GmbH. 91.144.1301/05

CTP computer to plate

UU85555 | 54790 **Dainippon CTP Screen PT-R4300 (2003)**

Stock List Offset printing 06.01.2021

Full specifications on request

Scanner

QW85828 54255	Heidelberg Image Control (2001)
Standard equipped	
RW98822 54575	Heidelberg Image Control (2008)
Standard equipped	
CT14921 54541	Other CREO Plate Scanner
Standard equipped	
CS29452 54571	Other Grapho Metronic Multi CCI (2008)
Standard equipped	

Miscellaneous

GB48917 54655-2	Heidelberg Blanket Washing Cassette for CD102
Standard equipped	
CT79135 54655-3	Heidelberg Blanket Washing Cassette for CD102
Standard equipped	
XF69438 54665-4	Heidelberg Blanket Washing Cassette for CD102
Standard equipped	
AT83734 54655-1	Heidelberg Blanket Washing Cassette for CD102
Standard equipped	
KQ49975 n/a	Heidelberg Prinect Easy Control system (2008)
Standard equipped	
UT98696 n/a	KBA (Koenig & Bauer) KBA Densitronic (2005)
Standard equipped	
AY99486 54478	Other Papershells
Standard equipped	
KR44336 54584	Other Plastic pallets for 100 x 140 cm machines (1000)
Standard equipped	
HH15643 n/a	Other X-rite IntelliTrax (2009)
Standard equipped	

Packaging

Die cutting

WV22677 | n/a

Bobst SP 102 BMA (1988)

Runtime: 57.217 h, Full description will follow soon.
