

Offset printing

05.05.2021

1 colour

SS61596 | 54812 **Heidelberg KSB (1966)**

Straight machine, Maximum sheet size: RD40x57

QY92765 | 54811 **Heidelberg Tiegel (1959)**

Straight machine

2 colour

BS63765 | 54727 **Heidelberg 72ZP (1978)**

Impressions: 143 mil., Steel plate in feeder, Number of printing unit(s): 2, Machine with perfecting: 2/0 - 1/1, Standard plate clamps, Powder unit

AF38283 | 54809 **Heidelberg QM46-2 (1998)**

Suction feeder table, Number of printing unit(s): 2, Straight machine, Easyplate, Powder unit

RV45962 | 54810 **Heidelberg QM46-2 (2000)**

Suction feeder table, Number of printing unit(s): 2, Straight machine, Easyplate, Powder unit

GA67764 | 54807 **Komori LS240P (2010)**

Impressions: 53 mil., PQC, Suction feeder table, Double sheet control, Steel plate in feeder, Pre-loader, Number of printing unit(s): 2, Machine with perfecting: 2/0 - 1/1, SAPC semi automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans, Non Stop delivery, Powder unit, Maximum output (copies/hour) : 15.000 copies/hour

VE86441 | 54743 **Roland 202E (2004)**

Impressions: 20 mil., RCI Remote Controlled Inking, Suction feeder table, Number of printing unit(s): 2, Straight machine, Rolandmatic, Dampening system: SDL , Compressed air compressor

4 colour

QW24719 | 54666 **Roland 304HOB SW (2001)**

Impressions: 94 mil., RCI with jobcard, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Machine with perfecting: 4/0 - 2/2, CPL plate change, Rolandmatic, Super blue, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Alpha d, Powder spray unit, make: Weko T77C, Compressed air compressor excluded

VT75316 | n/a **Roland 504 OB+LV (2010)**

Impressions: 95 mil., RCI Remote Controlled Inking, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, PPL semi automatic plate change, Rolandmatic, Automatic blanket washing device, Dampening system: Technotrans, Water base coating: chambered ductor system, Make Tresu, IR + Hotair drying system in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafix, Compressed air compressor

BV58543 | 54620 **Roland 704/3B Direct Drive (2009)**

Impressions: 168 mil., RCI Remote Controlled Inking, Telepresence, Suction feeder table, Anti static device, Steel plate in feeder, APL full automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, AlcoSmart, Ink temperature control, Airglide, Powder unit, Powder exhauster, Air cabinet, Cabinets water cooled, Compressed air compressor excluded, Heat exchanger for cabinets, Maximum sheet size: 740 x 1040 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 715 x 1020 mm, Plate size: 785 x 1030 mm

Stock List Offset printing 05.05.2021

5 colour

FY16718 | n/a **Heidelberg SM74-5+LX (2000)**

Impressions: 229 mil., CP 2000, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, Water base coating: standard film system, Powder spray unit, make: Grafix Alphatronic 200

SB55159 | 54649 **KBA (Koenig & Bauer) Rapida 74-5+LV (2003)**

Impressions: 76 mil., Colortronic, Ergotronic console, CX package, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, SAPC semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Baldwin, Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 2, IR + Hotair drying system in delivery, Extended delivery, Powder spray unit, make: Grafix Digitronic, Cabinets air cooled, Compressed air compressor, Maximum output (copies/hour) : 15.000 copies/hour, Paper thickness maximum: 60-350 g/m2

FT89611 | n/a **Roland 505OB+LV (2005)**

Impressions: 91 mil., CCI, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, APL full automatic plate change, Rolandmatic, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, IR drying system in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafix Cantronic 3000

XT73129 | n/a **Roland 705/3B+LV (2002)**

Impressions: 110 mil., RCI Remote Controlled Inking, Non-Stop feeder, Suction feeder table, Double sheet control, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, PPL semi automatic plate change, Rolandmatic, Automatic blanket washing device, Number of coating units: 1, Water base coating: chambered ductor system, UV drying system in delivery, Airglide, Extended delivery, Non Stop delivery, Powder spray unit, make: Grafix

6 colour

RA85753 | n/a **Heidelberg CD74-6-P+LX (2006)**

Impressions: 152 mil., CP 2000, Non-Stop feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Machine with perfecting: 2/4 - 6/0, Machine with perfecting device, Autoplate, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, IR + Hotair drying system in delivery, Extended delivery, Powder spray unit, make: Weko AP262

QQ35727 | 54814 **KBA (Koenig & Bauer) Rapida 105-6+LV (2007)**

Impressions: 125 mil., Colortronic, Ergotronic console, Densitronic Basic, Anti static device, Double sheet control, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, Universal model, PWHA semi automatic plate change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Baldwin, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, Rapid Dry IR-Hot air system, IR drying system in delivery, Extended delivery, Extended delivery: ALV2, Powder unit, Powder spray unit, make: Weko AP262, Cabinets air cooled, Dampening cooling and circulation system: Baldwin Combiliner, Compressed air compressor excluded, Maximum output (copies/hour) : 15000 S/h

QA53749 | n/a **Komori LSX629+CX UV Embossing/Die cutting tower with Inline Foiler (2008)**

Impressions: 63 mil., PQC, KHS-AI, KMS-4, PDC-S, AMR, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, FAPC full automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Ink temperature control, Inline foiler, Number of coating units: 1, UV coating, Water base coating: chambered ductor system, Make Harris & Bruno, Make: Nordson, Drying position possibilities: 6, Number of interdeck cassettes/lamps: 2, Interdeck UV drying system, UV drying system in delivery, Extended delivery, Maximum output (copies/hour) : 16.000, Maximum sheet size: 610x750 mm, Minimum sheet size: 297x420 mm, Paper thickness minimum: 0.04 mm, Paper thickness maximum: 0.8 mm

AR35362 | 54705 **Roland 506OB LV (2002)**

Stock List Offset printing 05.05.2021

Impressions: 108 mil., CCI, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Number of Anilox roller(s): 3, IR drying system in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafix Hitronic 3000, Machine raised by (cm): 20 cm, Air cabinet, Cabinets water cooled, Dampening cooling and circulation system: Technotrans Beta.C, Compressed air compressor excluded, Heat exchanger for cabinets, excluded, Maximum sheet size: 530 x 740 mm

8 colour

HA21754 | 54806 Heidelberg XL106-8-P (LED UV) (2014)

Impressions: 302 mil., Prinect Inpress Control with Wallscreen, PPF Preset Plus feeder, StaticStar compact, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 8, Machine with perfecting: 8/0 - 4/4, Autoplate XL, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans CombiStar, Ink fill system: Technotrans Inkstar, Perfect Jackets, Ink temperature control, DryStar LED UV, PPD Preset Plus Delivery, Extended delivery, Powder spray unit, model : Grafix PowderStar AP 500, AirStar air cabinet, Cabinets water cooled, ScrollStar compressor, Maximum output (copies/hour) : 18.000, Maximum sheet size: 750 x 1060 mm, Minimum sheet size: 340 x 480 mm, Plate size: 811 x 1055 mm, Blanket size: 885 x 1077 mm

BT78179 | n/a Roland 708/3B SW (1996)

Impressions: 184 mil., RCI Remote Controlled Inking, Steel plate in feeder, Machine with perfecting: 8/0 -4/4, Machine with perfecting device, PPL semi automatic plate change, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans, Powder spray unit, make: Grafix

Pile turner

WB96517 | 54739 Krift Zipsner E190RL/MZ/RO (2004)

Pile turner, Air blower, Photocel protection, Guarding

QX49599 | 54487 Krift Zipsner Pile Turner (2004)

Pile turner, Air blower, Vibration

Plate punch

UU32262 | 54728 Bacher Plate Punch (2002)

Plate punch: Bacher. 2002.01

GQ77375 | 54535 Bacher Plate Punch (1997)

Plate punch: Bacher. 2002.04

FT28916 | n/a Bacher Plate Punch (2000)

Plate punch

VY39379 | n/a Beil Plate Punch (2000)

Plate punch

AH39342 | 54016 Beil Plate Punch (1993)

Plate punch: Beil. 550-S-H-KOMORI-TP

CZ64457 | 54322 Beil Plate Punch (2001)

Plate punch: Beil. PB-S-74/52-HB-m

KG53243 | 54246 Heidelberg Plate Punch (2001)

Plate punch: Bruder Neumeister GmbH. A1.090.9016/04

FB85715 | 54539 Other Plate Punch

Stock List Offset printing 05.05.2021

Plate punch: Make OML

Plate bender

ZY64756 | n/a **Heidelberg Plate Bender (1994)**

Plate bender

AW61213 | n/a **Heidelberg Plate Bender (2001)**

Plate bender: Brüder Neumeister GmbH. 91.144.1301/05

RV53994 | n/a **Heidelberg Plate Bender**

Plate bender: 91.144.1301/10 10616

WZ21666 | 54243 **Heidelberg Plate Bender (2001)**

Plate bender: Brüder Neumeister GmbH. G2.090.9051/02

QH45483 | 53880 **Heidelberg Plate Bender (2001)**

Plate bender: Brüder Neumeister GmbH. 91.144.1301/06

GG61768 | 53975 **Heidelberg Plate Bender (2000)**

Plate bender: Brüder Neumeister GmbH. 91.144.1301/05

Scanner

QW85828 | 54255 **Heidelberg Image Control (2001)**

Standard equipped

RW98822 | 54575 **Heidelberg Image Control (2008)**

Standard equipped

CT14921 | 54541 **Other CREO Plate Scanner**

Standard equipped

Miscellaneous

GB48917 | 54655-2 **Heidelberg Blanket Washing Cassette for CD102**

Standard equipped

CT79135 | 54655-3 **Heidelberg Blanket Washing Cassette for CD102**

Standard equipped

XF69438 | 54665-4 **Heidelberg Blanket Washing Cassette for CD102**

Standard equipped

AT83734 | 54655-1 **Heidelberg Blanket Washing Cassette for CD102**

Standard equipped

KQ49975 | n/a **Heidelberg Prinect Easy Control system (2008)**

Standard equipped

UT98696 | n/a **KBA (Koenig & Bauer) KBA Densitronic (2005)**



Stock List Offset printing 05.05.2021

Standard equipped

AY99486 | 54478

Other Papershells

Standard equipped

KR44336 | 54584

Other Plastic pallets for 100 x 140 cm machines (1000)

Standard equipped

HH15643 | n/a

Other X-rite IntelliTrax (2009)

Standard equipped

Packaging

Die cutting

WV22677 | n/a

Bobst SP 102 BMA (1988)

Runtime: 57.217 h, Full description will follow soon.

Stock List Packaging

ET34191 | 30032

Bobst SP 102 CER II (1995)

Runtime: 34.500 h, Non-Stop feeder , Pull lay OS, Microsystem, Centerline, Stripping station, Blanking station, Pre make ready table, Photo is an example photo of an identical machine after cleaning, checking and painting.

RT57693 | 30034

Bobst SP 104 ER (1996)

Runtime: 39.212 h, Non-Stop feeder , Pull lay OS, Microsystem, Centerline, Non Stop apron in delivery, Photo is an example photo of an identical machine after cleaning, checking and painting.
