

Offset printing

13.10.2021

1 colour

SS61596 | 54812 **Heidelberg KSB (1966)**

Straight machine, Maximum sheet size: RD40x57

QY92765 | 54811 **Heidelberg T (1959)**

Straight machine

2 colour

BS63765 | 54727 **Heidelberg 72ZP (1978)**

Impressions: 143 mil., Steel plate in feeder, Number of printing unit(s): 2, Machine with perfecting: 2/0 - 1/1, Standard plate clamps, Powder unit

CX83583 | 54826 **Heidelberg PM74-2-P (2006)**

Impressions: 115 mil., Number of printing unit(s): 2, Machine with perfecting: 2/0 - 1/1, Easyplate, Alcolor dampening, Dampening system: Baldwin , Perfect Jackets, Powder spray unit, model : weko

BX65229 | 54827 **Heidelberg PM74-2-P (2005)**

Impressions: 98 mil., Suction feeder table, Double sheet control, Number of printing unit(s): 2, Machine with perfecting: 2/0 - 1/1, Machine with perfecting device, Easyplate, Alcolor dampening, Dampening system: Baldwin , Powder spray unit, make: Wekotron

AF38283 | 54809 **Heidelberg QM46-2 (1998)**

Suction feeder table, Number of printing unit(s): 2, Straight machine, Easyplate, Powder unit

RV45962 | 54810 **Heidelberg QM46-2 (2000)**

Suction feeder table, Number of printing unit(s): 2, Straight machine, Easyplate, Powder unit

BU84889 | 54830 **Heidelberg SM74-2 (2012)**

Impressions: 80 mil., CP-Tronic, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 2, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: HydroStar Compact, Powder spray unit, model : Weko AP242

GA67764 | 54807 **Komori LS240P (2010)**

Impressions: 53 mil., PQC, Suction feeder table, Double sheet control, Steel plate in feeder, Pre- loader, Number of printing unit(s): 2, Machine with perfecting: 2/0 - 1/1, SAPC semi automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans , Non Stop delivery, Powder unit, Maximum output (copies/hour) : 15.000 copies/hour

4 colour

ZK93131 | n/a **Heidelberg SM74-4-H (2010)**

Impressions: 82 mil., CP 2000, Number of printing unit(s): 4, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C , Ink temperature control, Combined rollers for UV and conventional inks, Number of interdeck cassettes/lamps: 2, UV Interdeck dryer, UV dryer in delivery, StaticStar, Powder spray unit, make: Grafix Alphatronic 200, AirStar air cabinet, Cabinets air cooled, ScrollStar compressor, Maximum output (copies/hour) : 15.000 , Maximum sheet size: 530 x 740 mm, Minimum sheet size: 210 x 280 mm, Maximum print size: 510 x 740 mm, Plate size: 605 x 745 mm, Paper thickness maximum: 0.6 mm

FB57133 | n/a **Heidelberg SM74-4-H (1996)**

Stock List Offset printing 13.10.2021

Impressions: 137 mil., CP-Tronic, CPC 1-04, Double sheet control, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device

WF83754 | n/a

KBA (Koenig & Bauer) Rapida 105-4+LV (CX) (2012)

Impressions: 195 mil., ColorTronic, Ergotronic console, CX Package, ACR Automatic Camera Register, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, FAPC Full Automatic Plate Change, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Ink temperature control, Water base coating: chambered ductor system, IR dryer in delivery, Extended delivery, Powder unit

QW24719 | 54666

Roland 304HOB SW (2001)

Impressions: 94 mil., RCI with jobcard, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Machine with perfecting: 4/0 - 2/2, CPL plate change, Rolandmatic, Super blue, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Alpha d, Powder spray unit, make: Weko T77C, Compressed air compressor excluded

VT75316 | n/a

Roland 504 OB+LV (2010)

Impressions: 95 mil., RCI Remote Controlled Inking, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 4, Straight machine, PPL semi automatic plate change, Rolandmatic, Automatic blanket washing device, Dampening system: Technotrans, Water base coating: chambered ductor system, Make Tresu, IR+hot-air dryer in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafix, Compressed air compressor

BV58543 | 54620

Roland 704/3B Direct Drive (2009)

Impressions: 168 mil., RCI Remote Controlled Inking, Telepresence, Suction feeder table, Anti static device, Steel plate in feeder, APL full automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, AlcoSmart, Ink temperature control, Airglide, Powder unit, Powder exhauster, Air cabinet, Cabinets water cooled, Compressed air compressor excluded, Heat exchanger for cabinets, Maximum sheet size: 740 x 1040 mm, Minimum sheet size: 340 x 480 mm, Maximum print size: 715 x 1020 mm, Plate size: 785 x 1030 mm

5 colour

SB55159 | 54649

KBA (Koenig & Bauer) Rapida 74-5+LV (2003)

Impressions: 76 mil., ColorTronic, Ergotronic console, CX Package, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, SAPC Semi Automatic Plate Change, Varidamp dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Baldwin, Number of coating units: 1, Water base coating: chambered ductor system, Make Harris & Bruno, Number of Anilox roller(s): 2, IR+hot-air dryer in delivery, Extended delivery, Powder spray unit, make: Grafix Digitronic, Cabinets air cooled, Compressed air compressor, Maximum output (copies/hour) : 15.000 copies/hour, Paper thickness maximum: 60-350 g/m2

QC51215 | 54823

Roland 205E/OB (2004)

Impressions: 97 mil., RCI Remote Controlled Inking, Number of printing unit(s): 5, Straight machine, CPL plate change, Rolandmatic, Automatic blanket washing device, Dampening system: Baldwin, IR dryer in delivery, Powder unit, Compressed air compressor excluded, Plate bender

FT89611 | n/a

Roland 505OB+LV (2005)

Impressions: 91 mil., CCI, Steel plate in feeder, Number of printing unit(s): 5, Straight machine, APL full automatic plate change, Rolandmatic, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, IR dryer in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafix Cantronic 3000

VB39618 | n/a

Ryobi R-525 GE (2010)

Impressions: 19 mil., Number of printing unit(s): 5, Straight machine, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans, Powder spray unit, make: Grafix, Maximum sheet size: 375x520

6 colour

KF37179 | n/a

Heidelberg CD102-6+LX (2003)

Stock List Offset printing 13.10.2021

Impressions: 365 mil., CP 2000, Preset Feeder, Non-Stop feeder, Suction feeder table, Electronic double sheet control, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating, Make Tresu, Number of Anilox roller(s): 1, Drying position possibilities: IST, Number of interdeck cassettes/lamps: 3, UV dryer in delivery, Preset Delivery, Extended delivery, Powder spray unit, make: Grafex Exatronic Duo Plus, Air cabinet, Compressed air compressor

RA85753 | n/a

Heidelberg CD74-6-P+LX (2006)

Impressions: 152 mil., CP 2000, Non-Stop feeder, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Machine with perfecting: 2/4 - 6/0, Machine with perfecting device, Autoplate, Alcolor Vario dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, IR+hot-air dryer in delivery, Extended delivery, Powder spray unit, make: Weko AP262

GV75665 | n/a

KBA (Koenig & Bauer) Rapida 105-6+LV SW1 (P40) (2007)

Impressions: 155 mil., ColorTronic, Ergotronic console, LogoTronic Basic, CX Package, QualiTronic, DensiTronic Basic, ACR Automatic Camera Register, Non-Stop feeder, Double sheet control, Steel plate in feeder, Number of printing unit(s): 6, Machine with perfecting: 6/0 - 5/1, Machine with perfecting device, P40 model, PWHA Semi Automatic Plate Change, Varidamp dampening, Automatic inking roller washing device, Automatic plate cylinder washing device, Automatic impression cylinder washing device, Dampening system: Technotrans, Number of coating units: 1, UV coating, Water base coating: chambered ductor system, Make Harris & Bruno, UV Interdeck dryer, IR+hot-air dryer in delivery, UV dryer in delivery, Extended delivery, Non Stop delivery, Powder spray unit, make: Weko AP262, Machine raised by (cm): 450

QA53749 | n/a

Komori LSX629+CX UV Embossing/Die cutting tower with Inline Foiler (2008)

Impressions: 63 mil., PQC, KHS-AI, KMS-4, PDC-S, AMR, Suction feeder table, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, FAPC full automatic plate change, Komorimatic dampening system, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Ink temperature control, Inline foiler, Number of coating units: 1, UV coating, Water base coating: chambered ductor system, Make Harris & Bruno, Make: Nordson, Drying position possibilities: 6, Number of interdeck cassettes/lamps: 2, UV Interdeck dryer, UV dryer in delivery, Extended delivery, Maximum output (copies/hour): 16.000, Maximum sheet size: 610x750 mm, Minimum sheet size: 297x420 mm, Paper thickness minimum: 0.04 mm, Paper thickness maximum: 0.8 mm

AR35362 | 54705

Roland 506OB LV (2002)

Impressions: 108 mil., CCI, Suction feeder table, Anti static device, Steel plate in feeder, Number of printing unit(s): 6, Straight machine, PPL semi automatic plate change, Roland Deltamatic dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans Beta.C, AlcoSmart, Ink temperature control, Number of coating units: 1, Water base coating: chambered ductor system, Make Tresu, Number of Anilox roller(s): 3, IR dryer in delivery, Airglide, Extended delivery, Powder spray unit, make: Grafex Hitronic 3000, Machine raised by (cm): 20 cm, Air cabinet, Cabinets water cooled, Dampening cooling and circulation system: Technotrans Beta.C, Compressed air compressor excluded, Heat exchanger for cabinets, excluded, Maximum sheet size: 530 x 740 mm

10 colour

YT11841 | n/a

Heidelberg SM102-10-P (1997)

Impressions: 275 mil., CP-Tronic, CPC 1-04, Steel plate in feeder, Number of printing unit(s): 10, Machine with perfecting: 10/0 - 5/5, Machine with perfecting device, Autoplate, Alcolor dampening, Automatic inking roller washing device, Automatic blanket washing device, Automatic impression cylinder washing device, Dampening system: Technotrans, Powder unit

Pile turner

QX49599 | 54487

Krift Zipsner E200 RL/RO/MZ (2004)

Pile turner, Air blower, Vibration

WB96517 | 54739

Krift Zipsner E190 RL/MZ/RO (2004)

Pile turner, Air blower, Photocel protection, Guarding

Plate punch

UU32262 | 54728

Bacher Plate Punch (2002)

Stock List Offset printing 13.10.2021

Plate punch: Bacher. 2002.01

FT28916 | n/a **Bacher Plate Punch (2000)**

Plate punch

VY39379 | n/a **Beil Plate Punch (2000)**

Plate punch

AH39342 | 54016 **Beil Plate Punch (1993)**

Plate punch: Beil. 550-S-H-KOMORI-TP

KG53243 | 54246 **Heidelberg Plate Punch (2001)**

Plate punch: Bruder Neumeister GmbH. A1.090.9016/04

FB85715 | 54539 **Other Plate Punch**

Plate punch: Make OML

Plate bender

CZ64457 | 54322 **Beil Plate Bender (2001)**

Plate punch: Beil. PB-S-74/52-HB-m, Plate bender: Beil. PB-S-74/52-HB-m

ZY64756 | n/a **Heidelberg Plate Bender (1994)**

Plate bender

RV53994 | n/a **Heidelberg Plate Bender**

Plate bender: 91.144.1301/10 10616

WZ21666 | 54243 **Heidelberg Plate Bender (2001)**

Plate bender: Brüder Neumeister GmbH. G2.090.9051/02

QH45483 | 53880 **Heidelberg Plate Bender (2001)**

Plate bender: Brüder Neumeister GmbH. 91.144.1301/06

GG61768 | 53975 **Heidelberg Plate Bender (2000)**

Plate bender: Brüder Neumeister GmbH. 91.144.1301/05

Scanner

RW98822 | 54575 **Heidelberg Image Control (2008)**

Standard equipped

CT14921 | 54541 **Other CREO Plate Scanner (1998)**

Standard equipped

Miscellaneous

CU87885 | 77202 **Goebel Optiforma 1125 web offset press (1991)**

Standard equipped

AT83734 | 54655-1 **Heidelberg Blanket Washing Cassette for CD102**

Stock List Offset printing 13.10.2021

Standard equipped

XF69438 | 54665-4

Heidelberg Blanket Washing Cassette for CD102

Standard equipped

CT79135 | 54655-3

Heidelberg Blanket Washing Cassette for CD102

Standard equipped

GB48917 | 54655-2

Heidelberg Blanket Washing Cassette for CD102

Standard equipped

KQ49975 | n/a

Heidelberg Prinect Easy Control system (2008)

Standard equipped

UT98696 | n/a

KBA (Koenig & Bauer) KBA Densitronic (2005)

Standard equipped

AY99486 | 54478

Other Papershells

Standard equipped

KR44336 | 54584

Other Plastic pallets for 100 x 140 cm machines (1000)

Standard equipped

HH15643 | n/a

Other X-rite IntelliTrax (2009)

Standard equipped

QZ15484 | 54800

Stielow DINO 250

Standard equipped

Bindery

Paper cutting lines

XY49698 | n/a

Polar 137 EMC-Monitor (1988)

Make: Polar, Model: L 600-3, With lifting forks, Make: Zöll, Make: Polar, Model: 137 EMC-Monitor, Age: 1988, Monitor, Side table on the left with air, Side table on the right with air, Number of knives: 1, Make: Polar, Model: TR EL 100/3

SS87232 | 76737

Polar 176 XT Autotrim Pace (2008)

Make: Polar, Model: LW2000-7, Age: 2007, With steel plate, Make: Polar, Model: RAM-7S, Age: 2008, Air removal roller, Delivery to the left and right, Make: Polar, Model: Greifer GF, Age: 2008, Rear-table loading system, Make: Polar, Model: 176 XT-AT, Age: 2008, Touch screen monitor(s), Automatic programm, Side table on the left with air, Side table on the right with air, Cutting table chromed with air, Air blower, Autotrim (label cutting), Photocel protection, Number of knives: 1, Make: Polar, Model: Transomat RSR160-7S, Age: 2008, On right side of the cutting machine
